

Italy End User Reference Price List

Prices Valid From: October 2011






Content							
News and Highlights	3	LIFEBOOK E751	30	ESPRIMO Accessories	76	Tower Servers Accessories	128
Positioning	4	LIFEBOOK E781	32	ESPRIMO Options	78	Tower Servers Options	138
		LIFEBOOK P701	33				
Positioning Zero Client	6	LIFEBOOK P770	35	CELSIUS Positioning	88	Positioning PRIMERGY Rack	157
Zero Clients	7	LIFEBOOK P771	36	CELSIUS H710	90	PRIMERGY RX100 S7	158
Portable Zero Clients	8	LIFEBOOK NH751	37	CELSIUS H910	91	PRIMERGY RX300 S6	159
		LIFEBOOK Accessories	38	CELSIUS W410	92	PRIMECENTER	161
Positioning Tablet PC	9	LIFEBOOK Options	41	CELSIUS W510	93	PRIMECENTER M1	162
LIFEBOOK T901	11			CELSIUS M470	94	PRIMECENTER SME Rack	164
LIFEBOOK T730	13	Positioning FUTRO	53	CELSIUS R570	95	Rack Servers Accessories	165
LIFEBOOK T731	14	FUTRO S100	54	CELSIUS R670	96	Rack Servers Options	175
LIFEBOOK T580	15	FUTRO S450 & S500	55	CELSIUS Accessories	98		
STYLISTIC Q550	16	FUTRO S700	56	CELSIUS Options	104	Positioning PRIMERGY Blade	198
TABLET PC Accessories	17	FUTRO S900	57			PRIMERGY BX900 S1	200
TABLET PC Options	19	FUTRO Accessories	58	Positioning Displays	121	PRIMERGY BX620 S4	201
		FUTRO Options	59	Displays	122	PRIMERGY BX620 S5	202
Positioning Notebook	23					PRIMERGY SX650	203
LIFEBOOK SH531	24	Positioning ESPRIMO	61	Positioning Keyboard & Security	123	PRIMERGY SX940 S1	204
LIFEBOOK LH531	25	ESPRIMO C	62	Keyboards	124	PRIMERGY NX650 NAS	205
LIFEBOOK S751	26	ESPRIMO E	63			Blade Servers Accessories	206
LIFEBOOK S761	28	ESPRIMO P	69	Positioning PRIMERGY Tower	125	Blade Servers Options	213
LIFEBOOK S781	29	ESPRIMO Q	75	PRIMERGY TX150 S7	126		



News and Highlights



ZERO CLIENTS





STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bidirectional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



Fujitsu Technology Solutions

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and

Listino Prezzi Ottobre 2011

outstanding slim profile make the notebook a real head-turner.

LIFEBOOK NH751



FUTRO

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs



ESPRIMO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off-/hibernating mode to 0.0 watts, without reducing manageability.



CELSIUS

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance. With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.





Displays & Accessories

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



PRIMERGY TX100 S1

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



Professional Products Positioning



ZERO CLIENTS



STYLISTIC



The STYLISTIC ST Series is thin, approximatly A4 in size, only 1.6 kg and relpaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



FUTRO



ESPRIMO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.



PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

Positioning Zero Clients



ZERO CLIENTS



PORTABLE ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources fexibly and react quickly to changing users

and working locations

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu s Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.



Zero Clients Series

The Zero Clients D602 and DZx are a revolutionary new way of supplying standard office applications to your business. As a silent, space-saving front-end device designed for a desktop virtualization environment, the Zero Clients securely and reliably delivers a full desktop experience at a fraction of the normal cost.

Model	Ard products Client DZ19-2 Zero Client DZ19-2 for CITRIX® Zero Client DZ19-2 for CITRIX® and right for the Zero Client Manager, Zero Client DZ19-2 for Microsoft® Zero Client DZ19-2 for VMware® Zero Client DZ19-2 for VMware® Zero Client DZ19-2 for VMware® environment, including licence for 1 year updaright for the Zero Client Manager, Client DZ22-2 Zero Client DZ22-2 for CITRIX® Zero Client DZ22-2 for CITRIX® environment, including licence for 1 year updaright for the Zero Client Manager,	Product Code	EUP (4)	Comments	
Standard	products				
ZERO C	lient DZ19-2				
	Zero Client DZ19-2 for CITRIX®	Zero Client DZ19-2 for CITRIX® environment, including licence for 1 year update- right for the Zero Client Manager,	BDL:DZ_19-2_CTX	323,00	
	Zero Client DZ19-2 for Microsoft®	Zero Client DZ19-2 for Microsoft® Hyper-V environment, including licence for 1year update-right for the Zero Client Manager,	BDL:DZ_19-2_MSH	323,00	
	Zero Client DZ19-2 for VMware®	Zero Client DZ19-2 for VMware® environment, including licence for 1 year update- right for the Zero Client Manager,	BDL:DZ_19-2_VMW	323,00	
ZERO C	lient DZ22-2				
	Zero Client DZ22-2 for CITRIX®	Zero Client DZ22-2 for CITRIX® environment, including licence for 1 year update- right for the Zero Client Manager,	BDL:DZ_22-2_CTX	367,00	
	Zero Client DZ22-2 for Microsoft®	Zero Client DZ22-2 for Microsoft® Hyper-V environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:DZ_22-2_MSH	367,00	
	Zero Client DZ22-2 for VMware®	Zero Client DZ22-2 for VMware® environment, including licence for 1 year update- right for the Zero Client Manager,	BDL:DZ_22-2_VMW	367,00	



Portable Zero Clients Series

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu s Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.


virtualiz	zation - maximum flexibility, maximum	savings.			
Model	Description	Details	Product Code	EUP (4)	Comments
Model			Product Code	EUP (4)	Comments
Standard	products				
Portable	Zero Client MZ900				
	Zero Client MZ900 for CITRIX®	Zero Client MZ900 for CITRIX® environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:ZC_MZ900_CTX	145,00	
	Zero Client MZ900 for Microsoft® Hyper-V Zero Client MZ900 for Microsoft® Hyper-V environment, including licent for 1 year update-right for the Zero Client Manager,		BDL:ZC_MZ900_MSH	145,00	
	Zero Client DMZ900 for VMware®	Zero Client DMZ900 for VMware® environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:ZC_MZ900_VMW	145,00	



Positioning Tablet PC



LIFEBOOK T901





LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds.

Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through

integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by

your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.

Fujitsu offers a vast range of accessories for your STYLISTIC ST Series:

docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

Model	Description	Details	Product Code	EUP (4)	Comments
	I products	Details	<u> </u>	ш	O
LIFEBO	OK T901				
	B T901 DUAL DIG. //3-2310M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //3-2310M/4 GB/DVD/ (2008 7.2K/N UMTS/MODEM/ WLAN INTEL 6205/BT V3.0/CAM/TPM/C AC-ADAP/1ST BATT/CABLE EU/KB I/, B T901 DUAL DIG. //3-2310M/4 GB/ (Promo) LB T901 DUAL DIG. //3-2310M/4 GB/ BD WRITER/500GE 7.2K/N UMTS/MODEM/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK INT/ AC-ADAP/1ST BATT/CABLE EU/KB I/, B T901 DUAL DIG. //5-2410M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //5-2410M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //5-2410M/4 GB/DVD/ 500GB 7.2K/U GOBI 3000/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK IN ADAP/1ST BATT/CABLE EU/KB I/, B T901 DUAL DIG. //7-2640M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/U INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI B T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/W INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI B T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/W INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI B B T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/W INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI B B T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/W INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI B B T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/W INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFI LED Display with magnesium cover, Dual digitizer for puplus capacitive multi-louch screen (anti-glare), Intel® Chip (MB/T V) functionality (Pror requires Cor 255/W // 7 processor plus Intel W-LAN plus TPM module), si maximum 8 GB Dual Channel DDR3 1333MHz PC8500 R DIMM slots). Modular bay concept for optional optical disk 2nd battery, 2nd HDD or weight-saver, Mobile Intel® HD Audio, 2 digital microphonea and 2 loudsy integrated, touchpad, scroll wheel, ambient-light sensor, C Sensor, fingerprint sensor (SmartAccess Fingerprint & Se Software),	LB T901 DUAL DIG. /l3-2310M/4 GB/DVD/ 320GB 7.2K/NO UMTS/MODEM/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK INT/ AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:T9010M0001IT		
	UMTS/MODEM/ WLAN INTEL 6205/BT V3.0/CAM/TPW/CK AC-ADAP/1ST BATT/CABLE EU/KB I/, LB T901 DUAL DIG. /l3-2310M/4 GB/ (Promo) LB T901 DUAL DIG. /l3-2310M/4 GB/ BD WRITER/500GB 7.2K/NO UMTS/MODEM/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK INT/ AC-ADAP/1ST BATT/CABLE EU/K LB T901 DUAL DIG. /l5-2410M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. /l5-2410M/4 GB/DVD/ 500GB 7.2K/UM GOBI 3000/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK INT/ ADAP/1ST BATT/CABLE EU/KB I/,		LKN:T9010M0002IT		
	V3.0/CAM/TPW/CK INT/ AC-ADAP/1ST BATT/CABLE EL LB T901 DUAL DIG. //5-2410M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //5-2410M/4 GB/DVD/ 500GB 7.2K/L GOBI 3000/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK IN ADAP/1ST BATT/CABLE EU/KB I/, LB T901 DUAL DIG. //7-2640M/4 GB/DVD/ (Promo) LB T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/V INTEL 6205/BT V3.0/CAM/ TPM/ERASEDISK/CK INT/AC	LB T901 DUAL DIG. /l5-2410M/4 GB/DVD/ 500GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/CAM/TPM/CK INT/ AC- ADAP/1ST BATT/CABLE EU/KB I/,	LKN:T9010M0003IT		
	LB T901 DUAL DIG. //7-2640M/4 GB/DVD/ (Promo)	LB T901 DUAL DIG. //7-2640M/4 GB/DVD/ 500GB 7.2K/WLAN INTEL 6205/BT V3.0/CAM/ TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFES/,	LKN:T9010M0005IT		
Model	Description	Details	Product Code	EUP (4)	Comments
	t configurations				
LIFEBO	OK T901				
	LIFEBOOK T901 Dual Digitizer	graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, Gsensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators,		1.256,00	



BOOK T901			
LIFEBOOK T901 Active Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with anti-glare Berliner Glass and magnesium cover, Active digitizer for pen input, Intel® Chipset QM67 with Intel® AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.	391-K333-V200	1.044,00



LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

_	Description	Details	Product Code	EUP (4)	Comments
500	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	LKN:T7300M0001IT		Phased or
	LB T730 /30,7CM WXGA STA/I3-380M/4 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-380M/4 GB/ DVD/320GB/CAMWLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/ W7_PRO64_O1MULI_MA/W7_RDVD_32+64_PROF/,	LKN:T7300M0004IT		Phased o
	LB T730 /30,7CM WXGA STA/I5-480M/4 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I5-480M/4 GB/ DVD/500GB 7.2K/CAM/WLAN INTEL 6200/ BT 2.1/NO UMTS/CK EU/KB I/ COA_W7_MM_PROFES/W7_PRO64_O1MULI_MA/,	LKN:T7300M0005IT		Phased o
	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LEI Chipset QM57 with Intel® AMT functionality, supports maxim optional optical disk drive, 2nd battery, 2nd HDD or weight-se microphones and 2 loudspeakers integrated, touchpad incl. & Security Software), LED status indicators, application butto HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, not	um 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (; aver. Intel® HD graphics, Serial ATA HDD interface, 10/1 scroll-sensor, ambient-light sensor, G-Sensor, fingerprin ons, Kensington Lock., Interfaces: 1x ExpressCard Type 8, Firewire, audio in (line-in, microphone), audio out (line	2 DIMM slots). Modular 100/1000 MBit Intel® LA It sensor (incl. SmartCa 34mm/54mm, SD/MS C	bay cond N, Intel® se Logor Card read	cept for HD Audio + Fingerpi er, VGA,
	LB T730 /30,7CM WXGA STA/I5-560M/2x2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I5-560M/2x2 GB/ DVD/500GB 7.2K/CAM/WLAN INTEL 6200/ BT 2.1/UMTS GOBI 2000/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:T7300M0003IT		Phased o
	LB T730 /30,7CM WXGA STA/I5-560M/4 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I5-560M/4 GB/ BD COMBO/500GB 7.2K/CAM/WLAN INTEL 6200/ BT 2.1/UMTS GOBI 2000/CK EU/KB I/ COA_W7_MM_PROFES/W7_PRO64_O1MULI_MA/,	LKN:T7300M0006IT		Phased o
el	Description	Details	Product Code	EUP (4)	Comments
Standard produ LIFEBOOK T73 LB T					
	LIFEBOOK T730	Base unit with LCD 30.7cm (12.1") TFT WXGA non- glare LED Display and Touchscreen, Dual Digitizer (for pen operation and finger touch operation). Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., AC Adapter 19V/80W, stylus pen, pen tether, cleaning-	S26391-K314-V100	578,00	Phased o



LIFEBOOK T731

The powerful Fujitsu LIFEBOOK T731 is a lightweight flexible 30.7 cm (12.1-inch) convertible Tablet PC which supports modern multiple-touch technology and allows input with up to 5 fingers at the same time as well as precise pen input. Thanks to the very bright display with its wide perspective, the integrated ambient light sensor and support for all the main radio technologies you are optimally equipped for every business trip. The notebook's modular bay helps you to stay flexible when working, either when travelling, in the office or at home.

Model	Description	Details	Product Code	EUP (4)	Comments
	EBBOOK T731 LB T731 /30,7CM WXGA STA/I3-2330M/4 GB/ (Promo) LB T731 /30,7CM WXGA STA/I3-2330M/4 GB/ DVD/320G 7.2/K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/ERASEDISK/ CK INT/AC-ADAP/1ST BATT/CA EU/KB V, LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ (Promo) LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ DVD/500G 7.2/K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/TF ERASEDISK/CK INT/AC-ADAP/1ST BATT/, Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare Display with magnesium cover, Dual Digitizer for pen inpu plus capacitive multi-touch screen for finger input. Intel Chipset QM67 with Intel AMT 7.0 functionality (Pro-requir Core i5-25xx/i7 processor plus Intel WLAH plus TPM mod supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd broty, 2nd HDD or weigh saver. Intel HD graphics, Serial ATA HDD interface, 10/1001/000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (incl. Omnipass Fingrprint & Security Software), LED status indicators, application buttons, Kensington Lock. Fujitsu Recovery), Interfaces: 1x Expectaced Type 54mm, SD/N Card reader, VGA, HDMI, 2x USB 2.0, 1x USB 3.0 (with of charge function), RJ45 for LAN, optional SiM-Card Reade UMTS, IEEE 1394 Firewire, audio in (line-in, microphone).				
LIFEBOO		V3.0/CAM/ERASEDISK/ CK INT/AC-ADAP/1ST BATT/CABLE	LKN:T7310M0001IT		
	LB T731 /30,7CM WXGA STA/l5-2520M/4 GB/ (Promo)	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:T7310M0002IT		
	Provided	Dataile	Product Code	EUP (4)	Comments
	•	Details	Δ.	Ш	ပ
	LIFEBOOK T731	Chipsel QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/i7 processor plus Intel WLAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (incl. Omnipass Fingrprint & Security Software), LED status indicators, application buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)., Interfaces: 1x ExpressCard Type 54mm, SD/MS Card reader, VGA, HDMI, 2x USB 2.0, 1x USB 3.0 (with off-charge function), RJ45 for LAN, optional SIM-Card Reader foundTS, IEEE 1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector.	S26391-K335-V100	612,00	



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!

Model	Description	Details	Product Code	EUP (4)	Comments
	andard products FEBOOK T580 LB T580 I3 /2 GB/320GB/CAW (Promo) LB T580 I3 /2 GB/320GB/CAW (Promo) LB T580 I3 /2 GB/320GB/CAW WLAN INTEL 6200/BT V2.1/NO UMTS/C KB V/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/, LB T580 I5 /4 GB/320GB/CAW (Promo) LB T580 I5 /4 GB/320GB/CAW WLAN INTEL 6200/BT V2.1/NO UMTS/C KB V/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/, Details Base unit configurations FEBOOK T580 LIFEBOOK T580 I3-380UM Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digiti with touch screen for pen operation and finger touch operation. Intel Chip HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 GB D/Channel DDR3 800MHz PC640/R AM (2 DIMM slots). Intel HD graphics. ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sens Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to creover factory image (Hal Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, 1 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), aud (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook c Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics. ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sens Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hal Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, 1 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio LAN, SIM-Card Reader for UMTS,				
	LB T580 I3 /2 GB/320GB/CAM/ (Promo) LB T580 I3 /2 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/K KB VCOA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/, LB T580 I5 /4 GB/320GB/CAM/ (Promo) LB T580 I5 /4 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/K KB VCOA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/, Be VCOA_W7_MM_PROFES/W7_PRO64_O1MULI_MA/, Details LIFEBOOK T580 LIFEBOOK T580 Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digit with touch screen for pen operation and finger touch operation. Intel Chil HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 GBL Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light ser		LKN:T5800M0001IT		
			LKN:T5800M0002IT		
Model	LB T580 I5 /4 GB/320GB/CAM/ (Promo) LB T580 I5 /4 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UN KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/, Details see unit configurations FEBOOK T580 LIFEBOOK T580 i3-380UM Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual with touch screen for pen operation and finger touch operation. Inte HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD gra ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-ligh	Details	Product Code	EUP (4)	Comments
	· ·	,			
LIFEBOO	OK T580				
	LIFEBOOK T580 i3-380UM	Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V100	673,00	
	LIFEBOOK T580 i5-560UM	Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Corei5 Processor i5-560UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V200	767,00	



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

	Description configurations	Details	Product Code	EUP (4)	Comments
STYLIST	IC Q550 STYLISTIC Q550	Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel SM35 Express Chipset with Intel Atom Z670, 2GB memory (DDR2, 800MH2). Mobile Intel GMA 600 graphics and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear), 2 digital microphones and 1 loudspeaker integrated, G-Sensor, fingerprint sensor, LED status indicators, application buttons. Interfaces: Smart Card reader slot, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS, audio out (line-out, headphones), docking connector. , 4-cell Lithium-Polymer battery (5.240mAh). Including Tablet pen, pen tether, cleaning cloth.	S26391-K334-V100	584,00	



Tablet PC Accessories Output Output										
				ST5010/ST5010D	/ ST5011D					
			STYLISTIC Q550	STYLISTIC ST5010	STYLISTIC ST5011/	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	()	Comments
Category	Description	Details	۲	۲	ξ	Ş	Ę	or G	EUP	ខ
ccessories	& services matrix									
leniory	1GB DDR3-1066	1 Modul, PC3-8500 ub	П	П	Τ		х	S26391-F436-L100	43,00	Phased o
	2GB DDR3-1066	1 Modul, PC3-8500 ub					х	S26391-F436-L200	73,00	
S/Applica		ted New 7 Feet date 0						C00004 F0007 L000	47.00	
	Drivers & Utility (XP/Vista/7) LIFEBOOK Drivers&Utility DVD (Win7) LIFEBOOK	incl. Nero 7 Essentials S	х				Х	S26361-F2007-L903 S26361-F2010-L201	17,00 22,00	
PS/Power								02000112010 2201	22,00	
	1st battery 9cells						х	S26391-F421-L300	144,00	Phased o
	External battery charger, incl. 16V AC	not fitting for main battery E8420					х	S26391-F458-L200	- /	Phased o
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs				х	х	S26391-F5031-L800		Phased o
	External battery charger, incl. 16V AC		X					S26391-F778-L400	187,00	
	Battery 4cell 38Wh (5.240mAh) AC Adapter 19V/40W		X		-			S26391-F916-L200 S26391-F916-L500	133,00 44,00	
curity	, 10 / Mapter 13 V/ TO V		^					S20001-1 010-2000	 ,00	
Journey	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	х				х	S26361-F2009-L109	78,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				х	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	х				х	S26361-F2009-L208	56,00	
									1	



	-									
Tablet F	PC Accessories									
Category	Description	Details	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (\$	Comments
	& services matrix									
Security (Co	ontinued) ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box/product description	х				х	S26361-F2009-L209	78,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium					х	S26361-F2727-L100	22,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3		х	х	х	х	S26361-F2727-L730	42,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing	х				х	S26381-F11-L100	38,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	х				х	S26381-F331-L220	25,00	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide, quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.	х				x	S26381-K435-L100	310,00	
Miscellaneo	MIC.									
oociialico	Replacement cord	replacement cord for the pen		х	х	х	х	S26391-F2592-L600	12,00	Phased out
	Active Pen (2 pieces)			i.	· ·	<u> </u>		S26391-F413-L700		Phased out
	Pen & tether set		Х				i.	S26391-F796-L810	55,00	
	Screen protection foil (2 pieces)		х					S26391-F917-L300	44,00	
Cables										
	power cable EU	black, 2-pole, 1.8 m	х				х	T26139-Y2540-V113	16,00	
	power cable UK	black, 2-pole, 1,8 m	х				х	T26139-Y2540-V213	18,00	
	power cable US	black, 2-pole, 1,8 m	х				х	T26139-Y2540-V313	17,00	
Input Device	es									
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	х				х	S26381-K440-L100	47,00	
	WIRELESS KEYB ST5xxx GER	with touchpad		х	х	Х	х	S26391-F5010-L121	144,00	Phased out
	WIRELESS KEYB ST5xxx I	with touchpad		х	х	х	х	S26391-F5010-L123	144,00	Phased out
	WIRELESS KEYB ST5xxx UK	with touchpad		х	х	х	х	S26391-F5010-L125	144,00	Phased out
	WIRELESS KEYB ST5xxx US INT	with touchpad		х	Х	Х	х	S26391-F5010-L133		Phased out
	Wireless KB ST50xx CZ			х	Х	Х	х		-	Phased out
	Wireless KEYB ST50xx TR						Х	S26391-F5010-L150	144,00	Phased out



Tablet PC Options

			STYLISTIC Q550	Product Code	EUP (@	Comments
Category Options mat	Description	Details	ò	<u> </u>	Ш	ŭ
Hard Disks						
ilalu Disks	SSD SATA 30GB FDE		v	S26391-F913-E300	222,00	
	SSD SATA 30GBT DE SSD SATA 62GB FDE			S26391-F913-E620	333,00	_
Communic	ation/Network		^	0200011010 2020	000,00	
	No UMTS / No GPS		х	S26391-F915-E110	2,00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality	_	S26391-F915-E120	88,00	_
	GPS module			S26391-F915-E130	44,00	
Mobile Sec					,	
	TPM module		х	S26391-F959-E300	8,00	
Country kit					-,	
,	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information	х	S26391-F918-E100	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	х	S26391-F918-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information	х	S26391-F918-E300	8,00	
Power supp	ply	<u></u>				
	AC Adapter 19V/40W		х	S26391-F916-E500	17,00	
	Additional battery 2cell 19Wh (2.620mAh)			S26391-F916-E100	44,00	
	Additional battery 4cell 38Wh (5.240mAh)		х	S26391-F916-E200	55,00	
	Power cable EU			S26391-F878-E210	5,00	
	Power cable US		Х	S26391-F878-E220	5,00	
	Power cable GB		Х	S26391-F878-E230	5,00	
Port Replic	ator					
	Cradle		Х	S26391-F917-E100	33,00	
OS/Applica	tion-SW					
	Drivers&Utility DVD			S26361-F2010-E201	2,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	X	S26361-F2010-E281	112,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E282	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	х	S26361-F2010-E283	323,00	_
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	х	S26361-F2010-E243	104,00	



let P	PC Options					
jory	Description	Details	STYLISTIC Q550	Product Code	EUP (4)	Comments
ns matr		Dotailo	U)	ш.	ш	0
pplicat	ion-SW (Continued) License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and also for shipments in Emerging Markets. Please select the emerging markets licenses for your country for marketing fund advantages (Jumpstart) in your region.	х	S26361-F2010-E253	133,00	
	Win7 HomePremium32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	S26361-F2110-E341	8,00	
	Win7 HomePremium32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E342	8,00	
	Win7 HomePremium32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	S26361-F2110-E343	8,00	
	Win7 HomePremium32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	S26361-F2110-E344	8,00	
	Win7 HomePremium32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E345	8,00	
	Win7 Pro32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E356	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	X	S26361-F2110-E351	4,00	



jory	Description	Details	STYLISTIC Q550	Product Code	EUP (4)
ns mat			0,	<u> </u>	
pplica	tion-SW (Continued) Win7 Pro32 NODRIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E352	4,00
	Win7 Pro32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E353	4,00
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E354	4,00
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E355	4,00
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	х	S26361-F2010-E543	4,00
	REC-DVD Win7 Home Premium 32 RU		х	S26361-F2010-E542	4,00
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish		\$26361-F2010-E553	3,00
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	S26361-F2110-E751	2,00
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	S26361-F2110-E753	2,00
se .					
	Mouse 400NB Black		х		17,00



Tablet	PC Options				
Category	Description	Details	STYLISTIC Q550	Product Code	EUP (每
Options ma	atrix			_	
Miscellane	eous (Continued)				
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	х	S26391-F782-E200	3,00
	Folio Case		х	S26391-F917-E200	23,00
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,	х	S26391-F918-E900	6,00

Positioning Notebooks



LIFEBOOK S



LIFEBOOK E Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



LIFEBOOK P

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



LIFEBOOK SH531

The compact Fujitsu LIFEBOOK SH531 is the perfect everyday mobile companion at home, in the office, at school or on the go. With its 33.8 cm (13.3-inch) display this 1.9 kg notebook is small and light enough for every trip. Stay connected with family and colleagues via WLAN, or upgrade your LIFEBOOK SH531 with an external UMTS solution in its 34 mm ExpressCard slot.

Model Race unit	Description configurations	Details	Product Code	EUP (每	Comments
LIFEBOO					
	LIFEBOOK SH531	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA, HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K336-V100	450,00	



LIFEBOOK LH531

The Fujitsu LIFEBOOK LH531 is the perfect choice, if you are looking for an all-purpose notebook. Weighing only 2.2 kg this 35.6 cm (14-inch) notebook is small and light enough for every trip, and at the same time big enough to check emails, surf the web, edit your pictures or watch a movie conveniently. With the optionally integrated Blu-ray Disc™ drive you even can enjoy high-definition entertainment at its best.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
LIFEBOO					
	LIFEBOOK LH531 BLACK	LCD 14" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD), incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA, HDMI, 4 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K325-V200	434,00	



LIFEBOOK S751

The Fujitsu LIFEBOOK S751 offers the perfect balance between low weight and high-end performance. Weighing only 2.3 kg it is a light modular 35.6cm (14-inch) notebook. A flexible modular bay and a phantastic battery life enable convenient working. Optional embedded 3G/UMTS and optional webcam enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (4)	Comments
Standard	products		_		
LIFEBOO	DK \$751 LB \$751 HM65 /14.0" HD/l3-2310M/2 GB/ (Promo)	LB S751 HM65 /14.0" HD/l3-2310M/2 GB/ DVD/320GB 7.2K/WLAN INTEL 6205/ UMTS READY/NO MODEM/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/CABLE EU/AC-ADAP/,	LKN:S7510M0003IT		
	LB S751 HM65 /14.0" HD/l3-2310M/4 GB/ (Promo)	LB S751 HM65 /14.0" HD/I3-2310M/4 GB/ BD WRITER/320GB 7.2KWLAN INTEL 6205/ UMTS READY/NO MODEM/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/CABLE EU/AC-ADAP/,	LKN:S7510M0004IT		
	LB S751 HM65 /14.0" HD/l5-2410M/4 GB/ (Promo)	LB S751 HM65 /14.0" HD/I5-2410M/4 GB/ BD WRITER/320GB 7.2K/WLAN INTEL 6205/ UMTS READY/NO MODEM/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/CABLE EU/AC-ADAP/,	LKN:S7510M0005IT		
	LB S751 HM65 /14.0" HD/l5-2410M/4 GB/ (Promo)	LB S751 HM65 /14.0" HD/I5-2410M/4 GB/ DVD/500GB 7.2K/WLAN INTEL 6205/ UMTS GOBI 3000/NO MODEM/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/CABLE EU/AC-ADAP/,	LKN:S7510M0006IT		
	LB S751 HM65 /14.0" HD/l7-2620M/4 GB/ (Promo)	LB S751 HM65 /14.0" HD/I7-2620M/4 GB/ DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7510M0007IT		
Model	Description	Details	Product Code	EUP (@	Comments
	t configurations			_ ш	
LIFEBO	OK S751				
	LIFEBOOK S751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , globales model, , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K322-V100	384,00	



LIFEBOOK S751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking	406,00
	connector., Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Fujitsu Recovery (Hard Disk Based Recovery), , Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	



LIFEBOOK S761

The Fujitsu LIFEBOOK S761 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.66 kg it is equipped with a full-featured performance processor. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (每	Comments
	products				
LIFEBO					
	LB S761 QM67 /13.3" HD T&L/I3-2310M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I3-2310M/ 4 GB/DVD/320GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/AC-ADAP/1ST BATT/,	LKN:S7610M0001IT		
	LB S761 QM67 /13.3" HD T&L/I5-2410M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2410W/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/AC-ADAP/1ST BATT/,	LKN:S7610M0002IT		
	LB S761 QM67 /13.3" HD T&L/I5-2410M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2410W/ 4 GB/DVD/500GB 7.2K/UMTS GOBI 3000/ NO MODEM/WLAN INTEL 6205/BT V3.0/ MIC&CAM/FP SENSOR + SW/CK INT/AC-ADAP/,	LKN:S7610M0003IT		
	LB S761 QM67 /13.3" HD T&L/I5-2520M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2520W/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAW/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7610M0004IT		
	LB S761 QM67 /13.3" HD T&L/I7-2620M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I7-2620W/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7610M0008IT		
	LB S761 QM67 /13.3" HD T&L/I7-2640M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:S7610M0010IT		
			Product Code	EUP (€)	Comments
Model	Description	Details	Ē	ш	ŭ
LIFEBO	t configurations				
	LIFEBOOK S761 vPro	Base unit, Intel QM67 Chipset with vPro technology, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel® HD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM, Intel High Definition Audio, 2 microphones integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., supports iAMT 7.0: vPro Logo requires Core i5-25xx/i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 1x USB 3.0, 2x USB 2.0 thereof 1 with anytime charging functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K321-V100	617,00	



LIFEBOOK S781

The Fujitsu LIFEBOOK S781 is a reliable notebook in 35.6 cm (14 inch) format with a high quality magnesium lid and only 2.3 kg, offering you the perfect balance between lightweight and stability. The modular bay offers a large number of extension options, such as a second battery or a second disk drive for flexible working in the office or on the move. Optional embedded 3G/UMTS allows you to stay connected wherever you are and to recall your business data.

Model Standard	Description I products	Details	Product Code	EUP (4)	Comments
LIFEBO	•				
	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ (Promo)	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:S7810M0001IT		
Model	Description	Details	Product Code	EUP (4)	Comments
	t configurations				
LIFEBOO	LIFEBOOK S781	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/i7 processors, Intel W-LAN & TPM module	S26391-K322-V300	417,00	



LIFEBOOK E751

The simple philosophy behind Fujitsu LIFEBOOK E751: only the best is good enough. State-of-theart Intel® technology and high speed Intel® integrated graphics ensure brilliant graphics and best performance. This 39.6 cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (4)	Comments
	products				
LIFEBOO	LB E751 HM65 /15.6" HD/l3-2310M/4 GB/ (Promo)	LB E751 HM65 /15.6" HD/l3-2310M/4 GB/ DVD/320GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/AC-ADAP/1ST BATT/,	LKN:E7510M0001IT		
	LB E751 HM65 /15.6" HD/l3-2310M/4 GB/ (Promo)	LB E751 HM65 /15.6" HD/I3-2310M/4 GB/ BD WRITER/320GB 7.2K/UMTS READY/ NO MODEM/WLAN INTEL 6205/BT V3.0/ MIC&CAM/FP SENSOR + SW/CK INT/AC-ADAP/,	LKN:E7510M0002IT		
	LB E751 HM65 /15.6" HD/l5-2410M/4 GB/ (Promo)	LB E751 HM65 /15.6" HD/I5-2410M/4 GB/ DVD/500GB 7.2K/UMTS GOBI 3000/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/CK INT/AC-ADAP/1ST BATT/,	LKN:E7510M0003IT		
	LB E751 QM67 /15.6" HD/l7-2620M/4 GB/ (Promo)	LB E751 QM67 /15.6" HD/I7-2620M/4 GB/ DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:E7510M0008IT		
Model	Description	Details	Product Code	EUP (6)	Comments
	t configurations	Bottano		ш	
LIFEBO	OK E751				
	LIFEBOOK E751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V100	423,00	



el	Description	Details	Product Code	EUP (每
	configurations	Details	<u>a.</u>	ш
	K E751 (Continued)			
	LIFEBOOK E751 with 10-key KB	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V110	434,00
	LIFEBOOK E751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that VPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V200	445,00
	LIFEBOOK E751 vPro with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V210	456,00



LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all types of data theft.

Model Standard	Description	Details	Product Code	EUP (4)	Comments
LIFEBOO	•				
	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ (Promo)	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:E7810M0001IT		
Model	Description	Details	Product Code	EUP (@)	Comments
	configurations				
LIFEBOO	LIFEBOOK E781 vPro QM67 with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/i7 processors, Intel W-LAN & TPM module	S26391-K326-V310	467,00	



LIFEBOOK P701

Highest performance level of all components as well as new high speed Intel® graphics and a 12.1- inch (30.7 cm) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, anytime USB charge and much more the Fujitsu LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Model	Description products	Details	Product Code	EUP (4)	Comments
LIFEBOO	•				
LIFEBOO	LB P701 HM65 I3-2310M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 I3-2310M /12.1" WXGA/4 GB/ 320GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P701XM0001IT		
	LB P701 HM65 I5-2520M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 I5-2520M /12.1" WXGA/4 GB/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P701XM0002IT		
	LB P701 HM65 I3-2310M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 I3-2310M /12.1" WXGA/4 GB/ 320GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:P701XM0003IT		
Model	Description	Details	Product Code	EUP (4)	Comments
	configurations		_		
LIFEBOO	OK P701				
	LIFEBOOK P701 HM65 Cel 847 ULV	Base unit, Chipset Intel i65HM, Intel Cel 847 ULV CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V110	599,00	
	LIFEBOOK P701 HM65 i3-2310M	Base unit, Chipset Intel HM65, Intel i3-2310M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V300	678,00	



LIFEBOOK P701							
Model	Description	Details	Product Code	EUP (4)	Comments		
	t configurations	1-00000			_		
LIFEBO	OK P701 (Continued)						
	LIFEBOOK P701 HM65 i3-2330M	Base unit, Chipset Intel HM65, Intel i3-2330M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V330	678,00			
	LIFEBOOK P701 HM65 i5-2520M	Base unit, Chipset Intel HM65, Intel i5-2520M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V500	806,00			



LIFEBOOK P770

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its smartCard controller, fingerprint sensor and optional TPM.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
	LIFEBOOK P770 i7-660UM glossy	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QS57 chipset, Intel Core i7-660UM (1.33 GHz), supports max. 8 GB Dual Channel DDR3 1066MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82577LM, Intel High Definition Audio, 2 integrated microphones, Touchpad, G-Sensor, integ. fingerprint sensor incl. SmartCase Logon + software, WebCam, application buttons, Kensington Lock, 19V/60W AC adapter, cleaning-cloth, notebook case, supports iAMT 6.0: vPro requires Intel W-LAN & TPM module, Interfaces: 1x SD card slot, 1x ExpressCard, audio out, audio in, 1x VGA, 1x HDMI, 3x USB2.0	S26391-K312-V210	1.200,00	Phased out



LIFEBOOK P771

Small, lightweight and nevertheless high performance? The answer to those requirements is the Fujitsu LIFEBOOK P771. With one of the smallest footprints in the 12-inch market and weighing only 1.3 kg, it offers the user quite a range of goodies: all standard interfaces and connectivity features like embedded 3G/UMTS, WLAN and Bluetooth®. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (4)	Comments
	products			_ 	
LIFEBO					
	LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 320GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P7710M0001IT		
	LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 500GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/MIC&CAW/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:P7710M0002IT		
Model	Description	Details	Product Code	EUP (4)	Comments
	t configurations			_	
LIFEBO	OK P771				
	LIFEBOOK P771 glossy black	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QM67 chipset, Intel Core i7-2617M (1.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, cleaning-cloth, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra		1.134,00	
	LIFEBOOK P771 matt	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display with compound lid, matt, Intel QM67 chipset, Intel Core i5-2520M (2.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V200	900,00	



LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

Model	Description products	Details	Product Code	EUP (4)	Comments
	OK NH751				
Lii Lbo	LB NH751 HD+ //3-2310M/4 GB/BD WRITER/ (Promo)	LB NH751 HD+ /l3-2310M/4 GB/BD WRITER/ 320GB/WLAN INTEL 6205/CK INT/AC 120W/ CABLE EU/KB W/ 10KEY I/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/RDVD2 WIN7 MAIN/,	LKN:NH751M0001IT		
	LB NH751 HD+ /l5-2410M/4 GB/BD WRITER/ (Promo)	LB NH751 HD+ /I5-2410M/4 GB/BD WRITER/ 500GB/WLAN INTEL 6205/CK INT/AC 120W/ CABLE EU/KB W/ 10KEY I/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/RDVD2 WIN7 MAIN/,	LKN:NH751M0002IT		
Model	Description	Details	Product Code	EUP (4)	Comments
	it configurations				
LIFEBO	OK NH751				
	LIFEBOOK NH751 HD+	Base unit 17.3" (43.9cm, 16:9) HD+ LED Display based Intel® HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 525M with 1GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-lon 8-cell battery 5.200 mAh, AC adapter 19V/120W, , Interfaces: 1x VGA, 1xHDMI, 4x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock	S26391-K320-V100	550,00	
	LIFEBOOK NH751 FHD 2GB VRAM	""Base unit 17.3" (43.9cm, 16:9) Full-HD LED Display based Intel HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA GeForce GT 525M with 2GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-lon 8-cell battery 5.200 mAh, AC adapter 19V/120W, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), , , Interfaces: 1x VGA, 1xHDMI 1.4a, 1x USB 3.0, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock"		628,00	



																				8	£.														
y Description	Details	LIFEBOOK A1130 LIFEBOOK A530	LIFEBOOK A531/AH531 LIFEBOOK AH530/GFX	LIFEBOOK AHS30/HD6	LIFEBOOK AHSSONGFX	LIFEBOOK E780	LIFEBOOK E781	LIFEBOOK E8310	LIFEBOOK E8410 LIFEBOOK E8420	EBOOK	LIFEBOOK LHS31	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK P8020	LIFEBOOK P8110	LIFEBOOK 36410	LIFEBOOK 56420 LIFEBOOK 5710	LIFEBOOK S7110 Supre LIFEBOOK S7110 Value	LIFEBOOK S7110 Value	LIFEBOOK S7220	LIFEBOOK S751	LIFEROOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T1010	LIFEROOK TRAN	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK 1900	LIFEBOOK TH/700	Product Code	EUP (4	
1GB DDR3-1066	1 Modul, PC3-8500 ub 1 Modul, PC3-8500 ub																										x 1	x					\$26391-F436-L100	43,00	00 Pt
2GB DDR3-1066 2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600 2GB DDR3-1333 PC3-10600 4GB DDR3-1333 PC3-10600	1 Modul, PC3-8500 ub		×		x x				×			×				×			×			×					x 3	x					\$26391+F436-L200 \$26391+F473-L200 \$26391+F473-L400 \$26391+F483-L200 \$26391+F483-L400	73.00 73,00 128,00 73,00 128,00	00 00 00 00
2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600 2 GB DDR3 1096 MHz PC3-8500 4 GB DDR3 1096 MHz PC3-8500 2 GB DDR3 1096 MHz PC3-8500	1 Modul, PC3-8500 ub 1 Modul, PC3-8500 ub			x		x					x	x x							x x												Ħ		\$26391+F493-L200 \$26391+F493-L400 \$26391+F504-L100 \$26391+F504-L200 \$26391+F527-L200	73,00 128,00 73,00 128,00 73,00	10 10 10
4 GB DDR3 1066 MHz PC3-8500 2 GB DDR3 1066 MHz PC3-8500 2 GB DDR3 1066 MHz PC3-8500 4 GB DDR3 1066 MHz PC3-8500 2 GB DDR3 800 MHz PC3-6400			×	x										×										×					x		x x	x	\$26391+F527+L400 \$26391+F621+L500 \$26391+F641+L100 \$26391+F650+L400 \$26391+F662-L100	128,00 73,00 73,00 128,00 73,00	00
4 GB DDR3 800 MHz PC3-6400 2GB DDR2-667		x x																		x x	x										Ī		\$26391-F662-L200 \$26391-F668-L300 \$26391-F791-L520	73,00 73,00	00
4 GB DDR3 1066 ME: PC3-8500 2 GB DDR3 1333 ME: PC3-10600 4 GB DDR3 1333 ME: PC3-10600 4 GB DDR3 1333 ME: PC3-10600 4 GB DDR3 1333 ME: PC3-10600		×				x x	×							x x	x								×		K X					x	Ŧ	x x	\$26391-F791-L540 \$26391-F922-L200 \$26391-F922-L400 \$26391-F982-L200 \$26391-F982-L400	128,00 73,00 128,00 73,00 128,00	10 10 10
Display Port/ DVI-D adapter cable lie Media Drives DVD Super multi (reader/writer)	for connection of one DVI-D monitor					x x	×							x					×				×		×								\$26361-F2391-L200	22,00	00
DVD Super multi (reader/writer) Weight saver for modular bay						x	x		×										×			×	×	x x	×		1	x	×	x	×		\$26391-F515-L200 \$26391-F652-L100 \$26391-F652-L300 \$26391-F777-L300	77,00 22,00 77,00 17,00	00
DVD Super multi (reader/writer) DVD Super multi (read/write) Blu-ray Disc Triple Writer SATA DVD Super multi (reader/writer) Blu-ray Triple Writer incl. Playback SV																								,	ĸ				x	x		x	\$26391+F777-L700 \$26391+F924-L100 \$26391+F924-L200 \$26391+F954-L100 \$26391+F954-L200	77,00 77,00 133,00 77,00 244,00	10 20 20
Weight saver for modular bay Bay projector DIVD Super multi (reader/writer)															x									3	K						Ī	Ξ	\$26391-F954-L400 \$26391-F954-L600 \$26391-F974-L100	17,00 555,00 77,00	00
Weight saver for modular bay Bay projector DVD Super multi (reader/w riter) Blu-ray Dsc Triple Writer SATA 2nd HDD bay module (w ithout HDD)						x x	x								x								×		×						Ī	x	\$26391-F974-L400 \$26391-F974-L600 \$26391-F984-L100 \$26391-F984-L200 \$26391-F984-L600	17,00 555,00 77,00 133,00 33,00	00
2nd HDD bay module (without HDD) weight saver cation-SW Drivers & Utility (XPVIsta/7) LIFEBOO Drivers & Utility (XPVIsta/7) LIFEB	K Incl. Nero 7 Essentials S					×		х	x x							× ×		×	x	x x	х :	x x	^		×		x 3	x	×	×	×		\$26391-F440-L300 \$26361-F2007-L903	17,00	00
Drivers & Utility (XPIVIsta/7) LIFEBOOK Drivers&Utility DVD (Win7) LIFEBOOK Drivers&Utility DVD (Win7) LIFEBOOK	Jun (×	×	x		×	x					×		x	×		x		×				×		x x			,	×	x		x	\$26361-F2008-L903 \$26361-F2009-L172 \$26361-F2010-L201 \$26361-F2010-L203	28,00 22,00 17,00	00
AC adapter 19V (80W) AC Adapter 19V (60W) w/o Cable 1st battery 1st Battery E8410/E8420 8-cell 75W			I			х		x	x x	F		I	×	I		I	,	×		x x	x			Ī	F		x 3	х		f	Ī	Ŧ	\$26391-F2474-L600 \$26391-F367-L160 \$26391-F405-L500 \$26391-F405-L810	44,00 122,00 122,00	00 00 P
1st Battery S6410, S6420, S7210, S7 AC-Adapter 19W/100W AC-Adapter 19W/80W 2nd battery External battery charger, incl. 16V AC	220					×		×	x x									x	x x			x x x x						x		Ħ	Ŧ		\$26391-F405-L820 \$26391-F408-L300 \$26391-F408-L380 \$26391-F440-L200 \$26391-F458-L200	110,00 44,00 55,00 144,00 187,00	00 P
AC Adapter 19V (100W) w/o Cable Battery 8-cells, 5200mAh AC Adapter 19V/120W w/o cable	not fitting for main battery E8420					х			×			x x				×			x			×					x 3	x			Ξ		\$26391-F466-L120 \$26391-F466-L130 \$26391-F478-L100	55,00 110,00	00 P
Battery 6cell 5900mAh AC adapter 16V (65) 1st Battery 6cell 5.800mAh (62Wh) AC Adapter 19V (100W) w/o Cable	w/o pow er cord: pow er cords are listed under "Mscellaneous"		×		x	×										x x			×											Ħ	Ŧ		\$26391-F495-L100 \$26391-F5049-L500 \$26391-F514-L200 \$26391-F519-L200	110,00 44,00 122,00 55,00	00 Pt
Battery 6cell 5.800mAh (62Wh) Battery 6-cells 4400mAh (48Wh) AC Adapter 19V (60W) w/o Cable	under "Mscellaneous"										x															×					#		\$26391-F529-L100 \$26391-F545-L100 \$26391-F546-L100	110,00 110,00 44,00	00 P
Battery 8-cells, 5200mAh (75Wh) 2nd Battery (10.8V, 2,500mAh) 2nd hattery						x	x					×											× :	x v	×				×	x	x	v v	\$26391-F547-L100 \$26391-F652-L200 \$26391-F777-L200 \$26391-F778-L350	110,00 144,00 144,00	00
AC adapter 19V (80W) External battery charger, incl. 16V AG AC Adapter Slim AC Adapter 19V/60W (w/o cable 1st Battery 6cells, 5200 mAH						x	x							* x *			x x						x :		x x			3		x	x	x x	\$26391-F778-L400 \$26391-F794-L500 \$26391-F794-L510 \$26391-F795-L300	55,00 187,00 55,00 44,00 110,00	00
1st Battery Scells, 5800 mAH 1st Battery Scells, 5800 mAH 1st Battery Scells, 4400 mAh AC Battery Scell, 4400 mAh 1st Battery Scell 67Wh (6,200mAh)		x	x x x x	x :	x x									×			х							x		×		,	×	x	×		\$26391+F795-L400 \$26391+F795-L600 \$26391+F840-L100 \$26391+F841-L100 \$26391+F886-L100	122,00 122,00 110,00 55,00 122,00	00
AC Adapter 19V/80W (0-Watt technol 3pin AC Adapter 19V/120W 2nd Rattery 3nell 27Wh (2 500m&h)	3gV)					x x	×							x x	x x								×	3	K X K X					x x x		x x	\$26391-F886-L400 \$26391-F886-L400 \$26391-F954-L500	55,00 66,00	00
1st Battery 6cell 63Wh (5,800mAh) 1st Battery 6cell 67Wh (6,200mAh) 2nd Battery 3cell 27Wh (2,500mAh)		Ш				x	x							x	x x								×	3	K X K X							Ξ	\$26391-F956-L100 \$26391-F956-L200 \$26391-F974-L500	110,00 122,00 144,00	10 10 10
Absolute Track, Abo. 1Y. Absolute Track, Abo. 2Y.	Single key licence, for more into please check hint box / product description Single key licence, for more into please		×			x x			x x			x x		x x			x		x x			x x											\$26361-F2009-L101 \$26361-F2009-L102	19,00	
Absolute Track, Abo. 3Y.	single key licence, for more into please check hint box / product description Single key licence, for more info please check hint box / product description		×	1		x x			x x			x x		x x				×	x x			x x			к x			x >		x	x		S26361-F2009-L102		
Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description		×	1	x	x x	×	×	x x		×	x x	Н	x x	х :	x x	х	×	x x		-	x x	x :	х э	x x	×	х з	x >	×	×	×	x x		30,00	
Data Protection, Abo. 2Y. Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description		×			x x	×	x			×	x x		x x	× :	x x	×	×	x x			××	× :	x >	K X	×		x >		x	×	××	\$26361-F2009-L105 \$26361-F2009-L106	46,00 57,00	
ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description Single key licence, for more info please check hint box / product description		×			x x			x x		×	х х		x x	х :		x		х х			x x	х :	х э	к х	×					×	x x	\$26361-F2009-L107	35,00	
ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description		×	1	x	x x	×	×	x x		×	x x	Н	x x	× :	x x	×	×	x x			x x										x x	S26361-F2009-L108	56,00	10
ComputraceOne, Abo. 3Y. ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description	Ш	×	1		x x		×	x x		x	x x		х х		x x	х	×	x x		- 1	х				×							\$26361-F2009-L109		
ATP, Data Protection, PE, Abo. 1Y. ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description Single key licence, for more info please		-	\vdash		x x		+	×		\vdash	+		x x		+	\perp	+	x	\perp	+	+	x :			Н							\$26361-F2009-L113 \$26361-F2009-L114		
ATP, Data Protection, PE, Abo. 3Y.	check hint box / product description Single key licence, for more info please	++	+	\vdash		x x		+	×		H	+		x x		+	+	+	×	\vdash	+	+	x :			Н		x >		×			S26361-F2009-L115		
ATP, ComputraceOne, Abo. 1Y.	check hint box / product description Single key licence, for more info please check hint box / product description	+++		+		x x	×		×		H			x x			+		×		+	+	× :	х	к х	Н	1	х э	×	x	×	x x	S26361-F2009-L116	54,00	10
ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description					x x	×		×				П	x x	×				×				× :	х э	x x		- 1	х э	х	×	×	x x	S26361-F2009-L117	88,00	10
ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description					x x			×				П	x x					×				× :	х	x x		- 1	х э	×	×	×		S26361-F2009-L118	116,00	
Absolute Track, Abo. 1Y. Master Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description Master key for multiple licences, for more info		×	1	x	x x	×	×	x x		x	x x		* *	x :	x x	x	x	x x			x x	× :	x 3	к х	×	x 1	x >	×	x	×		\$26361+F2009-L201 \$26361+F2009-L202	19,00	
Absolute Track, Abo. 3Y. Master	please check hint box / product description Master key for multiple licences, for more info please check hint box / product description	-	×		x	x x	×	×	x x		×	x x		x x	×	x x	×	×	x x		- -	x x	× :	x 3	к х	×	x :	x >	×	×	×		S26361+F2009-L203		
Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	,	x	1	×	x x	×	x	x x		x	x x		x x	х :	x x	x	x	x x		-	x x	x :	х э	к х	×	ж з	x >	×	x	×	x x	S26361+F2009-L204	30,00	10
Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		×	1		x x	×		x x		×	x x		x x	x :	x x	x	×	x x		ı.	x x	× :	х э	к х	×		x >	_		×		S26361+F2009-L206		
Data Protection, Abo. 3Y. Master ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description Master key for multiple licences, for more info		x			x x		x			x	x x		x x		x x	x	x				x x	× :	x 3	к х			x >			×		\$26361-F2009-L206 \$26361-F2009-L207	35,00	
ComputraceOne, Abo. 2Y. Master	please check hint box / product description Master key for multiple licences, for more info- please check hint box / product description		x	1	×	x x	x	x	x x		×	x x	H	x x	x :	x x	x	×	x x		-	x x	× :	х э	к х	×	х з	х э	×	x	×		S26361+F2009-L208	56,00	
	Master key for multiple licences, for more info please check hint box / product description		x	1	×	x x	x	x	x x		x	x x	H	x x	x	x x	x	x	x x		-	x x	х :	х э	x x	×	x 3	x >	×	x	×	x x	S26361+F2009-L209	78,00	10
ComputraceOne, Abo. 3Y. Master						х х	×	П	×	П			П	x x	х	Т		Т	×		T	Т	× :	x x	к			x >	×	х	×	х	S26361-F2009-L213	48,00	,0
ComputraceOne, Abo. 3Y. Master ATP, Data Protection, PE, Abo. 1Y. Ma	ster Master key for multiple licences, for more info please check hint box / product description	0																																	
	please check hint box / product description Master key for multiple licences, for more into please check hint box / product description	0				x x	×		×					x x					×				× :				,	x >	×		×		\$26361-F2009-L214 \$26361-F2009-L215	77,00	

itsu Technology Solutions Listino Prezzi Ottobre 201



	ies			П		П		П	T	П	T		П		П	T		T			П	e	e.		Т		T			П	T	П			
		LIFEBOOK A1130	LIFEBOOK ASSI/AHS31	LIFEBOOK AHS30/GFX	LIFEBOOK AHS3WGFO	LIFEBOOK AHSSØGFX	LIFEBOOK E780	LIFEBOOK E781	LIFEBOOK B3310	LIFEBOOK B8410	LIFEBOOK B8420	LIFEBOOK LHS31	LIFEBOOK NH570	JFEBOOK NH751	JPEBOOK P701	LIFEBOOK P770	LIFEBOOK P8010	LIFEBOOK P8020 LIFEBOOK P8110	LIFEBOOK PHS30	JPEBOOK 96410 JPEBOOK 96420	LIFEBOOK S710	LIFEBOOK S7110 Suprem LIFEBOOK S7110 Value	LIFEBOOK S7110 Value F	JPEBOOK S7220	LIFEBOOK \$751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK T1010	LIFEBOOK TS010	LIFEBOOK T730	LIFEBOOK 1900	JFEBOOK T901	not Code	9)	
Description & services matrix	Details	25	5 5	1	9 5	3	1	20	5 5	UFE		1	3		100	25	UFE	25	III	E E	E S	5 5	3	5 5	E E	100	25	UFE	E E	III	5 5	100	8	ā	
ontinued) ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info						к	×			×				x	x x					x				x x	x	×		x x	х :	x x	х	x S26361-F2009-L218	116,00	
	please check hint box / product description																																		
SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support		×	×			×						×	×		x x									×	×				x	×		x S26361+F2432-L720	44,00)
SmartCase Logon+ license (1-99 license	includes 1 license,, for orders up to 99 licenses,, no software, no data medium						х				×		×			×	П				х			×	×					х	×		x S26361+F2727-L100	22,00)
SmartCase Logon+ CD 1 license	Authentication, Passw ordmgmt., SSO, Secure Drive, supports Smardcard /						х		x x	×	×		×		П	×				x	×	х х	x	x x	×					x	×		x S26361-F2727-L730	42,00)
	Secure Drive, supports Smardcard / Fingerprint for XPIVistaWin7, no eLux support, Version 3.0.3																																		
RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		x x	×	x x	,	ж	×			,	ж	×		×	x x			×		x				x x				×				x S26381+F11+L100	38,00	
Smartcardreader USB Solo 3 extern 331	interface		x x			,	×		×	х	x >	х	×	x x	×	x x	×	x x	х	x x	×	x x	x	x x	× ×	×		×	×	х :	x x	×	x S26381+F331+L220 x S26381+K435-L100	25,00 310,00	
Pain/Secure Mouse Login Kit	PaintSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2 Dius powered, 3 buttons incl. scroll-wheel. Set contains also the paint guide, quick start guide, manual and OrnriPass login software CD. 1.5 m USB cable, brown box.		x x		×	,		x			,		x	x	*	x x			×		x				x	. x	×		×	× :	x x	x	X S26381-R436-L100	310,00	
ous Replacement cord	replacement cord for the pen																											x	×				\$26391+F2592-L600	12,00	Pha
Active Pen (2 pieces) Pen & tether set (2 pieces each) Pen & tether set																													x	х :	x x	×	S26391-F413-L700	55,00 55,00	Pha
Pen & tether set 2x digital array microphones 2x digital array mics & 1.3Mpix Webcam							t .																		x				×				\$26391-F796-L810 \$26391-F980-L710 \$26391-F980-L720	55,00 32,00 44,00)
2x digital array mics & 1.3Mpix Webcam Dummy module 2x digital array microphones 2x digital array mics & 2.0Mpix Webcam						,		×																	×		x						\$26391-F980-L800 \$26391-F980-L800 \$26391-F980-L810	17,00)
2x digital array micropriories 2x digital array mics & 2.0Mpix Webcam UMTS upgrade kit								x x							×	×									x	×	x x				x		S26391-F980-L820	28,00 40,00 110,00)
UMTS upgrade kit Feet for vertical position (set)																														×			S26391-F985-L120 S26361-F2542-L200		
power cable BJ power cable UK	black, 2-pole, 1.8 m black, 2-pole, 1.8 m black, 2-pole, 1.8 m	x	x	x	x x x x	3	x x	x	x	x	x 3	x x	×	x x	x	x x	x	x x	x	x x	x	x x	x	x x x x	x x	x	x x	x	x x	x	x x	x	x T26139-Y2540-V113 x T26139-Y2540-V213 x T26139-Y2540-V313 S26361-F2581-L310	16.00)
power cable US Power cord three-wire EU les	TOWER CONGULIESE-WIEE CO		_	×	× ×	1	×	X	×		*)	×		^ X	×	x x	X	x X	x	A X	X	A X	×	. X	X X	x	x x	X	A X	*	×				
Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	х :	×				×		×	x	×		×	×		×	×	x x		x x	x	x x	×	x x	×		×	×	×	×	×		x S26381-K440-L100	47,00	9
Software OPENFT-CR (WINDOWS) V8.0	coenFT - openFileTransfer: Datamedium CD-								×																								U11081-C157	15,00	
	ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1			Ш						Ш			Ш		Ш		Ш						Ш					Ш				Ш		1	
OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs								×																								U11081-C171	1.125,00	,
OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated upartended mode, für 1 system	\vdash		\Box		\vdash	+	-	×	H	+	+	\vdash		Н	+	Н	+	+	+	+			+	+	+	+	Н	+	\Box		\vdash	U11081-C177	562,00	0
OPENET, SW. CD (WINDOWS) V8.1	with 1 to 4 CPUs openFT - openFileTransfer; Datamedium CD-	\vdash	-	\vdash	-		-	Н.	×	Н	+	-	\vdash	-	Н	\perp	Н	\perp	\perp	_		_	\vdash	-	+	\perp	\perp	Н	_	\vdash	-	\vdash	U11081-C183	30.00	
	ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME								-																								D11001-0103	30,00	
OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1								×						П																	П	U11081-C186	1.125,00)
OPENFT-2-U (WINDOWS) V8.1	system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in								×		_													-									U11081-C192	451,00)
	automated unattended mode, system with 1																																		
OPENFT-CR (WINDOWS) V10.0	to 4 CPUs CD-ROM openFT-CR V10.0; Cryptographic		+	Н	_				×	Н	+			+	Н	+		+		-	Н	+	Н		+	+	+	H	-		+	Н	U11081-C199	15,00)
	Module; to openFT V10.0; Attention export restrictions																																		
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Window's systems; CD-ROM openFT-SW V 10.0								×																								U11081-C201	30,00	
OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-								х																								U11081+C202	1.225,00)
	C201																																		
OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required:								×																								U11081-C203	1.994,00)
	U11081-C201																																U11081-C204	3.988.00	
OPENET-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required:								×																								U11081+C204	3.988,00	1
OPENFT-1-U (WINDOWS) V10.0	Ut 1081-C201 Update license openFT (WINDOWS) V 10.0;		_	Ш						Ш	_				Ш						Ш		Ш					Ш				Ш	U11081-C207	710,00	
OPENTITIO (WINDOWS) VIOLE	for using in automated, unattended mode; system with 1 to 4 CPUs: required: U11081-																																011081-0207	710,00	,
OPENFT-FTAM-1 (WINDOWS) V10.0	C201										_																						U11081-C212	1.225,00	
OPENTIFIANTI (WINDOWS) VIOLO	for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-																																011081-0212	1.225,00	1
OPENFT-FTAM-2 (WINDOWS) V10.0	C202 License openFT-FTAM (WNDOWS) V10.0;			Ш																			Ш										U11081-C213	1.994,00	
G Da 14 Marz (Macono) VICO	for using in automated, unattended mode; system extendable up to 8 CPUs; required: U1 1081-C203																																011001-0215	1.334,00	
OPENET-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V 10 0:		-	Н					×	Н	_				Н							_	Н	-								Н	U11081-C214	3.988.00	1
	for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																																		
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS)	\vdash	+	\vdash	+	\vdash	+	Η.	×	Н	+	+	\vdash	+	H	+	Н	+	+	+	+	+	+	+	+	+	+	Н	+	+	+	+	U11081-C217	710,00)
	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: Ut1081-C207																																		
OPENET-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for	×	×	\vdash	+	x	×	Η.	x x	x	×	+	×	×	H	x	×	x x	×	x x	x	x x	×	x x	×	+	+	×	x	x	×	H	x U11081-C301	1.225,00)
	using in automated, unattended mode; system with 1 to 4 CPUs	Ш		Ш		Ш		Ш		Ц			Ш		Ш		Ш						Ш			Ш		Ш		Ш		Ш		1	L
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	× :	×			×	×		x x	х	×		×	×		×	×	x x	×	x x	×	* *	×	××	×			x	×	×	×		x U11081-C311	1.225,00	,
OPENET-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0: for	ж :	×	П		×	×	Η.	x x	х	×	П	×	×	Н	×	×	x x	×	x x	×	x x	×	x x	×	П		х	x	×	×	П	x U11081-C321	500,00)
OPENFT-2 (WINDOWS) V11.0	system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for	\vdash	+	\vdash	-	\vdash	+		×	H	+	+	\vdash	-	\vdash	+	H	+	+	+	\vdash	-	\vdash	+	+	+	+	Н	+	\vdash	+	\vdash	U11081-C302	1.994,00)
	using in automated, unattended mode; system extendable up to 8 CPU																																		
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode;			П					x						П		П		П							П							U11081-C312	1.994,00	0
OPENFT-FTP-2 (WINDOWS) V11.0	system extendable up to 8 CPU License openFT-FTP (WNDOWS) V11.0: for	\vdash	+	\vdash	-	\vdash	+	Η.	×	Н	+	+	\vdash	-	H	+	Н	+	+	+	+	-	+	+	+	+	+	Н	+	+	+	+	U11081-C322	814,00)
	using in automated, unattended mode; system extendable up to 8 CPU	Ш		Ш	\perp	Ш		Ш		Ш			Ш	\perp	Ш		Ш		Ш		Ш		Ш	Ш						Ш		Ш			
OPENET-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode;								×																								U11081-C303	3.988,00)
OPENFT-FTAM-3 (WINDOWS) V11.0	system extendable up to 24 CPU License openFT-FTAM (WINDOWS) V11.0; for using in automated upattended mode:	+	+	\vdash	+	+	+		×	H	+	+	+	+	\forall	+	Н	+	+	+	\forall	+	+	+	+	+	+	Н	+	+	+	+	U11081-C313	3.988,00)
OPPLET FITTH A GAME	for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTP (WINDOWS) V11.0: for			Ш				Ш		Ц	1		Ш		Ш	_	Ш	_							1		_	Ш				Ш	I M 4004 ****	4.555	
OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU								*																								U11081+C323	1.628,00	1
OPENET-SW-CD (WINDOWS) V11.0	Medium for Window's systems, CD-ROM openFT-SW V11.0	х :	×	\Box		x	х		x x	х	×		×	×	П	×	×	x x	х	x x	х	x x	х	x x	×			х	x	х	×		x U11081-C300	30,00)
OPENET-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	х :	×	\Box		×	×	1	× ×	x	×		×	×	Н	×	×	x x	×	x x	×	x x	×	x x	×			х	×	×	×		x U11081-C299	15,00)
OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for	\vdash	+	\vdash	+	\vdash	+	Н.	×	H	+	+	\vdash	+	\vdash	+	H	+	\vdash	+	\vdash	+	\vdash	+	+	\vdash	+	Н	+	\vdash	+	\vdash	U10987-C502	1.994,00	
	using in automated, unattended mode; system extendable up to 8 CPU								-																								010001-USU2	394,00	
OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended	\Box		П		\Box			×	П			\Box		П		П		П		\Box		П	П	\top	П		Н		П		H	U10987-C514	1.994,00)
OPENFT-FTP-2 (UNIX systems) V11.0	mode; system extendable up to 8 CPU License openFT-FTP (UNIX systems) V11.0:	\vdash	+	\vdash	+	\vdash	+	Η.	×	Н	+	+	\vdash	-	H	+	Н	+	+	-	+	-	\vdash	+	+	+	+	Н	-	\vdash	+	H	U10987-C526	814,00)
	for using in automated, unattended mode; system extendable up to 8 CPU																																		
OPENET-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode;	П		П		П	П		×	П	T	П	П		П		П		П		П		П	П	T	П		П		П		П	U10987-C503	3.988,00)
OPENFT-FTAM-3 (UNIX systems) V11.0	system extendable up to 24 CPU License openFT-FTAM (UNIX systems)	\vdash	+	\vdash	+	\vdash	+	Η.	×	\vdash	+	+	\vdash	+	\vdash	+	Н	+	+	+	+	+	+	+	+	+	+	Н	+	\vdash	+	+	U10987-C515	3.988,00)
	V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																																		
OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode;			П					×						П				П		П		П			П						П	U10987-C527	1.628,00)
OPENET-4 (UNIX systems) V11.0	system extendable up to 24 CPU License openFT (UNIX systems) V11.0: for	\vdash	-	\vdash		\vdash	+	Η.	×	\vdash	+	+	\vdash		\vdash	+	\vdash	+	+	-	+	-	\vdash	+	+	+	+	\vdash	-	\vdash	-	\vdash	U10987-C504	4.618,00)
	using in automated, unattended mode; system extendable up to 32 CPU																																		

itsu Technology Solutions Listino Prezzi Ottobre 201



																_																																				
	ional Notebooks Accessories Description	Details	JFEBOOK A1130	JPEBOOK A530	9	JIFEBOOK AHS30/GFX	INTEROOK ANSJUNDS	100000	- Chooms	8 1	S	JFEBOOK E781	88	88	JFEBOOK B8410	88	Α.	3	÷	9	JFEBOOK P3110																JFEBOOK \$751	JFEBOOK S760	JPEBOOK S761	JFEBOOK S781	JFEBOOK SH531	JFEBOOK T1010	JIFEBOOK TS80	JFEBOOK T730	JFEBOOK T731	JPEBOOK 1900	JPEBOOK 1901	JFEBOOK TH700	Podust Code		(b) d/II	Comments
	& services matrix	Details	-									_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_		 _	_	_	_	_	_	_			_
dditional	Software (Continued)																																																			
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (LNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU											x																																				U10987-C52	28	1.885,00	
	OPENET-5 (UNIX systems) V11.0	License openFT (UNX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											х																																				U10987-C50	06	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											х																																				U10987-C51	17	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (LNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											x																																				U10987-C52	29	2.442,00	

Listino Prezzi Ottobre 201



	OK Options																				
			LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
ry mat	Description	Details	5	=	5	=	5	=	5	<u> </u>				5	=	=	5	Ξ	Š.	3	Ö
ient	Kit																				
spla					х				х			X							S26391-F994-E100		Orderable from: 04/10
	30,7 cm (12.1") WXGA premium LED 30,7 cm (12.1") WXGA standard LED	Wide-View High-Bright LED Display														X			S26391-F660-E100 S26391-F660-E200	178,00 95,00	
	30,7 cm (12.1") WXGA premium LED 30,7 cm (12.1") WXGA standard LED		H	H					\dashv	+	+	+	+	+	+		X	H	S26391-F920-E100 S26391-F920-E200	167,00 84,00	
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel, 220 cd/m ²			х														S26391-F940-E100	89,00	
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²			x														S26391-F940-E200	110,00	
	30,7 cm (12.1") WXGA compound LED	30,7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m²		Ī					х					T	T				S26391-F960-E100	89,00	
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti- glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²				х													S26391-F940-E300	123,00	
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²	T	T		х								T	T				S26391-F940-E400	150,00	
	39.6 cm (15.6") FHD magnesium LED					х					#								S26391-F940-E500	206,00	
	33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel, 200 cd/m²										3	K						S26391-F950-E100	78,00	
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti- glare display, compound lid, 1366 x 768 pixel, 220 cd/m ²										x							S26391-F980-E100	99,00	
	33,8 cm (13.3") HD T&L magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti- glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m²										3	K						S26391-F950-E200	200,00	
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²										×							S26391-F980-E200	133,00	
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti- glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²											,	(S26391-F980-E300	112,00	
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²											,	C					S26391-F980-E400	139,00	
sor	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)														x			S26391-F532-E370	155,00	
	Intel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)														х			S26391-F640-E380	162,00	
	Intel Core i5-480M 2.66GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)														х			S26391-F640-E480	208,00	
	Intel Core i5-560M 2.66GHz 3MB Intel Core i7-640M 2.80GHz 4MB															X			S26391-F640-E560 S26391-F640-E640	262,00 400,00	
	Intel Core i7-2640M 2.8GHz 4MB Intel Core i7-2620M 2.7GHz 4MB	2.70 GHz, 4 MB total cache, dual core/4			X	X		Н	-			x x)			Н			S26391-F981-E264 S26391-F981-E262	400,00 400,00	
	Intel Core i5-2540M 2.6GHz 3MB	threads, technologies: VT-x, TXT 2.60 GHz, 3 MB total cache, dual core/4	L	L				Ш	_		4	x	4.		-			L	S26391-F981-E254	287,00	
		threads, technologies: VT-x, TXT			х	x							,								
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT			х	х						x	,	(S26391-F981-E252	262,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			х	х						×	,	(S26391-F981-E243	208,00	
	Intel Core i5-2410M 2.3GHz 3MB	not for Corporate Projects (only for Retail,		\vdash	х	х		Н	\forall	\top	+	x	>	(S26391-F981-E241	208,00	
	Intel Core i3-2330M 2.2GHz 3MB	SMB, education and government) not for Corporate Projects (only for Retail,	\vdash	\vdash	х	х		Н	+	+	+	x	,	(+	\vdash		-	S26391-F981-E233	162,00	
	Intel Core i3-2310M 2.1GHz 3MB	SMB, education and government) not for Corporate Projects (only for Retail, SMB, education and government)	H	H	x	х			+	+	+	x	,	(H				S26391-F981-E231	162,00	
	Intel Celeron B810 1.6GHz 2MB Intel Core i5-2410M 2.3GHz 3MB	not for Corporate Projects (only for Retail,			х							х							S26391-F981-E810 S26391-F482-E241	123,00 208,00	
		SMB, education and government)		х		Ш		Ш			\perp			L		Ш		L			
	Intel Core i3-2310M 2.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x															S26391-F482-E231	162,00	
	Intel Core i3-2310M 2.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										,	к				x	х	S26391-F881-E231	162,00	
	Intel Core i3-2330M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)	T			П		П	\top	\dagger	\dagger	,	к	\dagger		П	х	х	S26391-F881-E233	162,00	
	Intel Core i3-2330M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		\vdash			х	х	\forall	+	+	+	\dagger	x					S26391-F472-E233	162,00	
	Intel Core i3-2310M 2.1GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)					х	х			#			x	İ				S26391-F472-E231	162,00	
	Intel Core i5-2410M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										,	K				х	х	S26391-F881-E241	208,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										,	ĸ				х	х	S26391-F881-E243	208,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)					х	х			\top			×					S26391-F472-E243	208,00	
	Intel Core i5-2410M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)					х	х			İ		İ	х	İ				S26391-F472-E241	208,00	
	Intel Core i5-2540M 2.6GHz 3MB Intel Core i5-2520M 2.5GHz 3MB		F	F	F	F	F	П	Ŧ	Ŧ	Ŧ	3		F	F	F	х	х	S26391-F881-E254 S26391-F881-E252	287,00 262,00	
	Intel Core i7-2620M 2.7GHz 4MB		1					х		\rightarrow									S26391-F472-E262	400,00	



				Ι.																
			LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK 1380	LIFEBOOK 1730	LIFEBOOK T901	Product Code	(b)	Comments
gory [Description	Details	LFE	IFI		LIFE	LIFE	LIFE			H	HE I	H				IFE	Prod	E E	Com
ns matrix																				
	intel Core i7-2630QM 2.0GHz 6MB	not for Corporate Projects (only for Retail,	Т	т	П	П		х	Т	Т			Т	Т	Т	т	П	S26391-F472-E263	287,00	
		SMB, education and government)						Ш	_				4	_	4					
	ntel Core i7-2640M 2.8GHz 4MB intel Core i7-2640M 2.8GHz 4MB		+	+				х		+		х	+	+	+	×	х	S26391-F472-E264 S26391-F881-E264	400,00 400,00	
	ntel Core i7-2670QM 2.2GHz 6MB	not for Corporate Projects (only for Retail,						х								T .		S26391-F472-E267	287,00	
		SMB, education and government)	_	-	-				_				_	_	4	+				
	ntel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)	х															S26391-F799-E380	162,00	
ī	ntel Pentium P6200 2.13GHz 3MB	only for shipments to retail customers	х	+				Н				Н	\dashv	+	+	+		S26391-F799-E620	75,00	
	ntel Celeron B810 1.6GHz 2MB		-							-		х	-		-	-		S26391-F881-E810	123,00	
	ntel Pentium B950 2.1GHz 2MB ntel Pentium B940 2.0GHz 2MB	only for shipments to retail customers only for shipments to retail customers	+	+	+	\vdash	X	x	_	+		Н	+	x	+	+		S26391-F543-E950 S26391-F543-E940	75,00 75,00	
ory																				
	2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600		+	+	+	-		x	-	+	-	Н	+	+	+	+	-	S26391-F473-E200 S26391-F473-E400	23,00 45,00	
	2 GB DDR3 1066 MHz PC3-8500							Ŷ								x		S26391-F621-E500	23,00	
	4 GB DDR3 1066 MHz PC3-8500		+	+	\vdash	-		Н	-	+	-		-	-		x		S26391-F621-E600	45,00	
	2 GB DDR3 800 MHz PC3-6400 4 GB DDR3 800 MHz PC3-6400		+	+				Н				Н	\dashv		x x	+		S26391-F662-E100 S26391-F662-E200	23,00 45,00	
2	2GB DDR3 PC8500		F	F	F			П	_		F	П	7	7	Ŧ	F		S26391-F791-E100	23,00	
	4GB DDR3 PC8500 (2 x 2GB) 4GB DDR3 PC8500 (1 x 4GB)	+	+					\vdash				\vdash	\dashv	+	+	+		S26391-F791-E300 S26391-F791-E400	45,00 45,00	
4	4 GB DDR3 1066 MHz PC3-8500		х						#					#	1			S26391-F791-E540	45,00	
	2 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600	+	+	+	\vdash	\vdash		\vdash	+	+	\vdash	\vdash	+	+	+	+		S26391-F882-E200 S26391-F882-E400	23,00 45,00	
2	2 GB DDR3 1333 MHz PC3-10600								#							х	Ļ	S26391-F922-E200	23,00	
4	4 GB DDR3 1333 MHz PC3-10600 2 GB DDR3 1333 MHz PC3-10600		+	-			х	H	-	+		H		+	+	х		S26391-F922-E400 S26391-F493-E200	45,00 23,00	
	2 GB DDR3 1333 MHz PC3-10600 2 GB DDR3 1333 MHz PC3-10600						X		#					х				S26391-F540-E200	23,00	
2	2 GB DDR3 1333 MHz PC3-10600		F	F					T	F		х	T	Ŧ	Ŧ	F		S26391-F952-E200	23,00	
	2 GB DDR3 1333 MHz PC3-10600 2 GB DDR3 1333 MHz PC3-10600		+	+	+	\vdash		Н	Х	х		Н	+	+	+	+		S26391-F962-E200 S26391-F972-E200	23,00	
2	2 GB DDR3 1333 MHz PC3-10600				х	х					х		х					S26391-F982-E200	23,00	
	4 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600		+	х	\vdash	\vdash	х	Н	-	+		Н	+	+	+	+		S26391-F483-E400 S26391-F493-E400	45,00 45,00	
	4 GB DDR3 1333 MHz PC3-10600						^							х				S26391-F540-E400	45,00	
	4 GB DDR3 1333 MHz PC3-10600		-							-		х	-	-	-	-		S26391-F952-E400	45,00	
	4 GB DDR3 1333 MHz PC3-10600 4 GB DDR3 1333 MHz PC3-10600		+	+	+	\vdash		Н	х	х		Н	\dashv	+	+	+		S26391-F962-E400 S26391-F972-E400	45,00 45,00	
4	4 GB DDR3 1333 MHz PC3-10600				х	х					х		х		1			S26391-F982-E400	45,00	
	Media Drives DVD Super multi (reader/writer)							х		7			7	7	7			S26391-F477-E100	39.00	
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD		†				х					\exists					S26391-F477-E200	122,00	
		read/write							_				_	_	4	_				
E	Blu-ray Triple Writer + BD playback SW	Blu-ray read/write + DVD read/write + CD read/write						х										S26391-F477-E300	217,00	
1	DVD Super Multi (reader/writer)			+				Н	_				+	+		x		S26391-F777-E700	39,00	
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD	Т	Т	П	Т										x		S26391-F777-E800	122,00	
	22.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	read/write	+	+	-	-		Ш	_	_			-	+	+	+		000004 5707 5400	00.00	
	DVD Super Multi (reader/writer) DVD Super Multi (reader/writer)		+	+				Н				Н	\dashv	+	+	х		S26391-F797-E100 S26391-F924-E100	39,00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD	Т	Т	П	Т									Т	х		S26391-F924-E200	217,00	
,	Maiaba an ar far madular barr	read/write	+	\vdash	\vdash	-		Н	-	+			-	+	+	+		S26391-F954-E400	4.00	
	Weight saver for modular bay DVD Super Multi (reader/writer)	Nero on driver DVD	+	+	+	\vdash		Н	+	+		X	+	+	+	+		S26391-F954-E400 S26391-F954-E100	4,00 39,00	
١	Weight saver for modular bay	Nero on driver DVD	\perp							х					\perp			S26391-F974-E400	4,00	
	Weight saver for modular bay Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD	+	+	Х	Х		Н	-	+	Х	х	Х	+	+	Х	Х	S26391-F984-E400 S26391-F954-E200	4,00 217,00	
l'	Sid-ray Triple Writer Inc. Flayback OW	read/write										^						020331-1 334-1200	217,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD								х								S26391-F974-E100	39,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD Blu-ray read/write + DVD read/write + CD	+	+	X	x	Н	\vdash	+	+	X	H	X	+	+	+		S26391-F984-E100 S26391-F984-E200	39,00	
	Blu-ray Triple Writer incl. Playback SW	read/write; with playback software			^	^					^		^					S26391-F984-E200	217,00	
	2nd Battery 3cell 27Wh (2,500mAh)								#			х	_	#				S26391-F954-E500	122,00	
	2nd Battery 3cell 27Wh (2,500mAh) 2nd Battery 6cell 41Wh (3,800mAh)	Nero on driver DVD Nero on driver DVD	+	+	v	х	\vdash	Н	+	х	х	Н	х	+	+	+	\vdash	S26391-F974-E500 S26391-F984-E500	122,00 122,00	
E	Bay projector				Ļ	Ĺ			\pm		Ĺ	х						S26391-F954-E600	444,00	
	Bay projector DVD Super multi (reader/writer)		+	-				H	-	х		H		-	+	+		S26391-F974-E600 S26391-F497-E100	444,00 39,00	
	DVD Super multi (reader/writer) DVD Super multi (reader/writer)						х		#					х				S26391-F548-E100	39,00	
[DVD Super Multi (reader/writer)	Diversional act and DVD and the	F	F				П	T	F		П	T	T	Ŧ	T	х	S26391-F884-E100	39,00	
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD read/write					х											S26391-F497-E200	122,00	
E	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD	+	+				Н	+			Н	\dashv	х	+	+		S26391-F548-E200	122,00	
		read/write	\perp							\perp		Ш								
E	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write										Π	T		ſ		х	S26391-F884-E300	122,00	
1	Weight saver for modular bay	1000 WIIIO	+	+	+	-		\vdash	+	+		\vdash	+	+	+	x		S26391-F777-E300	4,00	
2	2nd Battery (10.8V, 3,800mAh)	<u> </u>															х	S26391-F777-E400	122,00	
isks	HDD SATA 160 CP 5 4b														Ţ	,		\$26301 Fee1 F400	88,00	
	HDD SATA 160 GB 5.4k HDD SATA 320 GB 5.4k							H						_		x x		S26391-F661-E100 S26391-F661-E200	122,00	
F	HDD SATA 320 GB 5.4k FDE								1							x		S26391-F661-E400	155,00	
	HDD SATA 500 GB 7.2k		+	+	\vdash	\vdash		\vdash	+	+	\vdash	H	+	+		x	-	S26391-F661-E500	177,00	
	SSD SATA 64GB FDE SSD SATA 128GB FDE															x x		S26391-F661-E700 S26391-F661-E800	333,00 444,00	
ŀ	HDD SATA 160 GB 5.4k								7	\blacksquare			\neg		х			S26391-F663-E100	88,00	
	HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k FDE	+	+	+	-	-		\vdash	+			\vdash	+		x x	+		S26391-F663-E200 S26391-F663-E300	122,00 155,00	
ŀ	HDD SATA 500 GB 7.2k								\pm						х			S26391-F663-E400	177,00	
	SSD SATA 128 GB FDE		+	F	H	F	H	П	_	H	H	Н	Ŧ		х	+	H	S26391-F663-E800	444,00	
	SSD SATA III 128 GB high speed HDD SATA 160 GB 5.4k	+	+	+	+	+		Н	+	+		Н	+	+	х	+	x	S26391-F663-E830 S26391-F883-E160	410,00 88,00	Orderable from: 14/11/2
ŀ	HDD SATA 160 GB 7.2k		\perp						#					#	1		х	S26391-F883-E167	99,00	
F	HDD SATA 250 GB 5.4k HDD SATA 320 GB 5.4k		+	+	\vdash	-	Н	Н	+	+	\vdash	H	+	+	+	+		S26391-F883-E250 S26391-F883-E320	88,00 122,00	Orderable from: 07/10/2
- 11																				



			1531																
		LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK 1380	LIFEBOOK 1730	LIFEBOOK T901	Product Code	P (@)	Comments
Description	Details	5	5	5	5	5	4	5 5	5	Ħ	5	5	<u> </u>	5 5	5 5	4	Pro	- E	Š
(Continued) HDD SATA 320GB 5.4 FDE														Ţ		v	S26391-F883-E328	155,00	
HDD SATA 500 GB 7.2k																х	S26391-F883-E500	177,00	
SSD SATA 128 GB FDE SSD SATA III 128 GB high speed					Н	Н		-	+	Н	Н	-	-	+	-		S26391-F883-E820 S26391-F883-E830	444,00	Orderable from: 14/11/2
HDD SATA 160 GB 5.4k											х					Ĺ	S26391-F953-E160	88,00	Orderable Hom. 14/11/2
HDD SATA 160 GB 5.4k								х				-	-	-			S26391-F963-E160	88,00	
HDD SATA 160 GB 5.4k HDD SATA 160 GB 5.4k				×	х	Н		-	Х	х	Н	х	-	+	-	Н	S26391-F973-E160 S26391-F983-E160	88,00 88,00	
HDD SATA 250 GB 5.4k				Ü	-						х						S26391-F953-E250	88,00	Orderable from: 07/10/2
HDD SATA 250 GB 5.4k HDD SATA 250 GB 5.4k			-		Н	Н		х	x	Н	Н	-	-	+	-	⊬	S26391-F963-E250 S26391-F973-E250		Orderable from: 07/10/3 Orderable from: 07/10/3
HDD SATA 250 GB 5.4k				х	х				Î	х		х					S26391-F983-E250		Orderable from: 07/10/2
HDD SATA 320 GB 5.4k		_			Н	Н	-		+	Н	х	-	-	+	-	H	S26391-F953-E320	122,00	
HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k					Н	Н		х	х	Н	Н	\dashv	\rightarrow	+	_	\vdash	S26391-F963-E320 S26391-F973-E320	122,00	
HDD SATA 320 GB 5.4k				х	х					х		х		4			S26391-F983-E320	122,00	
HDD SATA 320 GB 5.4k Win XP optimized HDD SATA 320 GB 5.4k Win XP optimized					Н	Н	-	х	+	Н	х	\dashv	+	+	-	\vdash	S26391-F953-E321 S26391-F963-E321	133,00	
HDD SATA 320 GB 5.4k Win XP optimized								^	х								S26391-F973-E321	133,00	
HDD SATA 320 GB 5.4k Win XP optimized		_		х	х	Н	-	-	+	х	Н	х	-	+	-	H	S26391-F983-E321	133,00	
HDD SATA 160GB 5.4k HDD SATA 160 GB 7.2k					\Box	H		Х			х			+			S26391-F792-E100 S26391-F953-E167	88,00 99,00	
HDD SATA 160 GB 7.2k					П			х					_	#			S26391-F963-E167	99,00	
HDD SATA 160 GB 7.2k HDD SATA 160 GB 7.2k			-			\vdash	\vdash	+	х		\vdash	_	+	+	+	\vdash	S26391-F973-E167	99,00	
HDD SATA 160 GB 5.4k				×	х					х		х			х		S26391-F983-E167 S26391-F923-E160	99,00 88,00	
HDD SATA 160 GB 7.2k					П							\Box	\Box	7	х		S26391-F923-E167	99,00	
HDD SATA 320 GB 7.2k HDD SATA 320 GB 7.2k					\vdash	\vdash	\dashv	х	+	\vdash	х	\dashv	+	+	+	\vdash	S26391-F953-E327 S26391-F963-E327	155,00 155,00	
HDD SATA 320 GB 7.2k								-	х								S26391-F973-E327	155,00	
HDD SATA 320 GB 7.2k				х	х	Н	-	-	+	х	Н	х	-	+	-	-	S26391-F983-E327	155,00	0.1
HDD SATA 250 GB 5.4k HDD SATA 320GB 5.4k						Н		х	+		Н	-	+	+	X	\vdash	S26391-F923-E250 S26391-F792-E300	122.00	Orderable from: 07/10/
HDD SATA 500 GB 7.2k									х								S26391-F973-E507	177,00	
HDD SATA 330 GB 7.2k			-	Х	х	Н		-	+	х	Н	Х	-	+	-	⊬	S26391-F983-E507	177,00	
HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k			х				X		+		Н		_				S26391-F474-E320 S26391-F484-E320	122,00	
HDD SATA 320 GB 5.4k						х											S26391-F494-E320	122,00	
HDD SATA 320 GB 5.4k HDD SATA 320 GB 5.4k					\vdash	Н		-	+		Н	-	х	+	×	\vdash	S26391-F541-E320 S26391-F923-E320	122,00	
HDD SATA 320 GB 5.4k Win XP optimized															×		S26391-F923-E321	133,00	
HDD SATA 320 GB 7.2k							х						_	-	_		S26391-F474-E327	155,00	
HDD SATA 320 GB 7.2k HDD SATA 320GB 5.4 FDE					Н	Н			+	Н	Н	\dashv	_	+	X	\vdash	S26391-F923-E327 S26391-F923-E328	155,00 155,00	
HDD FDE 320GB 5.4k								х									S26391-F792-E400	155,00	
HDD SATA 500 GB 5.4k HDD SATA 500 GB 5.4k			-		\vdash	Н	х	-	+		Н	-	-	+	-	⊬	S26391-F474-E500 S26391-F484-E500	166,00 166,00	
HDD SATA 500 GB 5.4k			X			х			+		Н		_				S26391-F494-E500	166,00	
HDD SATA 500 GB 5.4k								\perp					х	\perp			S26391-F541-E500	166,00	
HDD SATA 500 GB 7.2k 2x HDD SATA 500 GB 5.4k						Н	х	Х	+		Н	-	+	+	_	\vdash	S26391-F792-E500 S26391-F474-E502	177,00 333,00	
HDD SATA 500 GB 7.2k															х		S26391-F923-E507	177,00	
HDD SATA 500 GB 7.2k			-		Н	Н			+		х	-	-	+	-	⊬	S26391-F953-E507	177,00	
HDD SATA 500 GB 7.2k HDD SATA 320 GB 5.4k FDE						Н		х	+		х	\dashv	_	+	_		S26391-F963-E507 S26391-F953-E328	177,00 155,00	
HDD SATA 320 GB 5.4k FDE								х					\Box	\perp			S26391-F963-E328	155,00	
HDD SATA 320 GB 5.4k FDE HDD SATA 320 GB 5.4k FDE					х	Н		-	Х	x	Н	х	+	+	-	\vdash	S26391-F973-E328 S26391-F983-E328	155,00 155,00	
HDD SATA 750 GB 5.4k				Ŷ	Î		х			Ŷ		^					S26391-F474-E750	222,00	
HDD SATA 750GB 5.4k						х		_	+		Н	-	-	+	-	-	S26391-F494-E750	222,00	
2x HDD SATA 750 GB 5.4k SSD SATA 128GB FDE					\vdash	Н	х	х	+	Н	Н	\dashv	+	+	+	\vdash	S26391-F474-E752 S26391-F792-E800	378,00 444,00	
SSD SATA 128 GB FDE					П			T.							х		S26391-F923-E820	444,00	
SSD SATA 128 GB FDE SSD SATA 128 GB FDE					\vdash	\vdash	\dashv	x	+	\vdash	х	-	+	+	+	\vdash	S26391-F953-E820 S26391-F963-E820	444,00 444.00	
SSD SATA 128 GB FDE SSD SATA 128 GB FDE								^	х								S26391-F973-E820	444,00	
SSD SATA 128 GB FDE			Е	х	х	П	J	-	\vdash	х	П	х	Ŧ	Ŧ	\perp	Е	S26391-F983-E820	444,00	Orderskie / 11
SSD SATA III 128 GB high speed SSD SATA III 128 GB high speed					\vdash	Н	х	+	+	Н	х	\dashv	+	+	+	\vdash	S26391-F474-E830 S26391-F953-E830		Orderable from: 14/11/ Orderable from: 14/11/
SSD SATA III 128 GB high speed					П			х									S26391-F963-E830	410,00	Orderable from: 14/11/
SSD SATA III 128 GB high speed SSD SATA III 128 GB high speed					х	\vdash	\dashv	-	х	x	Н	x	+	+	-	\vdash	S26391-F973-E830 S26391-F983-E830		Orderable from: 14/11/ Orderable from: 14/11/
OGD GATA III 120 GB HIQH Speed				X	X					X		۸						410,00	Giuerable (1011), 14/11/
No Camera									Е			\Box	T		х	Е	S26391-F625-E110	8,00	
2M pixels Camera No Camera		-			\vdash	Н	\vdash	+	+	Н	Н	-	+	х	х		\$26391-F625-E310 \$26391-F625-E400	23,00 8,00	
1.3M pixels Camera														x			S26391-F625-E410	17,00	
ation/Network Intel Centrino 6205 802.11a\b\g\n (WW)							х										S26391-F476-E220	22,00	
WLAN Atheros 802.11b\q\n (WW)							X						_	#			S26391-F476-E220 S26391-F476-E230	10,00	
Intel Centrino 6200 802.11a\b\g\n (WW)					П	П		T			П				х	Е	S26391-F647-E500	22,00	
Intel Centrino 6200 802.11a\b\g\n (WW) WLAN Atheros 802.11b\g\n (WW)		-	\vdash		\vdash	\vdash	+	+	+	\vdash	\vdash	\dashv	+	х	x	\vdash	S26391-F664-E220 S26391-F647-E600	22,00 10,00	
WLAN Atheros 802.11b\g\n (WW)														х	X		S26391-F664-E230	10,00	
No WLAN					П	П		Ŧ	Е	П	П	\exists		\Box	х	Е	S26391-F624-E100	2,00	
No WLAN Bluetooth module V2.1+EDR		-			Н	Н	\vdash	+	+	Н	Н	-	+	х	x		S26391-F664-E210 S26391-F624-E500	2,00	
Bluetooth module V2.1														x	-		S26391-F664-E320	22,00	
Intel Centrino 6200 802.11a\b\g\n (WW)					П	П		х			П				T	Е	S26391-F793-E800	22,00	
No Bluetooth No Bluetooth					\vdash	\vdash	\dashv	+	+	Н	\vdash	\dashv	+	х	x	\vdash	S26391-F664-E310 S26391-F624-E550	2,00	
WLAN Atheros 802.11b\g\n (WW)								х									S26391-F793-E900	10,00	
No WLAN					П	П	\Box	Х		П	П	\exists	7	T	T	Е	S26391-F793-E100	2,00	
Bluetooth module V2.1 No Bluetooth					\vdash	\vdash	\dashv	X		\vdash	\vdash	-	+	+	-	\vdash	S26391-F793-E510 S26391-F793-E550	22,00	
UMTS Sierra Wireless Gobi2000	including GPS functionality							^							x		S26391-F647-E210	110,00	
UMTS Sierra Wireless Gobi2000	including GPS functionality	-			П	П		Ŧ	\blacksquare		П	\Box	Ŧ	х		F	S26391-F664-E120	110,00	
No UMTS No UMTS	+	_	-	-	\square	Н	\vdash	-	-		Н	-	-		х	\vdash	S26391-F647-E110 S26391-F664-E110	2,00 4,00	
														x					



				/AH53			- I	_						_						
			IFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NAV3	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK 1730	LIFEBOOK T731	JIFEBOOK T901	Product Code	₩.	Comments
y Desc	cription	Details	LFEB								H	EE EE				H	LFEB	Produ	EUP (Comu
natrix nication/f	Network (Continued)																			
No U	IMTS				х	х	\perp	Ŧ	\top	\blacksquare		П	\exists	\blacksquare	-		Е	S26391-F945-E110	2,00	
No U					+	+	+		x	+		х	+	+	+		Н	S26391-F955-E110 S26391-F965-E110	2,00 3,00	
No U	JMTS										х		х					S26391-F985-E110	2,00	
	S module Sierra Wireless Gobi 3000 S module Sierra Wireless Gobi 3000	including GPS functionality including GPS functionality	-		+	+	+	+	+	+		Н	+	+	+	х	х	S26391-F885-E120 S26391-F925-E120	88,00 88,00	
UMT	S module Sierra Wireless Gobi 3000	,			х											Ĺ		S26391-F945-E120	88,00	
	S module Sierra Wireless Gobi 3000	including GPS functionality	_		+	х	-	+	+	\vdash		-	-	+	-		H	S26391-F945-E220	88,00	
	S ready (no module, antennas incl.) S ready (no module, antennas incl.)	including GPS functionality			\pm	\dashv	+		x	+		х	\dashv	+	+			S26391-F955-E125 S26391-F965-E125	12,00 12,00	
UMT:	S ready (no module, antennas incl.)				\Box	\Box	_	\perp	\perp	х		\Box	\Box	\perp	-			S26391-F975-E125	12,00	
	'S ready (no module, antennas incl.) 'S ready (no module, antennas incl.)				+	\dashv	+	+	+	х	х	Н	\dashv	+	+			S26391-F975-E525 S26391-F985-E125	12,00 12,00	
UMT	S ready (no module, antennas incl.)				4	\Box	1	1	T			П	х	7	F			S26391-F985-E225	12,00	
	'S ready (no module, antennas incl.) 'S ready (no module, antennas incl.)		_		х	\dashv	-	+	+	+	-	Н	+	+	+	Х	-	S26391-F925-E125 S26391-F945-E125	12,00 12,00	
UMT	S ready (no module, antennas incl.)					х												S26391-F945-E225	12,00	
	S module Sierra Wireless Gobi 3000 S module Sierra Wireless Gobi 3000	including GPS functionality	-	+	+	+	+	+	x	+	\vdash	х	+	+	+		H	S26391-F955-E120 S26391-F965-E120	88,00 88,00	
UMT	S module Sierra Wireless Gobi 3000							T.		х								S26391-F975-E120	88,00	
	'S module Sierra Wireless Gobi 3000 'S module Sierra Wireless Gobi 3000			\perp	4	4		+	-	х	-	H	-	_	+	F	H	S26391-F975-E520	88,00	
	S module Sierra Wireless Gobi 3000 S module Sierra Wireless Gobi 3000					#	#	#			Х	H	х	_				S26391-F985-E120 S26391-F985-E220	88,00 88,00	
Mode	em		П	H	Ţ	Ţ	Ŧ	Ŧ	F	F		П	\neg	Ŧ	F	Е	х	S26391-F885-E130	10,00	
No M	Modem JMTS			+	+	+	+	+	+	x	\vdash	х	+	+	+	\vdash		S26391-F955-E135 S26391-F975-E530	2,00	
No M	Nodem				х	х	#	1		Ë	х		х	#	\perp			S26391-F985-E135	2,00	
Mode			\dashv	+	х	x	+	+	+	+	х	х	х	+	+		H	S26391-F955-E130 S26391-F985-E130	10,00	
No W	VLAN				х	х			x	х	х		х					S26391-F955-E210	2,00	
	N Atheros 802.11b\g\n (WW) Centrino 6205 802.11a\b\g\n (WW)		_		X		-		x		X			+	-		X	S26391-F955-E230 S26391-F955-E240	10,00 22,00	
	Bluetooth				х	X			x	×	Х	X	х			Х		S26391-F885-E310	2,00	
	Bluetooth				\Box	\Box	_	\perp	\perp			\Box	\Box	\perp	-	х		S26391-F925-E310	2,00	
	Bluetooth tooth V3.0 module				х	х	+	+	x	Х	х	Х	Х	+			×	S26391-F955-E310 S26391-F885-E320	2,00	
Bluet	tooth V3.0 module															х		S26391-F925-E320	23,00	
	tooth module V3.0 tooth module V3.0		-		+	-	+		x	-		х	-	+	+		-	S26391-F955-E320 S26391-F965-E320	23,00 23,00	
	tooth module V3.0									х								S26391-F975-E320	23,00	
	tooth module V3.0				х	х	-	-			х	Н	х	-				S26391-F985-E320	23,00	
	S module Sierra Wireless Gobi 2000 G \ UMTS				\pm			+	X			Н	\dashv		+			S26391-F793-E700 S26391-F793-E600	99,00 2,00	
	em adapter kit (EU) w\ modem cable	includes all adapter for EU			х	х		_			х	х	х	_			х	S26391-F646-E100	33,00	
No ca	amera				т	т		т		т					_	х		S26391-F920-E600	8,00	
	pixels camera				\Box	\Box	_	\perp	\perp			\Box	\Box	\perp	-	х		S26391-F920-E610	23,00	
	amera ligital microphone		-		+	+	+	+	+	+		х	+	+			X	S26391-F880-E500 S26391-F950-E500	8,00 6,00	
1 x di	ligital microphone								x	х								S26391-F960-E500	6,00	
	ligital microphone amera		-		+	\dashv	+	+	+	х	-	Н	+	+	+		×	S26391-F970-E500 S26391-F880-E510	6,00 8,00	
2.0M	lpixels camera																	S26391-F880-E600	23,00	
	ligital microphone & 1.3Mpix webcam ligital microphone & 1.3Mpix webcam		-		+	+	+	+	x	х		х	+	+	+		H	S26391-F950-E600 S26391-F960-E600	17,00 17,00	
1 x di	ligital microphone & 2.0Mpix webcam								_	X								S26391-F970-E600	23,00	
	lpixels camera my module		_		х	-	-	+	+	\vdash		Н	-	+	-		х	S26391-F880-E610 S26391-F980-E700	23,00 3,00	
	gital array microphones				x						x							S26391-F980-E710	8,00	
	gital array mics & 1.3Mpix Webcam				х		-	-	-		х	Н		-				S26391-F980-E720	23,00	
	my module gital array microphones					x	+	+	+	+		Н	X	+	+			S26391-F980-E800 S26391-F980-E810	3,00 8,00	
2x die	gital array mics & 2.0Mpix Webcam					х		I					х					S26391-F980-E820	26,00	
No Fi	ingerprint				х													S26391-F949-E100	4,00	
No Fi	ingerprint						#	1				х		#				S26391-F959-E100	4,00	
	ingerprint ingerprint		\dashv	+	+	+	+	+	x	х		Н	+	+	+		H	S26391-F969-E100 S26391-F979-E100	4,00 4,00	
No Fi	ingerprint						#			Ļ	х	Ħ	х					S26391-F989-E100	4,00	
No Fi	ingerprint ingerprint		4	\perp	х	х	-	+	-	x		H		-	+		H	S26391-F949-E110 S26391-F979-E110	4,00 4,00	
	erprint sensor & software				х	#	#	#		×		H		_				S26391-F949-E200	28,00	
	erprint sensor & software		_		4	4	-	+	+	-		х	4	-	-		L	S26391-F959-E200	28,00	
	erprint sensor & software erprint sensor & software				+	\dashv	_		x	х		Н	\dashv	+	+		-	S26391-F969-E200 S26391-F979-E200	28,00 28,00	
Finge	erprint sensor & software										х		х					S26391-F989-E200	28,00	
	erprint sensor & software erprint sensor & software		-	+	х	х	+	+	+	х		\vdash	+	+	+		-	S26391-F949-E210 S26391-F979-E210	28,00 28,00	
TPM	l module				х		#		x	х	х			\pm				S26391-F959-E300	8,00	
Erase	eDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard			х	х			x	х	х	х	х			х	х	S26391-F993-E100	23,00	
Kens	sington Lock cable	disk	_	\perp	x	x	+	+	x	×	x	×	x	+	+	×	x	S26391-F959-E400	55,00	
its	ntry Kit DE	incl. safety manual (D), Getting Started,			Ť	İ		x		Î	,		İ	Ť			,	S26391-F479-E100	8,00	
		Service Desk Information	_	4	4	4		_	\perp			Щ	4	4	+		_			
Coun	ntry Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information					1	х										S26391-F479-E200	8,00	
Coun	ntry Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information		+	+	+	+	x				H	+	+				\$26391-F479-E300	8,00	
Cour	ntry Kit EU	supporting also India, incl. power cord		+	+	+	+	+	+	+		H	+	+	x			S26391-F645-E500	14,00	
		(EU),safety manual (Int), Getting Started, Service Desk Information																		
Coun	ntry Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information				Ī							Ī		х			S26391-F645-E600	14,00	
		***OTTABUOTI									1				1					



FEBO	OK Options		_																		
			LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK 1580	LIFEBOOK 1730	LIFEBOOK T901	Product Code	p) d	Comments
	Description	Details	5	5	5	5	5	5	5	5	5	5	5	5	<u> </u>	5 5	5 5	5	5	EUP	S
s mat	s (Continued)																				
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information															х		S26391-F645-E800	14,00	
	Country Kit EU	supporting also India, incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information												1		х		t	S26391-F665-E100	17,00	
	Country Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information												+		x		t	S26391-F665-E200	17,00	
	Country Kit US	incl. power cord (US),safety manual (Int), Getting Started, Service Desk Information												\dagger	+	х		t	S26391-F665-E300	17,00	
	Country Kit D	incl. power cord (EU),safety manual (D),	Т						П	\exists	\exists			\forall	\top	х		T	S26391-F665-E400	17,00	
	Country Kit DE	Getting Started, Service Desk Information incl. safety manual (D), Getting Started,							Н	+	+		+	+		+	×	t	\$26391-F928-E100	17,00	
	Country Kit Int	Service Desk Information supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	r											+		+	×	t	S26391-F928-E200	17,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting							H	+	+		+	+	+	+	×	t	S26391-F928-E300	17,00	
	Country Kit DE	Started, Service Desk Information incl. safety manual (D), Getting Started, Service Desk Information							H	\dashv	+		\dashv	+	х	+	+	+	S26391-F542-E100	8,00	
	Country Kit US	incl. power cord (US),safety manual (Int), Getting Started, Service Desk Information		T					H	x	\forall	7	\exists	\dagger	+	\dagger	+	t	S26391-F796-E100	12,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																х	S26391-F888-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information											х						S26391-F958-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information							х	J	J		J	1		I			S26391-F968-E100	8,00	
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information	L								х								S26391-F978-E100	8,00	
	Country Kit Int	incl. safety manual (D), Getting Started, Service Desk Information			х	х						х		x	4		_		S26391-F988-E100 S26391-F489-E200	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information		x															526391-F489-E200	6,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information					x												S26391-F499-E200	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information													x				S26391-F542-E200	8,00	
	Country Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information								х						T		T	S26391-F796-E200	12,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information														T		х	S26391-F888-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information											х	+		+		t	S26391-F958-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information							х		+			+				t	S26391-F968-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	H						Н	-	х	-	+	+	+	+	+	+	S26391-F978-E200	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int),			x	x			H	-	-	х	+	х	+	+	+	+	S26391-F988-E200	8,00	
	Country Vit CP	Getting Started, Service Desk Information							Ц								1	1	S26391-F542-E300	0.00	
	Country Kit GB Country Kit EU	incl. safety manual (GB/ARA), Getting Started, Service Desk Information supporting also India, incl. power cord		-				H	Ц	x	4	_	4	4	х	+	_	+	S26391-F542-E300 S26391-F796-E300	12,00	
		(EU),safety manual (Int), Getting Started, Service Desk Information																		12,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information												I	I	Ţ		x	S26391-F888-E300	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information incl. safety manual (GB/ARA), Getting								4	4	_	х	4	_	4	_	1	S26391-F958-E300 S26391-F968-E300	8,00	
	Country Kit GB Country Kit GB	started, Service Desk Information incl. safety manual (GB/ARA), Getting		-				H	x	4	x	4	4	4	4	4	+	+	S26391-F968-E300 S26391-F978-E300	8,00	
	Country Kit GB	Started, Service Desk Information incl. safety manual (GB/ARA), Getting	H	H	x	x		H	Н	4	^	x	4	x	+	+	+	+	S26391-F988-E300	8,00	
	Made in Germany sticker	Started, Service Desk Information The "Made in Germany" sticker prominently displays this universally admired					x	x	Н	+	\dashv	+	+	+	x	+	+	+	S26391-F404-E911	2,00	
		displays this universally admired differentiating product value																			
sup	AC Adapter 19V/120W							х										T	S26391-F478-E100	28,00	
	AC Adapter 20V/65W + EU cable	-		х				Ü						4		#		F	S26391-F488-E650	17,00	
	AC Adapter 19V/60W + EU cable AC Adapter 19V/60W + US cable		\vdash				X	\vdash	Н	\dashv	\dashv	\dashv	\dashv	+	x	+	+	+	S26391-F498-E800 S26391-F498-E810	15,00 15,00	
	AC Adapter 19V/60W + GB cable						x								x				S26391-F498-E820	17,00	
	1st Battery 6cell 67Wh (6,200mAh) 1st Battery 6cell 63Wh (5,800mAh)	+	Н	+	v	х	\vdash	\vdash	х	\dashv	x	x	х	x	+	+	X	X	S26391-F886-E100 S26391-F956-E100	82,00 74,00	
	1st Battery 6cell 63Wh (5,800mAh)													_					S26391-F886-E110	74,00	
	AC Adapter 19V/80W (0-Watt technology)		H			х			х				х		-	-	Х	Х	S26391-F886-E200	33,00	
	1st Battery 6cell 67Wh (6,200mAh)	+		-	X	х	-		х	-	х	X	х	X	-	-	_	+	S26391-F956-E200	82,00	



y Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531		LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (@	Comments
matrix supply (Continued)																			
Power cable US				х				х			х						S26391-F878-E220	5,00	
Power cable GB				х	х	4	_	х			х		_	_	х	х	S26391-F878-E230	5,00	
AC cable for 2-pin China AC Adapter 19V/80W		\vdash		х	х	+		x	х	х	х	х	+	_	x	Y	S26391-F878-E240 S26391-F886-E300	6,00 22,00	
3-pin Power cable EU					х	工		x	х						X		S26391-F878-E310	6,00	
3pin AC Adapter 19V/120W	for Russia/GOST	-		х	х	+	+	х	X	х	х	х	-	+	Х	х	S26391-F886-E400	33,00	
Slim AC Adapter 19V/60W AC Adapter 19V/60W				+	+	+	+	+	X			Н	+	+	+	Н	S26391-F886-E500 S26391-F886-E600	33,00 17,00	
plicator																			
Portreplicator				-	-	+	+	-	-	-	х	\vdash	-	+	+	-	S26391-F655-E300	77,00	
Portreplicator\AC Adapter\EU-Cable Kit Portreplicator				\dashv	+	+	+	X				Н	_		+		S26391-F794-E100 S26391-F794-E150	99,00 77,00	
Portreplicator\AC Adapter\GB-Cable Kit								х									S26391-F794-E200	99,00	
Portreplicator\AC Adapter\EU-Cable Kit				-	-	+	+	-	-			\vdash	-)			S26391-F794-E300	99,00	
Portreplicator\AC Adapter\GB-Cable Kit Port Replicator				+	+	+	+	+	+			Н	+	,	+	x	S26391-F794-E400 S26391-F887-E100	99,00 77,00	
Portreplicator				二	ユ	工	工								х	Ü	S26391-F927-E100	77,00	
Port Replicator		-		_	-	4	4	х	х		Н		-	-	+	-	S26391-F977-E100	77,00	
Port Replicator c-Keyboards				х	X					х		х					S26391-F987-E100	77,00	
Keyboard black w/ 10key DE	with 10 keys, Germany						х										S26391-F471-E221	27,00	
Keyboard black w/ 10key IT	with 10 keys, Italy	F	H	Ŧ	4		х	T	F		П	П	Ŧ	Ŧ	F	F	S26391-F471-E223	27,00	
Keyboard black w/ 10key GB Keyboard black w/ 10key US/Int	with 10 keys, Great Britain with 10 keys, US/International		\vdash	+	+		X	+	+		\vdash	\vdash	+	+	+		S26391-F471-E225 S26391-F471-E233	27,00 27,00	
Keyboard black w/ 10key US	with 10 keys, US English						X										S26391-F471-E234	27,00	
Keyboard D	Germany														х		S26391-F626-E121	12,00	
Keyboard I Keyboard GB	Italy Great Britain		\vdash	+	+	+	+	+	-	-	\vdash	\vdash	+		X		S26391-F626-E123 S26391-F626-E125	12,00 12,00	
Keyboard US	US English											\Box			X		S26391-F626-E125 S26391-F626-E134	12,00	
Antibacterial white Keyboard w\oTS D	antibacterial, without touchstick, Germany														х		S26391-F626-E221	17,00	
Antibacterial white Keyboard w\oTS GB	antibacterial, without touchstick, Great Britain														х		S26391-F626-E225	17,00	
Antibacterial white Keyboard w\oTS US	antibacterial, without touchstick, US English			+	-	+	+	-	+			\vdash	-	-	×	-	S26391-F626-E234	17,00	
Antibacterial write Reyboard wio 13 03	antibacterial, without touchstick, 03 English														^		320391-1020-1234	17,00	
Keyboard white w/o TS DE	without touchstick, Germany			х	\forall	\forall	\forall	+		х	х	х		\pm			S26391-F628-E121	12,00	
Keyboard white w/o TS IT	without touchstick, Italy			х						х	х	х					S26391-F628-E123	12,00	
Keyboard white w/o TS GB	without touchstick, Great Britain without touchstick, US English			X	-	+	+	+	+		X		-	+	+		S26391-F628-E125 S26391-F628-E134	12,00 12,00	
Keyboard white w/o TS US Keyboard D	Germany			х	$^{+}$	\pm	\pm			^	х	^	_	х	+		S26391-F659-E121	12,00	
Keyboard I	Italy													х			S26391-F659-E123	12,00	
Keyboard GB	Great Britain	-		-	-	4	4	-	-		Н	\vdash	-	х	+	-	S26391-F659-E125	12,00	
Keyboard black w/o TS DE Keyboard black w/o TS IT	without touchstick, Germany without touchstick, Italy			+	-	+		x x				\vdash	-	+	+		S26391-F790-E121 S26391-F790-E123	12,00 12,00	
Keyboard black w/o TS GB	without touchstick, Great Britain								x								S26391-F790-E125	12,00	
Keyboard black w/o TS US	without touchstick, US English			\Box	\Box	\Box		x x					\Box		\perp		S26391-F790-E135	12,00	
Keyboard black w/o TS DE Keyboard black w/o TS IT	without touchstick, Germany without touchstick, Italy			X	-	+	+	-	+	X	X		-	-	+		S26391-F870-E121 S26391-F870-E123	12,00 12,00	
Keyboard black w/o TS GB	without touchstick, fireat Britain			X	\dashv	\pm	\pm			X		X	_		+		S26391-F870-E125	12,00	
Keyboard black w/o TS US	without touchstick, US English			х	\Box	\Box	\Box			х	х	х				х	S26391-F870-E134	12,00	
Antibacterial white Keyboard w/o TS DE Antibacterial white Keyboard w/o TS GB	antibacterial, without touchstick, Germany antibacterial, without touchstick, Great Britain			x						x	x	x					S26391-F870-E221 S26391-F870-E225	17,00 17,00	
Antibacterial white Keyboard w/o TS US	antibacterial, without touchstick, US English			х	+			$^{+}$	H	х	x	х	+		+	x	S26391-F870-E234	17,00	
Keyboard white w/ TS DE	with touchstick, Germany			х	+	+	+	+	+	x		х	+	+	+	\vdash	S26391-F871-E121	34,00	
Keyboard white w/ TS IT	with touchstick, Italy			X						X		x					S26391-F871-E123	34,00	
Keyboard white w/ TS GB	with touchstick, Great Britain			х	_	4	4			х		х	_		-		S26391-F871-E125	34,00	
Keyboard white w/ TS US Keyboard white w/ TS+10keys TS DE	with touchstick, US English with touchstick and 10 keys, Germany			X	х	+	+	-	-	Х		х	-	-	+	-	S26391-F871-E134 S26391-F872-E121	34,00 39,00	
Keyboard white w/ TS+10keys TS IT	with touchstick and 10 keys, Germany with touchstick and 10 keys, Italy			X		\pm	\pm					Н	_		+		S26391-F872-E123	39.00	
Keyboard white w/ TS+10keys TS GB	with touchstick and 10 keys, Great Britain			х	х			T							\Box		S26391-F872-E125	39,00	
Keyboard white w/ TS+10keys TS US	with touchstick and 10 keys, US English without touchstick, Germany	-	\vdash	х	х	+	+		+	-	\vdash	\vdash	+	+	+	\vdash	S26391-F872-E134	39,00	
Keyboard white w/o TS DE Keyboard white w/o TS IT	without touchstick, Germany without touchstick, Italy		\vdash	\dashv	+	+		X	X			\vdash	+	+	+		S26391-F873-E121 S26391-F873-E123	12,00 12,00	
Keyboard white w/o TS GB	without touchstick, Great Britain							х	х								S26391-F873-E125	12,00	
Keyboard white w/o TS US Keyboard black w/ TS+10keys DE	without touchstick, US English with touchstick and 10 keys, Germany	-	\vdash	х	+	+	+	х	х		\vdash	\vdash	+	+	+	-	\$26391-F873-E134 \$26391-F874-E121	12,00	
Keyboard black w/ TS+10keys IT	with touchstick and 10 keys, Germany with touchstick and 10 keys, Italy				x	_	_					H					S26391-F874-E121 S26391-F874-E123	39,00 39,00	
Keyboard black w/ TS+10keys GB	with touchstick and 10 keys, Great Britain			х	х										\Box		S26391-F874-E125	39,00	
Keyboard black w/ TS+10keys US Keyboard black IT	with touchstick and 10 keys, US English	H			х	x	-	-	F	H	H	П		-	+	H	S26391-F874-E134	39,00	
Keyboard black IT ication-SW	Italy					X							х		b		S26391-F491-E223	12,00	
Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackltUp/ on DVD	Г				х	х	Τ					х	T		Γ	S26361-F1818-E893	10,00	
No Operating System Nero 9 Essentials XL	Recording software, Showtime, (DVD-video				x x	+	+	x x		x	x		+		x x		S26361-F2008-E100 S26361-F2008-E893	4,00 10,00	
	but no Blu-ray playback),, BackltUp/ on DVD																		
Drivers&Utility DVD (Win7) LIFEBOOK				х	х			х		х	х	х					S26361-F2010-E168	2,00	
Drivers&Utility DVD (Win7) LIFEBOOK Win Embedded Standard_7_SC DE LIFEBOOK			\vdash	+	+	+	+	,	-	1.	\vdash	\vdash	+	+	х		\$26361-F2010-E202	2,00	Orderable from: 47/40/0
OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit			X	+	+		x x	х	X	х	\vdash	+	x)		х	S26361-F2010-E203 S26361-F2110-E177	112,00	Orderable from: 17/10/20
,	Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best and compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.																	,	
Win Embedded Standard 7 SC EN LIFEBOOK	You may select this license for chinments in		H	х	+	Y		х		х		Ħ	Y	+			\$26361-F2010-E206 \$26361-F2009-F243		Orderable from: 17/10/2
License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	х				x	x						x				S26361-F2009-E243	104,00	



OOK Options																					
		LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	-IFEBOOK T730	IFEBOOK T731	IFEBOOK T901	Product Code	EUP (4)	Som ments
Description trix	Details	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	<u>`</u>	ш	8
ation-SW (Continued) License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x			x	x							x					S26361-F2009-E253	133,00	
Win Embedded Standard_7 EN LIFEBOOK				х				х			х								S26361-F2010-E207		Orderable from: 17/10/20
eLux RL + Scout builtin license LIFEBOOK OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibitity., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.			x				x	х	х	x	x			x	x			\$26361-F2010-E209 \$26361-F2110-E180	70,00 112,00	Orderable from: 01/12/2
OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 Prolead is 32-bit for best compatibility., This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.			х				х	х	х	х	x			x	x		х	S26361-F2110-E181	112,00	
OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note, Fujitsu Office 2010 Product is 32-bit for best compatibility., This product is for small business (600 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x				x	x	x	x	х			x	x		x	\$26361-F2110-E182	189,00	
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).					x	x							х					S26361-F2009-E252	126,00	
OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note, Fujitsu Office 2010 Product is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End			x				x	x	x	x	x			x	x		x	S26361-F2110-E185	189,00	
OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 Product is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			x				x	x	x	x	x			x	x		x	S26361-F2110-E186	189,00	
OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note, Fujitsu Office 2010 Prolead is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End			x				x	x	x	x	х			x	x		x	S26361-F2110-E187	323,00	
OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note; Fujitsu Office 2010 Prolead is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End			x				х	х	х	x	х			x	x		х	\$26361-F2110-E190	323,00	
OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only., Not be distributed to the United States Federal Government.			x				x	x	x	x	х			x	x		x	S26361-F2110-E191	323,00	
OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerFoint, OneNote 2010, Package contains: License, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.			х	x			x		x	x	x	x				x	x	S26361-F2010-E281	112,00	

Drivers&Utility DVD(XP/Vista/7) LIFEBOOK



OOK Options													_			_	4	4			
		LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	IFEBOOK T730	JFEBOOK T731	LIFEBOOK 1901	Product Code	EUP (6)	Comments
Description atrix	Details	-	12		-								_					_	Δ.	ш	0
ation-SW (Continued) License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Alghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'hoire, Democratic Republic of the Congo, Dibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Irad, Jordan, Kenya, Kuwati, Lebanon, Lesotho, Liberia, Libya, Madagascar, Mallawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Nambia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Westem Sahara, Saint Helena, São Tomé and Principe. Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe					x	x							x					S26361-F2009-E255	133,00	
OEM Office Home and Business 2010 MPI MN	Activates Preload Windows Office Home and Business 2010 32-th (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, The installed Microsoft Windows 7 operating			х	х			х		х	х	х	x				x	x	S26361-F2010-E282	189,00	
	system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the pre- loaded language versions (MAN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.																				
OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License			х	x			x		х	x	x	x				x	х	S26361-F2010-E283	323,00	
OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 pricad is 32-bit for best compatibility. This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.					х	x												S26361-F2009-E177	112,00	
OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD, Note, Fujitsu Office 2010 proladis 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.					х	x												S26361-F2009-E180	112,00	
OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note, Fujitsu Office 2010 prolead is 32-bit for best compatibility. This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.					х	x												S26361-F2009-E181	112,00	
OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 producd is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.					x	x												S26361-F2009-E182	189,00	
OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.					x	x												S26361-F2009-E185	189,00	
OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD, Note, Fujitsu Office 2010 prolead is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only, Not to be distributed to the United States Federal Government.					х	x												S26361-F2009-E186	189,00	



) (OK Options																				
	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LITEBOOK 1730	IFEBOOK T901	Product Code	EUP (4)	Comments
tri	x	Potano	_	_	_	_	_	_	_	_		_	_								
	on-SW (Continued) OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD, Note, Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.					x	x											\$26361-F2009-E187	323,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 reload is 32-bit for best compatibility., This product is for small business (600 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.					x	x											S26361-F2009-E190	323,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 Prolead is 32-bit for best compatibility., This product is for small business (600 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.					х	х											\$26361-F2009-E191	323,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version tiw till be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDCS, IBER-NF, E.M-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.					x	x							х				S26361-F2009-E271	112,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Exzel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is neededd1, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.					x	x							x				\$26361-F2009-E272	189,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK				H					х		-	-	+	+	+	+	+	S26361-F2010-E165	6,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: Ucense only, For recovery purposes Fujitsu Recovery or RDVD is needed1, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the preloaded language versions (MAN), NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.					x	x							х				326361-F2009-E273		
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK															1	x	+	\$26361-F2010-E166	3,00	
	Drivers&Utility DVD (Win7) LIFEBOOK License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India						х			х				х	#	\pm	X	S26361-F2010-E167 S26361-F2009-E258		
	No Operating System Win7 HomePremium84 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed Preload works also for Office 2010 PKC	х	x				x							x				\$26361-F1818-E100 \$26361-F2109-E441	2,00 3,00	



EBO	OK Options														Ŧ	Ŧ	Ţ	Ŧ			
	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	IFFROOK 1730	LIFFBOOK T731	LIFEBOOK T901	roduct Code	EUP (4)	Comments
ons matr		Details	_				_	_		-					<u> </u>	-	-		-	. ш	0
Applicat	on-SW (Continued) Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x	x							x				\$26361-F2109-E442	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czeck, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x	x							x				S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x	x							x				S26361-F2109-E446	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x			x	x							x				S26361-F2109-E451	3,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.			х	х			х	х	х	x	x	x		х э	:)	x	S26361-F2010-E243	104,00	
	REC-DVD Win7 Home Basic 64 RUS License EU/MM - Windows 7 Professional	RUS You may select this license for shipments in European and Mature Markets and also for shipments in Emerging Markets. Please select the emerging markets licenses for your country for marketing fund advantages (Jumpstart) in your region.			х	x	х		x	x	х	х	х	х	X	X)	:)	x	\$26361-F2009-E632 \$26361-F2010-E253	3,00 133,00	
	REC-DVD Win7 Home Basic 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR					х								x				S26361-F2009-E633	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR						x							х				S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	×	х			х	х							х				S26361-F2009-E653	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLl), For Activation of Office 2010 products Fuilsto DEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	x			x	x							x				S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.					x	x							x				S26361-F2109-E752	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x			x	x	x	x	x	х		x x	: >	x	S26361-F2110-E441	8,00	



	OK Options																				
			LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	IFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	IFEBOOK P771	LIFEBOOK S751	EBOOK 5761	LIFEBOOK S/81	IFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	roduct Code	P (6)	Comments
gory ins matr	Description	Details	5	5	5	5	5	5	5	5	5	5	5 3	5 5	5	5	5	5	g.	EUP	8
pplicat	ion-SW (Continued)																				
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x			x	x	x	x	x	x	×	: x	×	x	S26361-F2110-E442	8,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x			x	x	x	х	x	х	х	: x	x	x	S26361-F2110-E451	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish			х	x			х	х	x	х	x	x	х	×	x	x	S26361-F2010-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish								х					х	×			S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish			x	x			х	x	х	x	х	х	х	×	х	x	S26361-F2010-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, T			х	x			х	х	х	х	х	х	х	×	х	x	S26361-F2010-E753	2,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuL), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x			x		x	x	x	x	х	×	x	x	S26361-F2110-E751	2,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets-Scouthern Europe), For Activation of Office 2010 products Fujitsu DEM Office 2010 MPI Genesas are needed! Prelioad works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x			x		x	х	x	х	×	: x	x	х	S26361-F2110-E753	2,00	
Power	supply																				
	2nd AC Adapter 19V/80W (w/o AC cable)															×			S26391-F778-E500	17,00	
	AC Adapter 19V/60W	2nd AC Adapter for LB P770, 1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit								x					х				S26391-F794-E500	17,00	
	slim AC Adapter 19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit													×				S26391-F794-E510	33,00	
	2nd Cable EU 2nd Cable GB			Н	-	Н	H		\dashv	x x	\dashv	+	+	+		X		-	S26391-F794-E610 S26391-F794-E620	5,00 5,00	
	2nd Cable US									х			7			×			S26391-F794-E630	5,00	
	1st Battery 6cells, 5200 mAh 1st Battery 6cells, 5800 mAh			Н	-	Н	Н	\dashv	\dashv	X X	\dashv	+	+	+	×				S26391-F795-E300 S26391-F795-E400	64,00 70,00	
	1st Battery 3cells, 2900 mAh												1		Х	:			S26391-F795-E450	55,00	
	1st Battery 6cells, 5200 mAh 1st Battery 6cells, 5800 mAh		\vdash	\vdash	-	\vdash	\vdash		\dashv	\dashv	\dashv	+	+	+	+	X		\vdash	S26391-F795-E500 S26391-F795-E600	67,00 74,00	
ty													Ė								
	TPM module V1.2 SmartCard reader for ExpressCard slot			Н	-	Н	H		\dashv	\dashv	х	+	х	+	X	X		-	S26391-F646-E300 S26391-F658-E100	8,00 55,00	
	TPM Module									х						Ļ	Î		S26391-F795-E110	8,00	
•	TPM disabled									х						4			S26391-F795-E200	8,00	



LIEEDO	OK Options																					
LIFEBO	UK Options	1																				
Options mat		Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (4)	Comments
Miscellane	Dus (Continued) MED Kit	Content: Manual and certification according						7	7	7		7	7	7	7	×				S26391-F665-E500	6,00	
	mLD M	to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,														^				G20331-1 003-2300	0,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note			х	x			х	×	х	х	×	х		x	х	х	х	S26391-F782-E200	3,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.															х			S26391-F796-E710	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,																	x	S26391-F888-E900	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,,																х		S26391-F928-E900	6,00	
Keyboard /	Mouse																					
Desk View	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries						x												S26381-K456-E100	15,00	
253K TIGW	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, Components; - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Vindows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).,					x	x							x					S26361-F4040-E10	43,00	



Positioning FUTRO thin clients



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



FUTRO S450 FUTRO S500

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
FUTRO S	100				
	FUTRO S100	S100, 10/100 Mbit/s Fast Ethernet LAN, Processor VIA Eden ULV 500, Interface: 1x seriell extern, 2x PS/2 (1x mouse, 1x keyboard), 4x USB2.0 (2x front side, 2x rear side) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, Power supply external, Fulfills EPA 5.0 requirements	S26361-K420-V100	144,00	



FUTRO S450 & S500

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client? The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.

All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Description	Details	Product Code	EUP (4)	Comments
	configurations				
FUTRO S	450-2				
	FUTRO S450-2	FUTRO S450-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 1 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45	S26361-K522-V455	233,00	
FUTRO S	5550-2				
	FUTRO \$550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	299,00	



FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
FUTRO S	700				
	FUTRO S700	, FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: , Drive bays: ; x ; power supply; ;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),		222,00	



FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMDTM Fusion® technology offers excellent performance at a reasonable price.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
	FUTRO S900	, FUTRO S900 Base unit: ; Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x PCI slots, 1 x PCI-Express x1, Drive bays: ; x ; power supply; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1050-V100	288,00	



								×	o	20 50	2														
			FUTRO A 210	FUTRO A 220	FUTRO A230	FUTRO A250	FUTRO A 255	FUTRO A 300 eLux	FUTRO A 300 WEC	FUTRO C200 1915GV FUTRO C250 1915GV	FUTROCAM	FUTRO DC20-1	FUTRO \$100	FUTRO S200	FUTRO \$300	FUTRO \$400	FUTRO S450	FUTRO S450-2	FUTRO S500	000000	FUIRO 8530-2	FITEOSON	oduct Code	•	Comments
jory	Description	Details	5	5	5 5	5 5	5	5	5	5 5		5 5	F.	5 8	5 5	5	5	5	5	2			ě	EUP	Co
ssories nics	& services matrix																								
	Y-cable DVIVGA	Dual Monitoring support			-	\perp			\Box	-	\perp	\perp		\Box	\perp		х		х			x 3	S26361-F2421-L100		
	DVI-D Adapter for Dual DVI Display Port/ DVI-D adapter cable	Dual Monitoring for connection of one DVI-D monitor		Н	+	+	+	\vdash	-	-	+	+	Н	+	+	+	Н	х	+	+	X	, ,	S26361-F2421-L110 S26361-F2391-L200	39,00	
	LFH59/2x DVH adapter cable	for connection of two DVH monitors																				- 3	S26361-F2391-L101	28,00)
	LFH59/2x DP adapter cable	for connection of two Display Port monitors																				3	S26361-F2391-L102	30,00)
	ation/Network					Ė															Ė	Ė			
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel		Ш	-	+	+	Н	-	-	+	+	Н	4	+	+	Н	-	-	_	x	+	S26361-F3465-L2		Phased out
	Dual Serial interface PCI card Dual serial card PCle x1	Duai Fort K3232 via spiriter caber			+	+		\vdash		_		+	Н	+	+	+	Н		+	+	X	,	S26361-F3465-L3 S26361-F3465-L4	33,00	
	2nd LAN/PoE module																		4	4			S26361-F3466-L1	55,00	Orderable from: 10/10
	WLAN 802.11g/Draft PCI Parallel Card LP (1 port)	EPP/ECP, 1 x 25 Pin D-SUB parallel socket,		Н	-	+	+	Н	-	-	+	+	Н	+	+	+	Н	-	x	x	x		S26361-F4525-L10 S26361-F3465-L1	22,00	
		without Riser Card																							
	ion-SW Windows MultiPoint Server 2010 CAL				-									-				-	-	7			S26361-F2010-L270	67,00	,
	Windows MPS 2011 CAL										- 3	x x											S26361-F2011-L170	67,00	
ity		Paramet								-															
	SmartCard Reader SmartCard reader internal USB FUTRO S900	internal chipcard reader internal built in optional, USB		Н	+	+	+	\vdash	\dashv	+	+	+	Н	+	+	+	Н	+	х	X	X	,	S26361-F1260-L802 S26361-F1260-L803	33,00 28,00	
		interface, w/o SmartCard		Ш		1	L	Ш	4	_	1	1	Ш		1		Ш	4	4	4	1	Ţ.			
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium																			х		S26361-F2727-L100	22,00	9
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure		Н	+	+	+	\vdash	\dashv	+	+	+	\vdash	+	+	+	\vdash	+	+	+	x	+	S26361-F2727-L730	42,00	
		Drive, supports Smardcard / Fingerprint for																						12,00	
		XP/Vista/Win7, no eLux support, Version 3.0.3																							
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB	v		x	v	X	\square	\dashv	x >		+	х	x	-	x	H.	v		v	v	, I.	S26381-F331-L220	25,00	
	Ginancarureader USB 500 3 extern 3310V2	interface	×	_ ^		` ×	×				_		×	^	_ ×	` ×	х	*	х	^	^	<u>^</u> '	020301=F331=L220	25,00	
laneo									,											÷	÷	ij.			
	Riser Card AC-Adapter 20V/40W			H	+	+	+	\vdash	+	+	+	+	\vdash	+	+	+	\vdash	+	х	X		x :	S26361-F2421-L200 S26361-F2542-L14	10,00	
	AC-Adapter 20V/65W									\pm	#						口					x 3	S26361-F2542-L15	22,00)
	PCI Riser PCIe Riser			Н	-	+	-	\vdash	-	-	+	+	Н	+	+	+	Н	-	-	+	+		S26361-F2542-L19 S26361-F2542-L20	28,00	
	Horizontal foot kit			Н	_	+		\Box	\dashv			+		\pm	+	+	х	х	+	х	x	x 3	S26361-F2542-L290	10,00	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs				Т	Т	П	П		Т	Т		Т	Т	Т	х	х	Т	x	x :	x 3	S26361-F2601-L530	55,00	
		in combination with the included subadapter.																							
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)						х	х				x								Ť	T	S26361-F2601-L540	59,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter.,, For FUTRO S100 please select S26361-F2601-L540.																x			x	x 3	S26361-F2601-L550	44,00	
	VESA Mounting Kit FUTRO C400										- 2	х											S26361-F2601-L560	23,00	
	VESA subadapter Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license keys COUT EP S26361+2727-L701 is only required for installations with more than 25 clients, including 2 years software support				x	x	x	х				x			x	x	х	х	х	x	X 3	x S26361-F2601-L600 x S26361-F2727-L701	22,00 45,00	
	eLux RL	Scott Agent und Scott Workgroup, Scott Enterprise Version 10 can manage up to 25 Thin Cleins without an additional lecense key. Therefore, the Icense type SCOUTEP S26361-F2727-701 is only required for installations with more than 25 cleins. Including 2 years software support						x	x				x				x	x	х	x	x	x 3	S26361-F2727-L702	32,00	
	Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		х	х	×	х	x	х		Ť		×		T	×	х	х	х	х	x	x 2	\$26361-F2727-L703	17,00	
	PowerTerm WBT Universal PC-TFT holder	Ericom Emulation for Wln CE and eLuxNG for TFT (15"-20") and PC (max	х	х	X :	хх	х	П	\exists		x	\perp	х	\perp	\top		х	х	х	х	x	x 3	S26361-F2600-L144	28,00	
	Giliveradi FG-1F1 HUIUUF	105x370x400mm)								x >	^				x x		Ll						S26361-F2542-L35	133,00	
		Iblant 4 On a debte 6							H									H		ij			I=======		
	Cable powercord (IND), 1.8m, black power cable EU	black, 1.8m, suitable for: India, 3 wire black, 2-pole, 1.8 m		Н	+	+	+	х	x	+	+	+	x	+	+	+	\vdash	х	+	+			T26139-Y1752-L10 T26139-Y2540-V113	10,00	
	power cable UK	black, 2-pole, 1,8 m						х	х				х					х			x	x 3	T26139-Y2540-V213	18,00	
	power cable US Cable Powercord (USA, Desktop),1.8m	black, 2-pole, 1,8 m grey or black, 1.8m, for USA/CAN	H	Н	+	+	+	х	х	+	+	+	х	+	+	+	\vdash	х	+	+			T26139-Y2540-V313	17,00 7,00	
		(Desktops),3 wire									⊥						Ш								
	Cable Powercord (CH), 1.8m, black Cable Powercord (UK), 1.8m, black	black, 1.8m, Switch, 3 wire black, 1.8m, suitable for: Great Britain, 3 wire	F	H	Ŧ	F	F	H	\exists	Ŧ	f	+	H	Ŧ	f	+	H	Ŧ	Ŧ	Ŧ			T26139-Y1743-V10 T26139-Y1744-V10	7,00	
	Cable Powercord (I), 1.8m, black	black, 1.8m, suitable for: Italy, 3 wire		Н	_		+	\square	_	_	+		Н	_	+		Н	+	+	+	+	x 1	T26139-Y1745-V10	7,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45			_					_		хх		_				\Box		1	1	Ţ	T26139-Y2425-M5	9,00)
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45					Ь					хх								٠	H	L	T26139-Y2425-M10	17,00	
idi S	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs													×	×	x	x	х	x	x		U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		Н			T	П	+		\dagger			+	×	×	x	x	x	х	x	\dagger	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode;					t	Н	\dashv	1	\dagger		Н		×	×	х	x	x	x	x	\dagger	U10987-C525	500,00	
		auntam with 1 to 1 ODI I-					1	1 1	- 1		- 1				- 1	1				- 1	- 1	- 1	1	1	1
	OPENET-SWAD // INIV order-19944 0	system with 1 to 4 CPUs		H	-	+	+	\vdash	-	-	+	+	Н	-				Y .				+	1110097 0500	20.00	
	OPENFT-SW-CD (UNIX systems) V11.0	system with 1 to 4 CPUs Medium for UNIX systems, CD-ROM openFT-SW V11.0		Н	+	$^{+}$	t	П	\dashv		\dagger	†	П		x	×	х	x	x	х	x	T	U10987-C500	36,00	



			RO S100	RO S450-2	RO S550-2	RO S700	RO S900	Product Code	©	Comments
ategory	Description	Details	FUTRO	FUTRO	FUTRO	FUTRO	FUTRO	50.	EU P	l o
ptions mat			_	_	_	_				
oprovals/	dependencies									
	Energy Star 5.0		Х		Х		Х	S26361-F2600-E170	3,00	
emory		_								
	2GB DDR2-667,SODIMM	SODIMM			Х	_		S26361-F2879-E400	60,00	
	1 GB DDR-800		Х			_		S26361-F2896-E300	33,00	
	1 GB DDR3-1066 SODIMM 2 GB DDR3-1066 SODIMM					Х		S26361-F4408-E1	25,00	
	2 GB DDR3-1066 SODIMM 1 GB DDR2-667			.,		Х	Х	S26361-F4408-E2	45,00	
raphics	1 GB DDR2-007			Х	Х			S26361-F2879-E300	33,00	
арпісь	No Adapter for VGA/DVI/DP					х	v	S26361-F2391-E10	3,00	
	Y-cable DVI/VGA	Dual Monitoring support		х	х	X		S26361-F2421-E100	17,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring		X	X	^	^	S26361-F2421-E110	28,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and		^	^		¥	S26361-F2748-E997	84,00	
	The state of the s	cables must be ordered separately					,	020001121102001	0 1,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				х		S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor				х	х	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors				<u> </u>		S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors					х	S26361-F2391-E102	19,00	
rd Disks		05 44 105 4 00						000004 50040 5405	00.00	
	CF 1 GB (80x)	CF module IDE, 1 GB	х	Х	Х	-		S26361-F3616-E100	20,00	
	2 GB mSATA CF 2 GB (300x)	CE modulo IDE 0.00	**			х	Х	S26361-F3666-E2	38,00	
		CF module IDE, 2 GB	Х	Х	Х			S26361-F3617-E100	30,00	
	4 GB mSATA CF 4GB		_			Х	Х	S26361-F3666-E4	55,00	
	8 GB mSATA				Х	-	~	S26361-F3520-E100 S26361-F3666-E8	55,00 99,00	
	CF 16GB	300x			х	-	^	S26361-F3538-E100	199,00	
	16 GB mSATA	300%			^	_	v	S26361-F3666-E16	177,00	
mmunic	ation/Network						^	02000110000 E10	177,00	
minamo	Internal speaker					х	х	S26361-F2542-E13	22,00	
	PCI Riser							S26361-F2542-E19	22,00	
	PCIe Riser						х	S26361-F2542-E20	22,00	
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			х			S26361-F3465-E2	28,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			х			S26361-F3465-E3	23,00	
	Dual serial card PCIe x1						х	S26361-F3465-E4	23,00	
	2nd LAN/PoE module					Х		S26361-F3466-E1		Orderable from: 10/10/201
	WLAN 802.11g/Draft					Х		S26361-F4525-E10	16,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary			х		х	S26361-F3465-E1	17,00	
untry kits	SS .									
•	Country kit FUTRO S-series INT/D/CH/I/DK		х	Х	х			S26361-F2841-E100	8,00	
	Country kit FUTRO S-series (GB/IL)		х	х	х			S26361-F2841-E101	8,00	
	Country kit FUTRO S-series (US)		х	х	х			S26361-F2841-E106	8,00	
	LBP FUTRO S Serie (INT)					х	х	S26361-F2841-E200	8,00	
	Made in Germany sticker	The "Made in Germany" sticker prominently displays this universally admired differentiating product value	х	х	x	х	х	S26391-F404-E911	2,00	
/Applica	ntion-SW	<u></u>								
	Windows Embedded CE 6.0	Windows Embedded CE 6.0 incl. Scout Agent	х					S26361-F2009-E101	25,00	
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)			х			S26361-F2009-E144	88,00	
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)			х			S26361-F2009-E145	73,00	
	Windows Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)			х			S26361-F2009-E147	79,00	
	Windows Embedded Standard_7 German	Windows Embedded Standard 7 without manageability agent.			x			S26361-F2009-E148	69,00	
	Windows Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)			х			S26361-F2009-E193	79,00	
		The state of the s								
	Windows Embedded Standard_7 English	Windows Embedded Standard 7 without manageability agent.			x			S26361-F2009-E194	69,00	



JIKC	Options Options									
					Ī					
			0	FUTRO S450-2	S550-2	2	2	g		
			S100	84	S55	S700	2900	Š.		nts
			စ္က	စ္က	2	2	2	n to	(шe
	Barania tau	Detelle	FUTRO	5	FUTRO	FUTRO	FUTRO	Product Code	EUP (€)	Comments
gory ons ma	Description	Details	ī.	ī.	Ī.	ī.	ī.	•	Ш	Ú
	ntion-SW (Continued)									
чрыса	eLux RL3 w/o license			х	х	х	v	S26361-F2727-E705	6,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout	х	Х	X		n	S26361-F2727-E702	36,00	
		Enterprise Version 10 can manage up to 25 Thin								
		Clients without an additional license key.								
		Therefore, the license type SCOUT EP S26361-								
		F2727-L701 is only required for installations with								
		more than 25 clients.Including 2 years software								
		support								
	eLux RL3 with license			_				S26361-F2727-E706	38,00	
	eLux RL Lite	RL lite with Scout workgroup	х	Х	Х	Х	^	S26361-F2727-E703	20,00	
	eLux RL + Scout builtin license	inc with cook workgroup	^	х	х	х	x	S26361-F2727-E707	70,00	
	eLux RL + Scout builtin license	incl. 2 years software support	х	X		Ê	Ê	S26361-F2727-E704	70,00	
	Win Embedded Standard_7 German	Windows Embedded Standard 7 without				х	х	S26361-F2009-E208	69,00	
	_	manageability agent.								
	Win Embedded Standard_7 English	Windows Embedded Standard 7 without				х	х	S26361-F2009-E211	69,00	
		manageability agent.								
	Win Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout EP				х	х	S26361-F2009-E207	79,00	
		agent. (The license for Scout EP is not included							.,	
		and has to be ordered additionally.)								
	Win Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout EP		_		х	x	S26361-F2009-E210	79,00	
	VIII EIIIDOGGGG GTAITAGTG_T_GGG ETIGIIGIT	agent. (The license for Scout EP is not included				_ ^	^	02000112000 2210	7.0,00	
		and has to be ordered additionally.)								
	Dee DVD WEST Corner			-	-			S26361-F2009-E802	3,00	
	Rec.DVD WES7 German Rec.DVD WES7 English			-		X		S26361-F2009-E802 S26361-F2009-E805	3,00	
	Rec.DVD WES7 English Rec.DVD WES7 SC German			-		X	_	S26361-F2009-E801	3,00	
	Rec.DVD WES7 SC English			_		X		S26361-F2009-E804	3,00	
	No Recovery DVD					X		S26361-F2009-E807	2,00	
	No Operating System		х	х	х	х	х	S26361-F1818-E100	2,00	
Powe	r supply									
	AC-Adapter 20V/40W							S26361-F2542-E14	10,00	
	AC-Adapter 20V/65W					Х		S26361-F2542-E15	17,00	
	Kein AC-Adapter			_		Х		S26361-F2542-E18	2,00	
	Cable powercord (DE,), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.				х	X	T26139-Y2540-E100	6,00	
	Coble neuropard (CD) 1 0m block			-	-			T26139-Y2540-E200	6.00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland				Х	X	126139-12540-E200	6,00	
	O-ble	black 4 One scitchle for 110 Oning		-	-			T00400 V0540 F000	0.00	
	Cable powercord (US), 1.8m, black Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: US, 2 wire black, 1.8m, suitable for: India, 2 wire		-		X		T26139-Y2540-E300 T26139-Y2540-E600	6,00	
ırity	Cable powercord (IIV), 1.0III, black	black, 1.611, Suitable 101. Iliula, 2 wife				^	^	120139-12040-2000	0,00	
пц	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal			х		x	S26361-F1260-E802	19,00	
		USB interface			''				,	
	SmartCase Logon+	Authentication, Password Manager ,			х			S26361-F2727-E730	23,00	
		SecureDrive, supports SmardCard / Fingerprint /			^					
		TPM Win XP/Vista-32/Win7,no eLux support,								
		Version 3.0.3								
se										
	No Mouse		х			х	х	S26361-F2542-E12	2,00	
	Optical tilt USB mouse M500T grey		X	х	х	X		S26361-F2542-E226	7,00	
	Optical tilt USB mouse M500T grey		х	х	_	Х		S26361-F2542-E227	12,00	
	ECO Mouse M440 grey		х	х		х	_	S26361-F2542-E228	16,00	
	optical USB Mouse		х					S26361-F2542-E280	7,00	
	PC MOUSE 500T BLACK	optical mouse with 3 keys and tilt-wheel-function,	х	х	х	х	х	S26381-K426-E100	7,00	
		black and anthrazit, 1000 dpi, new design with								
		Fujitsu logo, usb cable 1,8m, white box packed								
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit,	х	х	х	х	х	S26381-K431-E100	6,00	
		1000 dpi, new design with Fujitsu logo, usb cable								
		1,8m, white box packed								
ellaned	ous									
	Horizontal foot kit			х	х	х	х	S26361-F2542-E290	5,00	
	MAC-address on PC & delivery note	media access control address printed on the	х	х	х	х	х	S26361-F2542-E90	4,00	
		type rating plate of the PC, packinglabel and the								
	The state of the s	delivery note			1				1 1	



Positioning ESPRIMO



ESPRIMO C



ESPRIMO E



ESPRIMO P



ESPRIMO Q

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.

Add an eye catcher to your desk.



ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (⊕)	Comments
	d products	Journal	-	_ ш	
ESPRIM	IO C700				
	the same memory capacity in each channel), graphic: 3.5" internally), 1 low profile PCle x16 slot, 3x serial A DeskView license included.,, Interfaces: 2x serial extra	6 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 M s (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1 TA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficier ernal (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USE DVI to VGA adapter, part of shipment),, optional:, Lock in front panel,	Ix 5.25" slim, externally a ncy), optical USB tilt whe 3 2.0 in front, 1x Display	accessible eel mouse Port, 1x D	e, 1x e., DVI,
	ESP C700 /CORE I3-2100/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I3-2100/4 GB/DVD SM/ 500GB SATA III/CK VKB400PS2l/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:C_700S0001IT		
	ESP C700 /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2/I COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_01MULI_MA/,	LKN:C_700S0002IT		
Model	Description	Details	Product Code	EUP (每	Comments
	t configurations				
ESPRIM	IO C700				
	ESPRIMO C700	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCle x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment), , optional:, Lock in front panel, Intrusion switch, SmartCard reader	S26361-K1014-V100	310,00	



ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop. ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (4)	Comments			
Standard	products							
ESPRIMO	E500							
	ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics 2000; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express x2.0 x16, Drive bays: 1 x 3.5 inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in / 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,							
	ESP E500 E85+ /CORE I3-2100/4 GB/DVD SM (Promo)	ESP E500 E85+ /CORE I3-2100/4 GB/DVD SM 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_P ROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:E0500P0001IT					
ESPRIMO	D E700							
	HD Graphics or HD Graphics 2000 (depending on CPU); Auc Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x P bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AI 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x U (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 comp	'Cl full high via Riser, Drive bays: 1 x 3.5-inch ext HCl; 280 W power supply; Optical USB tilt wheel line-out, 1 x Front audio: headphone, 1 x Front a USB internal, 1 x Ethernet (RJ-45), 1 (optional) x atible), 1 (via DVI to VGA adapter, part of shipme	ernal bays, 1 x 3.5-inch ir mouse; DeskView 10.x c udio: microphone, 1 x Dis Parallel (25pin with EPP int) x VGA,	nternal ba lient man splayPort	ays, 1 x 5.25-inch external ragement including:; Interfaces: , 1 (DVI-I) x DVI, 1 (optional) x			
	ESP E700 E90+ /CORE I5-2400/4 GB/DVD SM (Promo)	ESP E700 E90+ /CORE I5-2400/4 GB/DVD SW 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_P ROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:E0700P0001IT					
ESPRIMO	D E900							
	ESP E900 0-WATT /CORE I7-2600/4 GB/ (Promo)	ESP E900 0-WATT /CORE I7-2600/4 GB/ DVD SM1000GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_P ROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:E0900P0001IT					
		!	!					
Model	Description	Details	Product Code	EUP (每	Comments			
	configurations	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-					
ESPRIMO	3							



ESPRIMO E				
Model Description	Details	Product Code	EUP (€)	Comments
Model Description Base unit configurations	Details	<u> </u>	Ш	Ü
ESPRIMO E400 (Continued)				
ESPRIMO E400 E85+	ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 1 x 5.25-inch external bays; 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 1 x 5.25-in	S26361-K1180-V400	210,00	Orderable from: 01/10/2011
ESPRIMO E500		000004 164007 1640	044.00	
ESPRIMO E500 E85+	ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics 2000; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 3.5-inch external bays, 4 x Serial ATA III (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: ine-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1337-V310	244,00	
ESPRIMO E5645	<u></u>			



ESPR	IMO E				
			Product Code	EUP (€)	Comments
Model	Description	Details	Ę	급	ပိ
	configurations				
ESPRIMO	D E5645 (Continued)		0000011/10001/014		
	ESPRIMO E5645 E-Star5	Configurations limited by Energy Star requirements, Base unit, proprietary system board D2984, AMD 785G chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology requires 2 identical modules), graphics (ATI Radeon® HD 4200)/ audio (Realtek ALC663)/ LAN (10/100/1000) on board, 3 drive bays (1x 5.25" externally accessible, 2x 3.5"; thereof 1x externally accessible, 2x 3.5"; thereof 1x externally accessible, 3x serial ATA II ports (3GB/s, NCQ), 250W power supply, optical USB tilt scroll mouse., DeskView 10.x client management included., Interfaces: 1x Audio: line-in, 1x Audio: line-out, 1x Front audio: headphone, 1x Front audio: microphone, 1x DisplayPort, 1 (Dual link DVI-I) x DVI, 12x USB 2.0 total, 2x USB front, 6x USB rear, 4x USB internal, 1x Ethernet (RJ-45), 1 (optional) x Parallel, 2x Mouse / Keyboard (PS/2), 1x Serial (RS-232), 1x VGA, Optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x1 (210mm), 1x PCI Express x1 (210mm), 1x PCI Express x1 (190mm)) or, 3 slots (1x PCI Express x16 (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot)	S26361-K1306-V311	248,00	Phased out
	ESPRIMO E5645 E85+	ESPRIMO E5645 E85+ Base unit: ; Mainboard type D2984 proprietary ; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4, (mech. x16), 1 x PCI-Express 2.0 x4, (mech. x16), 1 x PCI-Express 2.0 x16, or 1x PCI Express x16 low profile (190mm) and via Riser 2 x PCI full heigh (1774 / 210 mm), Drive bays: 1 x 3.5-inch external bays; 1 x 3.5-inch internal bays, 1 x 3.5-inch internal bays, 1 x 3.5-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 250 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including: Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter; included for onboard graphics only) x VGA,	S26361-K1306-V321	248,00	Phased out



lodel	Description	Details	Product Code	EUP (€)	Comments
	it configurations	Domino	<u>. </u>	ш	
PRIM	IO E700 (Continued)				
	ESPRÌMO E700 E90+	ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel C65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA III (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-in, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1337-V210	273,00	
	ESPRIMO E700 E85+	ESPRIMO E700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; Desk/iew 10.x client management including;; Interfaces: 1 x Audio: line-out, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	\$26361-K1337-V220	262,00	



ESPR	MO E				
			Product Code	EUP (€)	Comments
Model	Description	Details	<u> </u>	ш	
	configurations				
ESPRIMO	D E705 (Continued) ESPRIMO E705 E85+	ESPRIMO E705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x USB front, 6 x USB rear, 2 x USB 10 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA	S26361-K1337-V520	259,00	Orderable from: 07/10/2011
		adapter, part of shipment) x VGA,			
ESPRIMO	ESPRIMO E900 0-Watt	ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays, 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to	S26361-K1337-V100	444,00	



ESPR	IMO E				
			ge		
			Product Code	_	ints
			qnc	EUP (€)	Comments
Model	Description	Details	5		Ç
	configurations				
ESPRIMO	D E900 (Continued)	ESPRIMO E000 E001 Base units vDBO logo	\$26261 K1227 V/110	422.00	
	ESPRIMO E900 E90+	ESPRIMO E900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express x2.0 x4 (mech. x16), 1 x PCI-Express x2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x SATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to DVI t	S26361-K1337-V110	422,00	
	ESPRIMO E900 E85+	ESPRIMO E900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/1001000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI-Exp	S26361-K1337-V120	410,00	



Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer

requiring a high quality microtower with a managed lifecycle up to 18 month ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (4)	Comments	
Standard	products		_		-	
ESPRIM						
	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch external bays, 2 x 5.25-inch external bays; 5 x Serial ATA III (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 1 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,					
	ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ (Promo)	ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_P ROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,	LKN:P0700P0002IT			
Model	Description	Details	Product Code	EUP (@)	Comments	
Base unit	configurations		_			
ESPRIM	O P3521					
	ESPRIMO P3521 E-Star5	Configurations limited by Energy Star requirements., Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V300	206,00		



ESPRIMO PAGE Base unit configurations ESPRIMO PSGC! (Continued) ESPRIMO PSGC! (Continued) ESPRIMO PSGC! (Continued) ESPRIMO PSGC! (Continued) ESPRIMO PSGC! (Continued) ESPRIMO PSGC! E86+ Base unit unit pATS system board 13041, Intel Got only select the season of the state of the season	FORD	III.O. D.				
Base unit, IATX system board D3041, Intel (C41 chipset with max, 80B address space, 2x DMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10) audio/ Realtek LAN (1010/01000) on board, 4 slots (2x PC), 1x PCI Express x16, 1x PCI Express x1, 15 drive bary (2x 5.25" externally accessible), 3x 3.5", thereof 1x externally accessible), 3x 3.5", thereof 1x externally accessible, 3x 3.5", thereof 1x 2x 12x 3.5", and the accession (accession 1x 3.5", and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.5"), and the accession (accession 1x 3.	ESPR	IIVIO P				
Base unit, IATX system board D3041, Intel (G41 chipset with max. 8GB address space, 2x DMM slots DDR3 1068 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10) audio/ Realtet LAN (10010/000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x11), 5 drive bary (2x 52 er serial x16) mouse, Interfaces: 1x serial external, 1x parallel internal, 2x PSI2, x4 USB 2 or and, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rest, 2x in front), 1x LAN RJ45 ESPRIMO P400 ESPRIMO P400 E85+ ESPRIMO P400 E85+ Base unit: Mainboard type D2990 ATX. Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support. For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support.) For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support.) For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support.) For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support.) For dual channel performance, identical memory modules in each channel are necessary (innimum 2 exchannel support.) For dual channel gentlem RTI. 81 t1E; Slots: 2 x PCI-Express x1, 1 x PCI-Express x1, 2 x 2 Si-inch external bays. 2 x 3.5-inch internal bays. 2 x 3 25-inch external bays. 3 x 3.5-inch internal bays. 3 x 3 25-inch external bays. 3 x 3.5-inch internal bays. 4 x 4 USB x 10 tel., 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio:	Model	Description	Details	Product Code	EUP (4)	Comments
Base unit, JATX system board D3041, Intel (G41 chipset with max, 808 address space, 2x DMM slots DDR3 1608 MHz (daut channel technology, needs the same memory capacity in each channel, graphics (Direct XIO) audior Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25° externally accessible), 4x serial ATA II ports, 3000 wide range power supply (pu to 85% efficiency, main switch), optical USB scroll mouse., Interfaces: 1x serial advarnal, 1x parallel internal, 2x VBSZ, 4x USB 2.0 inten, 1x VGA, audio (3x rear, 2x in front), 1x LAN R.445			1	_		
ESPRIMO P400 ESPRIMO P400 E85+		·				
ESPRIMO P400 E85+ ESPRIMO P400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules); Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBtt/s Realtek ALC663; LAN: 10/100/1000 MBtt/s Realtek RTL Slots: 2 x PCI-Express x1, 1 x PCI-Express x2, 1 x x PCI-Express x2, 2 x 5.25-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W power supply; Optical USB wheel mouse, Keyboard; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-in, 1 x Front audio: headphone, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x		ESPRIMO P3521 E85+	iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x	S26361-K1003-V400	206,00	
type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules);; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5- inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W power supply; Optical USB wheel mouse, Keyboard;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x	ESPRIM	D P400				
		ESPRIMO P400 E85+	type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W power supply; Optical USB wheel mouse, Keyboard; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 8 x USB 2:0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x	S26361-K1017-V300	210,00	



ESPR	IMO P				
			Product Code	EUP (4)	Comments
Model	Description	Details	<u> </u>	ш	, ă
	configurations				
ESPRIMO	D P500 (Continued) ESPRIMO P500 E85+	ESPRIMO P500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA III (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-in, 1 x Front audio: meadphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1017-V120	238,00	
ESPRIMO	P700				
	ESPRIMO P700 E90+	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays, 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB till wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Landio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x Change (10 SP) (10	S26361-K1015-V210	273,00	



ESPR	IMO P				
Model	Description	Details	Product Code	EUP (4)	Comments
	configurations	12.5.5		_	
ESPRIM	P700 (Continued)				
	ESPRIMO P700 E85+	ESPRIMO P700 E85+ Base unit:; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express X1, 1 x PCI-Express 2.0 x46, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-ind, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V220	262,00	
ESPRIMO	ESPRIMO P705 E85+	ESPRIMO P705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in. 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PSI/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA,	S26361-K1015-V520	259,00	Orderable from: 07/10/2011



ESPR	IMO P				
Madal	Description	Dataille	Product Code	EUP (4)	Comments
Model Base unit	Description configurations	Details	<u> </u>	ш	U
	D P900 (Continued)				
ESPRIMI	ESPRIMO P900 0-Watt	ESPRIMO P900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of	S26361-K1015-V100	444,00	
	ESPRIMO P900 E90+	ESPRIMO P900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mch. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including; Interfaces: 1 x Audio: Iine-in, 1 x Audio: Iine-in, 1 x Pront audio: microphone, 1 x Front audio: microphone, 1 x Front audio: microphone, 1 x Ethernet (RJ-4s), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of	S26361-K1015-V110	422,00	



MO P			
SPRIMO P900 E85+	ESPRIMO P900 E85+ Base unit: vPRO logo	S26361-K1015-V120	410,0
	with Core i5 or Core i7 processors; Mainboard		
	type D3062 ATX; Chipset Intel Q67, max. 32		
	GB, 4 DIMM (DDR3) slots 1333 MHz, Dual		
	channel support. For dual channel		
	performance, a minimum of 2 memory		
	modules have to be ordered. Capacity per		
	channel has to be the same. > 16 GB support		
	with future memory modules; Graphics: Intel		
	HD Graphics or HD Graphics 2000 (depending		
	on CPU); Audio: Conexant CX20642; LAN:		
	10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x		
	PCI slots, 1 x PCI-Express x1, 1 x PCI-Express		
	2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16,		
	Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-		
	inch internal bays, 2 x 5.25-inch external bays;		
	6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit)		
	NCQ AHCI Raid 1/0; 280 W power supply;		
	Optical USB tilt wheel mouse; DeskView 10.x		
	client management including:; Interfaces: 1 x		
	Audio: line-in, 1 x Audio: line-in / microphone,		
	1 x Audio: line-out, 1 x Front audio:		
	headphone, 1 x Front audio: microphone, 1 x		
	DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x		
	eSATA, 14 x USB 2.0 total, 4 x USB front, 8 x		
	USB rear, 2 x USB internal, 1 x Ethernet (RJ-		
	45), 1 (optional) x Parallel (25pin with EPP and		
	ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial		
	(RS-232) (9pin, 16 byte FIFO, 16550		
	compatible), 1 (via DVI to VGA adapter, part of		



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.

Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as

from its whisper silent noise level.

Add an eye catcher to your desk.

Model Base unit	Description configurations	Details	Product Code	EUP (每)	Comments
ESPRIM					
	ESPRIMO Q900	vPro with Core i5 processors, , Base unit, proprietary form factor, Intel iQM67 chipset with max. 8GB memory, 2x SODIMM slot DDR3 1333 MHz, graphics/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 90W wide range power supply, optical USB scroll mouse; keyboard only optional., DeskView license included., , Interfaces: 5x USB 2.0 rear, 2x USB 3.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear; optical SPDIF out), 1x LAN RJ45, 1x DVI/VGA adapter included in base unit, , optional:, 1 MiniCard (for WLAN module), 1 Bluethooth module, 1 Multicard reader		306,00	
ESPRIM	O Q9000				
	ESPRIMO Q9000	vPro with Core i5 processors, , Base unit, proprietary factor, Intel QM57 chipset with max. 4GB memory, 2x SODIMM slot DDR3 1066 MHz, graphics/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 2x serial ATA II ports (3GB/s/NCQ), 90W wide range power supply, optical USB scroll mouse; keyboard only optional., DeskView license included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x eSATA, 1x DVI, 1x HDMI, audio (3x rear; optical SPDIF out), 1x LAN RJ45, , optional:, 1 MiniCard (for WLAN module), 1 Bluethooth module	S26361-K1001-V711	288,00	Phased out



			0	-			-			40	0 0	, -			40												٠,	0 40		-	Т	40	9		, .			Т				Т	Т
			PRIMOC5730	PRIMOC5731	ESPRIMO C700 ESPRIMO E3520	PRIMOE3521	PRIMO E 3721	PRIMO E 400	PRIMO E 500	ES PRIMO E 5635	ES PRIMO E 5645	ES PRIMO E 5731	ES PRIMO E 700	PRIMO E 705	PRIMO E 7935	PRIMO E 7936	ESPRIMO E 900	ES PRIMO P 1500	ESPRIMOP1510	ES PRIMO P 2440	PRIMOP2540 PRIMOP2550	PRIMOP2560	PRIMOP2760	F 1	PRIMOP 3521	PRIMOP400	ES PRIMO P 500	PRIMOP 5645	PRIMOP5730	PRIMOP 5731	PRIMOP 705	PRIMO P 7935	PRIMOP7936	ES PRIMO P 900	ES PRIMO Q1500	ES PRIMO Q1510	ES PRIMO Q5030	ESPRIMO Q510	PRIMOGRAM	PRIMO Q910	oduct Code	EUP (4)	
	Description & services matrix	Details	ES	S	S S	S	ES	ES	ES	ES	8 8	3 8	ES	S	S	S	S	8 8	ES	8 8	S	8 8	ES	ES	S	S	ES	8 8	ES	E E	3 8	ES	ES	S	3 8	ES	ES	S	8 8	i S	ě	3	
ry	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM,			y	×																		×																Ŧ	S26361-F2994-L11	4 42,00	0
		compatible with this base unit																																									
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM,			×	c																		х																	S26361-F2994-L11	6 69,00	0
	1GB DDR2-800	compatible with this base unit memory mix refer to system board manual, 1	×	\vdash	×	x				x		x			×	c	+	×	Н	x	x >	x		x	+	+	-	x	x	+	+	×	Н	+	+		Н	+	+	+	S26361-F2995-L11	4 42,00	0
		module PC 800 (PC2-6400), DIMM, compatible with this base unit																																									
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM,	×		×	c				x		×			×	1		×		×	x >	×		х				×	×			×									S26361-F2995-L11	6 69,00	0
	4GB DDR2-800	compatible with this base unit memory mix refer to system board manual, 1	×	+	,	×	+	H		x		x	+	Н	×		+	×	Н	+	+	+	-	×	+	+	+	x	x	+	+	x		+	+	+		+	+	+	S26361-F2994-L11	8 177,00	0
		module PC 800 (PC2-6400), DIMM, compatible with this base unit																																									
	1GB DDR3-1333 2GB DDR3-1333	1 module PC 1333, DIMM 1 module PC 1333, DIMM		x	Ŧ	×	×				×	×		x		×		x	x			×	×		x x	×				x	×		x		×					Ŧ	S26361-F4401-L1 S26361-F4401-L2	33,00 53,00	
	4GB DDR3-1333 2GB DDR3-1333	1 module PC 1333, DIMM 1 module PC 1333, DIMM	H	×	×	×	×		x		x	×		×	Ŧ	×			×				×		х :		x	- 3		x	×		x	×		F	Н		Ŧ	Ŧ	S26361-F4401-L3 S26361-F3378-L2	106,00	0
	4GB DDR3-1333 1GB DDR3-1066	1 module PC 1333, DIMM 1 module PC 1600 (PC2-8500), SO-DIMM	H	H	×	\pm		×	х				×			\blacksquare	x									×	×				x			x		×			,	×	S26361-F3378-L3 S26361-F4406-L1	106,00 33,00	0
	2GB DDR3-1066 2GB DDR3-1333	1 module PC 1600 (PC2-8500), SO-DIMM 1 module PC 1333 (PC3-10600), SO-DIMM	H	H	Ŧ	Ŧ										\blacksquare			Н																	×		x	x x	x x	S26361-F4406-L2 S26361-F4407-L2	53,00 53,00	0
s	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM				L																																х	×	×	S26361-F4407-L3	106,00	0
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																						×	x				×	x		×	×								S26361-F3305-L21	1 22,00	0 Ph
	DVI Extension Adapter	DVI-D extension for on board graphics, 2	-	+	+	+				x	-	+			+	-			Н	-		+			-	-	-	x		-	+			+	+			-	+	+	S26361-F3305-L20	0 14,00	0 Ph
	2x DVI-D Extension Adapter PCIe FH	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA) incl. DVI adapter cable	-	+	+	+				-	+	+				-	-			+		+			-		-	+	×	-	+	×	Н	+	+			-	+	+	S26361-F2757-L65		
	2x DVI-D Extension Adapter PCIe LP DVI Extension Adapter	incl. DVI adapter cable PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible	Ħ	Ħ	×	x x						x x x	ı		×	: x				Ŧ										x		×	×						T	Ŧ	S26361-F2757-L66 S26361-F3305-L21	0 28,00	0 Ph
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable exkl. DVI Adapter Kabel	Ħ	#	#	#						+		H	+	\pm	+	+	H		+	×		H	x		#	+		x	+		×	+				+		#	S26361-F2757-L66 S26361-F2757-L66	6 23,00	0
	DVI-D + DisplayPort Extension Adapter LP ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA	\forall	†	†	×			Н	\forall	+	×		H		×	†		х	×	†	×	×	Н	х :	x x	×			x	x x		х	x :	×	t	Н	+	†	$^{+}$	S26361-F3535-L54		0
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl.		†	†	+	T		Н	\forall	+	$^{+}$	t	H		\forall	†		Ħ	×	†	×	×	Н	x :	x x	×	х		×	x x		×	x :	×	t	H	+	†	$^{+}$	S26361-F3000-L40	7 66,00	0
	ANADIA Caliana 405 Divisio Divisioni	Adapter DVI-VGA, DDR3 Low Profile, PCIe Gen2, Dual Monitor (1x DVI-	Ш	4	1	1			Ц		x	1		×		\perp			Н	1	1	1	1	Ц	4		4	1	1	4	1	L	Ц	1			Ц	4		4	S26361-F3000-L40	5 66,00	0
	NVIDIA GeForce 405 DisplayPort 512MB LP	I, 1xdisplay port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3			×	×	×	×	×		×	×	x	×	x	×	х :	×																							S26361-F3000-L40	3 66,00	В
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port	+	\pm	+	+				+						+			×						x :	×	×	х		x	x x		x	х :	x		Н	+	+	+	S26361-F3000-L42	2 99,00	0
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCle Gen2, DVI-I, HDCP, DirectX11, dual link,		\pm	+	×	×	×	x	+	x	х	x	×	x	×	x	×	\vdash	+				Н				+		+	+			+				+	+	+	S26361-F3000-L42	0 99,00	0
	NVIDIA Quadro NVS 300 512MB PCIe x16	display port Connectors: 1x LFH 59, PCle x16, adapters	+	\pm	+	+	+	H	Н	+	+	+	+		+	+	+	+	Н	+	+	+	+		+	+	x	х		+	x x	H	Н	x	+	+		+	+	+	S26361-F2748-L38	99,00	0
		and cables must be ordered separately																																									
	NVIDIA Quadro NVS 300 512MB PCle x16LP	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately			×			×	×		×		×	×	×		×																								S26361-F2748-L33	8 99,00	0
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	+	+	×	×	×	×	x	x	x	x x	×	×	x x	c x	x	×	Н	+	+	+	-		-	+	×	x x	×	x	x x	x	x	x :	x			x	x		S26361-F2391-L20	0 22,00	0
	DW/VGA Adapter LFH59/ 2x DVI-I adapter cable	for connection of one VGA-monitor for connection of two DVI-I monitors	H		x	\pm		×	x		x		×	x	×	\blacksquare	x										x				x x			x					+	Η	S26361-F2391-L1 S26361-F2391-L10	13,00 1 28,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors			×			×	x		×		×	×	×		x										×	×			x x			×							S26361-F2391-L10		0
ble	Media Drives MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCle x1 card; occupies accessible 3.5"- bay and requires internal			-	×	×	×	×		×	×	×	×	x	×	x	×							x	××	×			×	××		×	×	×					-	S26361-F3077-L15	33,00	0
		accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CFI, CFII, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, Mini Chirco, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, x0-Picture Card, x0- Picture Card M type, x0-Picture Card H type	\$																																								
	DVD SATA	occupies accessible 5,25"- bay, without DVD- video playback software	-	H		x x	×	×	x	x	x	× ×	×	x	x x	c x	x	x		x	x >	x x	×	×	x :	x x	x	x x	×	×	x x	×	×	х :	×					-	S26361-F3418-L51	0 33,00	0
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video	Į.	T	×	x x	×	×	х	×	×	x x	×	x	x x	c x	x	×	П	×	x >	x x	х	х	х :	x x	x	x x	х	х	x x	х	х	х :	×				$^{+}$	t	S26361-F3420-L51	0 44,00	0
	Blu-ray Disc Triple Writer SATA	playback software) occupies 5.25*-bay, BD read/write + DVD	Ш	\perp	_	_						1	×																		1			1	1			4	1	4	S26361-F3523-L51	0 267,00	
	Biu-ray Disc Inpie Writer SAIA	read/write +CD read/write, Blu-ray Playback SW must be ordered separately			*	: ×	×	×	×	×	х :	××	×	x	× ×	c x	х :	×	x	× :	x >	x x	×	×	x :	x x	×	× ×		×	××	×	×	× :	*						526361-F3523-L51	267,00	
	MultiCard Reader 20in1 USB 2.0 3.5*	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CFI, CFII, IBM MD, SM, SD, Mair SD, Merc SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, RS-Pro, MS Duo, MS Pro Duo, MS Mcro, 35-Picture Card, 30-Picture Card Mype, 32-Picture Card Hype			×	ı ×	×	x	x	x	x	x x	×	×	x x	×	x	×		x	x >	× ×	×	×	× :	x x	×	x x	. *	×	x x	x	×	х :	x						S26361-F3077-L5	22,00	0
	FDD 1.44MB DVD SuperMulti SATA slim	occupies accessible 3,5"- bay,incl. cable occupies accessible 5,25"- bay, DVD burning software included (without DVD-video	9 x	×	×	x x				x		x x	ı		×	c x				x	×	×		×	×			x	×	×		х	×							+	S26361-F1723-L51 S26361-F3429-L51	0 18,00 0 62,00	
nica	tion/Network Gioabit Ethernet PCIe x1 . DS	playback software)																																					ļ		S26361-F3067-L60		
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0			×		×	×	x		×		×	×	×		×									x x	×				* *			×							S26361-F3067-L60	30,00	0
	USB 3.0 PCIe x1 Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile	Ħ	Ŧ	x	x x	×	×	×	x	×	x x	x	x	×	×	x	x	x	×	Ŧ	×	×	×	x :	x x	x	x	×	x	××	×	x	x :	x		H	Ŧ	Ŧ	Ŧ	S26361-F3050-L10 S26361-F3067-L30	33,00 28,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal	\forall	+	x '	x x	×	×	x	x	x	x x	x	x	x x	c x	x	x	H	x	x ×	x ×	×	x	х :	x x	×	x ×	×	x	x x	×	×	x :	x	+	H	+	+	+	S26361-F3108-L5	33,00	0
	Modem 56k	USB interface PCI board, NT not supported, adapter/ RJ11	+	+	+	+	H	-	Н		×			H	×	c x		×	Н	×	x >		×		x .	x		x x	×	_	+	×	×		×	-	Н	+	+	+	S26361-F3088-L2	18,00	
	ı	modem cable to be ordered separately, full height																			1				- []																		
	Parallel Interface	1x25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	П	П	×	x x	×		×	x	x	x x	×	×	× ×	c x	x :	×	П									×	×		T	×	П	-	×				T	Т	S26361-F2542-L30	10,00	0
	Parallel Interace	1x25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	×	×	×	T										П			П														П	Ť			П		T	Ť	S26361-F2542-L60	10,00	0
	Parallel Interface	1x25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full	Ħ	†	\dagger	\dagger			H	1	+	†	×	×	×	\forall	×	†	Ħ	+	†	×		х	х :	×	×	×		×	x x	t	×	×	t	T	H	+	t	\dagger	S26361-F2542-L34	10,00	0
	a CATA late do sa	height	Ш	\vdash	4	+	1	L	Ц	_				Н	_	Ш	4		Н	4	1	1		Ш	4	1	4	1		4	1		Ш	1	1	1	Ц	4	1	+	papan For		0
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	×	×	×		×		×	×	*	×	×	×	× ×	c x	x	*										x x	×	×		×	×		×						S26361-F2542-L40	10,00	-
		for eSATA peripherals, occupies one internal	+	+	+	+			Н	+	+	+	×	x	x	+	×	+	H	+	+	+	+	H	-	x	×	+	+	+	x x		H	×	+		H	+	+	+	S26361-F2542-L70	13,00	0
	eSATA Interface FH	SATA interface and one slot; full height	Ш	Ш	1	1	L					\perp	L	Ш	\perp	Ш		\perp	Ш		1	\perp	L	Ш	_	L		\perp	L		\perp		Ш	\perp	1	L				\perp			1
					x	ŧ	E	×		1	#	Ŧ		x			x	F	Н	#	Ŧ	×	×		x :					х	××		х	×	×	E	Н	1	Ŧ	Η	S26361-F3316-L6 S26361-F3316-L4	39,00	0
	Dual serial card PCIe x1 Dual serial card PCI	Dual Port RS232 via splitter cabel Dual Port RS232	\Box		×	×	×	×	x		×	X		х		×		x	Н	\pm						x					××			x				+		\pm	S26361-F3316-L7 S26361-F3316-L5	45,00 36,00	0
	Dual serial card PCle x1 Dual serial card PCl Dual serial card PCle x1, powered Dual serial card PClLP	Dual Port RS232 Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel	H	х			L	L	Ц	×	×	××			×	« x		×				×		x	х :	×		x x	×	×		×	×	1	×	L					S26361-F3106-L52	0 28,00	0
	Dual serial card PCle x1 Dual serial card PCl Dual serial card PCl Dual serial card PCl Ext, powered Dual serial card PClLP FireWire PCl-Card IEEE1394	Dual Port RS232 Dual Port RS232 via splitter cabel		×		_				7	Ŧ	T	П					П				T			T	П				x						П				T	S26361-F2010-L27		
icat	Dual serial card PCle x1 Dual serial ard PCle x1 Dual serial ard PCle x1, powered Dual serial card PCle LP FireWire PCl-Card IEEE1394 on-SW Windows MultiPoint Server 2010 CAL	Dual Port RS232 Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel 400 Mbit/s, 3 external and 1 internal		×		÷	Т									1	x	x x	x	×	x >	x x	×	x	х :	x x	×	x x			x					H						0 67,00	
icat	Dual serial card PCle x1 Dual serial and PCl val. Dual serial card PCl val. Dual serial card PCl val. Dual serial card PCl val. Dual serial card PCl val. TierWire PCl-Card IEEE1394 on-SW	Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel 400 Mbirs, 3 eternal and 1 internal connectors incl. Nero Essentials S, Norton Internet	x	x	×	1 ×	×	×	x	x	x	x x	×	x	x x																x x	х	х	x :			х		,	x	S26361-F2011-L17 S26361-F2007-L91	0 17,00	
cat	Dual serial card PCIe x1 Dual serial card PCI PU Dual serial card PCI PU Dual serial card PCI PU Dual serial card PCIL P FineWire PCI-Card IEEE1394 on-SW Windows MisiPoint Serier 2010 CAL Windows MS 2011 CAL	Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel 400 Mbirs, 3 eternal and 1 internal connectors incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet	x	x	×××	с x	×		x				x					x x	×			x x	×	×	x :	x x	x	x x	×	×						ı x	x	x	x >	x x	\$26361-F2007-L91 \$26361-F2007-L90 \$26361-F2007-L90		
licat	Dual serial card PCIe x1 Dual serial card PCIe x1 Dual serial card PCI Dual serial card PCI Dual serial card PCI ext., powered Dual serial card PCILEP FileWile PCICard IEEE1394 one SW Windows MAIRPoint Series 2010 CAL Universa William Control CAL Driversa William CAL Driversa Willi	Dual Port RS232 va spilter cabel Dual Port RS232 va spilter cabel Dual Port RS232 va spilter cabel 400 Mbits, 3 etermal and 1 internal connectors incl. Nero Essentials S, Norton Internet Security	x	x	x x	x x	×											x x	x			××	×	×	x :	××	×	x x	×								×	×	x 2	x x x	S26361-F2007-L91		
icat	Dual serial card PCIe x1 Dual serial card PCIe x1 Dual serial card PCI Dual serial card PCI Dual serial card PCI ext., powered Dual serial card PCILEP FileWile PCICard IEEE1394 one SW Windows MAIRPoint Series 2010 CAL Universa William Control CAL Driversa William CAL Driversa Willi	Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel Dual Pon RS232 via spiliter cabel 400 Mbirs, 3 eternal and 1 internal connectors incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet	x x	x x x	x x x	x x	×	×		x		x x					x	x x	×			××	x		x :	× ×	×	x x					x		x x		x	×	x 2	x x	S26361-F2007-L91	1 17,00	0
icat	Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial card PCle xi Dual serial	Dual Port RS232 va spiller cabel Dual Port RS232 va spiller cabel Dual Port RS232 va spiller cabel SOUNDERS of RS232 va spiller cabel SOUNDERS of RS232 va spiller cabel Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Rock Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Incl. Nero Essentials S,	x x	x	x x x x x	x x	×	×		x	x	x x					x		x			××	×			x x	×	x x x	×	x			x	× :	x x		x	x	x 2	x x	\$26361-F2007-L90	1 17,00	0
icat	Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card x1 Dual serial x1 Dual x1 D	Dual Port RS232 va spiller cabel Dual Port RS232 va spiller cabel Dual Port RS232 va spiller cabel do Nobies, 3 eternal and 1 internal conscions incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Nero Essentials S, Norton Internet Security incl. Norton Essentials S, Norton Internet Security i	x x x	x x x	x x x x x x x	x x x x x	×	×		x	x x	x x	: ×		x x		x	×	×			x x	×	×		x x	×	x x	×	x x		x	x	x :	× ×	x x	x	x	x 2	x x x	\$26361-F2007-L90 \$26361-F2007-L90 \$26361-F1260-L50	1 17,00 1 28,00 0 22,00	0
icat	Dual serial card PCIe xi Dual serial card PCIe xi Dual serial card PCIe xi Dual serial card PCIe xi, powered Dual serial card PCIe xi, powered Dual serial card PCIe xi Dual serial card PCIe xi PrinVille PCIC card EEET 1944 Concest Windows Mail-Point Serie 2010 CAL Windows Mail-POINT Serie 2010 CAL DimersAUJIllies DVD (DP) ESPRAND DT DimersAUJIllies DVD (NSTAY) ESPRAND SmartCase SCR (Internal USB) SmartCase SCR (Internal USB) SmartCase Logon's Ioense (1498 Icenses)	Dual Port RS222 via spiller cabel Dual Port RS222 via spiller cabel Dual Port RS222 via spiller cabel Dual Port RS222 via spiller cabel Dual Port RS222 via spiller cabel Connectors Incl. Nero Essential and 1 internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Nero Essentials S, Norton Internet Security Incl. Norto Essentials S, Norton Internet Security Incl. Norto Essentials S, Norton Internet Security Incl. Norto Essentials S, Norton Internet Security Incl. Norto Essentials S, Norton Internet Security Incl. Norto Security Incl. Norto Security Incl. Norto Security Incl. Norto Security Incl. Norton Incl. Norto Security Incl.	×	x x x	×	x x x x x	×	×		x	x x	x x x x x	: ×		x x	« x	x	×	x			× ×	×	×	x :	x x	×	x x	. x	x x		x	x x	x :	x x	x x	x	x	x 3	x x x	\$26361-F2007-L90 \$26361-F2007-L90 \$26361-F260-L50 \$26361-F2727-L10	1 17,00 1 28,00 0 22,00	0
icat	Dual serial card PCIe xi Dual serial card PCIe xi Dual serial card PCIe xi Dual serial card PCIe xi, powered Dual serial card PCIe xi, powered Dual serial card PCIe xi Dual serial card PCIe xi PrinVille PCIC card EEET 1944 Concest Windows Mail-Point Serie 2010 CAL Windows Mail-POINT Serie 2010 CAL DimersAUJIllies DVD (DP) ESPRAND DT DimersAUJIllies DVD (NSTAY) ESPRAND SmartCase SCR (Internal USB) SmartCase SCR (Internal USB) SmartCase Logon's Ioense (1498 Icenses)	Dual Port RS232 via spiller cabel Dual Port RS232 via spiller cabel Dual Port RS232 via spiller cabel Dual Port RS232 via spiller cabel Connectors Lord New Exercisals S, Norton Internet Security Incl. New Exercisals S, Norton Internet Security requires int USB interface, no NT support, wio SmartCard includes 1 (increase, for orders up to 9) Authentication, Passwordingent, SSQ, Authentication, Passwordingent, SSQ, Authentication, Passwordingent, SSQ, Secure Drive, support Simulatoral /	×	x x x	×	x x x x x	×	×		x	x x	x x x x x	: ×		x x	« x	x	×	x	×	x >	x x	×	×	x :	x x x x x x x	×	x x	. x	x x		x	x x	x :	x x	x x	x		3	x x x	\$26361-F2007-L90 \$26361-F2007-L90 \$26361-F260-L50 \$26361-F2727-L10	1 17,00 1 28,00 0 22,00 0 42,00	0

rujitsu Technology Solutions Listino Prezzi Ottobre 2011



MO Accessories																																								
Description s & services matrix	Details	ESPRIMOC5730	ESP RIMO C700	ESPRIMOE3520	ESPRINOE3521 ESPRINOE3721	MB.	ESPRINO E500	RIMO	ESPRIMOE5730	ESPRINOE5731	ESP RIMO E705	ESPRIMOE710	ESPRINOE7935	ESP RIMO E900	ESP RIMO E9900	ESPRIMOP1500	ESPRIMOP1510	ESPRIMOP2540	ESPRIMOP2550	ESPRIMOP2560	ESPRIMOP3520	ESPRIMOP3521	ESPRIMOP3721 ESPRIMOP400	ESPRIMOP500	RIMO PS	ESPRIMOP5730	ESPRIMOP5731	ESPRINOP700	ESPRIMOP7935	ESPRIMOP7936	ESPRINO P900	S.	ESPRIMO Q1510	ME I	ESPRINO Q900	RIMO	ESP RIMO Q910	Product Code	EUP (4)	
s & services matrix ous (Continued)																																								
ESPRIMO Q mounting kit	incl VESA subadanter				_		_	_		_	_		_	_			_			_	_		_		_		_	_			_	_			v .	x x		S26361-F2542-L75	55.0	00
Scout EP	Scout Enterprise Version 11 can manage up	×	×						x	,										_														-	-	+-		S26361-F2727-L701	45,0	
	to 25 Thin Clients without an additional license key. Therefore the license type SCOUTEP S26361-F2727-L701 is only required for installations with more than 25 clients including 2 years software support																																							
eLuxRL								-		_				_			_			_					_		_				_			_		+		S26361-F2727-L702	32.0	
GLUXNL	Soout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-1701 is only required for installations with more than 25 clients. Including 2 years software support	×	×						×	,																												526361+2/2/-L/UZ	32,1	00
Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		×							,	ı																									+		S26361-F2727-L703	17,0	00
Feet for vertical position (set)	<u> </u>		-	×	x x	\vdash			×	x		\vdash	x :	x	x	\vdash	-		\vdash	-		\vdash			-	\Box	-	-	\vdash		-			-		+		S26361-F2542-L200	12.0	00
Rear USB 2.0 connector	2xUSB 2.0						-	-																	x x	×	×		×	x						_		S26361-F2438-L215		
Blanking Plate 5.25" drive bays, 10 pcs.				x	x x	x	x										,	×	x	x >	×	x	хх					x x								_		S26361-F2542-L326		
Blanking Plate 5.25" drive bays, 3 pcs.	3x5.25" covers & drive cage							×	×	x >	×	×	× :	x x	×		- 1		-	-	-	-			-	-	-	-	-	-	-					+		S26361-F2542-L328		
Blanking Plate + cage 3.5" bay, 6 pcs.														x x																						_		S26361-F2542-L329		
Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	×	x x	х	x x				х		-		х :		х														П					7				S26361-F2542-L35	133,0	
	105x370x400mm)																																							
Monitor outlet cable	necessary to contact monitor directly to the PC								×	,		×	x :	x x	х											×		×	×	х	x x							S26361-F2542-L57	10,0	00
Software																																				_				
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	× ×	×	x x	×	××	×	×	x >	×	×	× :	××	×	×	x >	×	×	x >	×	×			××	×	×		×	x		х	×	×	x >	×	×	U11081-C301	1.225,0	00
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs				x x																				x x	×	×		×	x	×	х	x	x	x >	: х	×	U11081-C311	1.225,0	00
OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	x x	x	× ×	x	x x	×	x	x >	x	x	х :	x x	x	x	x >	х	x	x >	x	x			x x	x	x		x	х	х	х	x	×	x >	: х	×	U11081-C321	500,0	00
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	×	x x	x	x x	x	x x	×	х	x >	×	х	x :	x x	x	x	x >	×	x	x >	×	х			x x	×	×		×	x	х	×	×	×	x >	. x	×	U11081-C300	30,0	00
OPENFT-CR (WINDOWS) V11.0	CD-ROMopenFT-CR V11.0, Cryptographic module, Attention export restrictions	×	××	×	x x	×	x x	×	x	x >	×	x	x :	××	x	x	x >	×	x	x >	×	x			××	×	×		×	×	2	×	×	×	x >	. ×	×	U11081-C299	15,0	00
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	x x	x	x x	x	x x	×	×	x >	×	×	x :	××	×	x	x >	×	x	x >	×	×			x x	×	x		x	х	х	х	×	×	x >	: х	×	U10987-C501	1.225,0	00
OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	x x	x	x x	x	x x	×	×	x >	×	×	x :	××	×	×	x >	×	×	x >	×	×			x x	×	×		×	x	х	х	x	x	x >	: х	×	U10987-C513	1.225,0	00
OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	x x	x	x x	x	x x	×	×	x >	×	×	x :	××	×	x	x >	×	x	x >	×	×			x x	×	x		x	х	х	х	×	×	x >	: х	×	U10987-C525	500,0	00
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT- SW V11.0	×	x x	×	x x	×	x x	×	×	x >	×	×	x :	x x	×	×	x >	×	×	x >	×	×			x x	×	×		×	x	2	×	×	×	x >	×	×	U10987-C500	36,0	00
OPENFT-CR (UNIX systems) V11.0	CD-ROMopenFT-CR V11.0, Cryptographic module, for openFT V11.0. Attention export	×	x x	х	x x	x	x x	x	х	x >	×	х	x :	x x	х	х	x >	×	х	x >	×	х			х	х	ж		х	х	х	×	х	x	х э	t x	x	U10987-C499	15,0	00

Fujitsu Technology Solutions Listino Prezzi Ottobre 2011



			.700	400	200	5645	200	705	3560	201	400	200	700	705	900	006	0006	95		
			ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	EST KIND 1 2534	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	PRIMO P	ESPRIMO P900	ESPRIMO Q900	PRIMOQ	Product Code	(e)	Comments
y matri	Description	Details	S	S	S	ES	S	ន	2 E	3 8	8 8	S	Ë	S	ន	ន	S	P.	P.	<u> </u>
	lependencies						'	, I	v I	Ţ				,				COCOC4 FOE40 F40-	00.00	
	Rear Panel for 2 full height PCI cards Energy Star approval	Limited configuration			\vdash		х	x x	х	+	+	\vdash	Н	х	+	+		S26361-F2542-E427 S26361-F2550-E140	22,00 3,00	Orderable from: 04/1
	Thin Client Upgrade Kit eLux ESPRIMO		х				х			Ŧ								S26361-F2542-E510	3,00	
	Thin Client Upgrade Kit WES7 ESPRIMO GS approval	non glossy front bezel to fulfill GS approval	х		\vdash	х	Х		+	+	+	H	Н					S26361-F2542-E520 S26361-F2555-E200	3,00	
	lana Camandina				_				_			Н	Ш				4			
orkp	lace Computing Host for MWC 2011 STD max. 10 seats	This order number provides a Host configuration guidance of RECOMMENDED system components for the named number of max. seats., Don't select this number for a flexible components selection., For more information please click on the PC-Architect "remarks" button., Find additional information in our partners portal: https://padness.ts.lujitsu.com/com/products/clients/thin_clients/Pages/mwc.aspx											x					S26361-F2011-E173	3,00	
or								4	4	4		Н					4			
OI	Celeron 450	2.2 GHz, 512KB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: XD, EM64T							T		х							S26361-F3472-E450	29,00	
	Celeron E3400	2.6 GHz, 1 MB SLC, 800 MHz FSB, LGA775, incl. heat sink, technologies: VT-x				П				+	x				7	7		S26361-F3472-E340	38,00	
	Pentium E5800	3.2 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x				H		+	,	ĸ	х		Н		\forall	\forall		S26361-F3473-E580	53,00	
	Pentium E6600	3.06 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies:				H		+	,	ĸ	х	H	H	7	\dashv	\dashv		S26361-F3473-E660	70,00	
	Celeron G530	VT-x 2.40 GHz, 2 MB total cache, dual core/2	х	х	х	Н	x	+	х	+	x	х	х		х	+	-	S26361-F4020-E530	38,00	
	Pentium G620	threads, LGA1155, technologies: VT-x, 2.60 GHz, 3 MB total cache, dual core/2	х	х	х	Н	х	+	x	+	x	х	х	+	х	\dashv	-	\$26361-F4050-E620	70,00	
	Pentium G840	threads, technologies: VT-x incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x	x	х	x		х		х	+	x	x	x		x			S26361-F4050-E840	80,00	
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x	х		х		х		x		x	х	x		х			S26361-F4493-E210	144,00	
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	х	x		x		x		x	x	x		х			S26361-F4493-E212	144,00	
	Core i5-2310	incl. Intel HD Graphics 2000, 2.90 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x									х							S26361-F4494-E231	222,00	
	Core i5-2320	incl. Intel HD Graphics 2000, 3.00 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x,		х							х							S26361-F4494-E232	222,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x	х	x		x		х		х	x	х		x			S26361-F4494-E240	233,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	×	х	x		х		x		х	x	х		x			S26361-F4494-E250	255,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT	×	х	x		x		х		х	x	x		x			S26361-F4495-E260	355,00	
	Celeron P4600	incl. graphics, 2.0 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x															x	S26361-F4020-E460	69,00	Phased out
	Celeron B800	incl. graphics, 1.50 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x														x		S26361-F4020-E800	38,00	
	Celeron B810	incl. graphics, 1.60 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x				П										x		\$26361-F4020-E810	95,00	
	Pentium B940	incl. graphics, 2.00 GHz, 2 MB total cache, dual core/2 threads, Attention: not for Corporate Projects (only for SOHO)				П							П			x		S26361-F3548-E940	74,00	
	Core i3-380M	Attention: not for Corporate Projects (only for SMB, education and government)				П				Ť			П				x	S26361-F4018-E380	154,00	Phased out
	Core i3-2310M	Attention: not for Corporate Projects (only for SMB, education and government)														х		S26361-F4018-E231	154,00	
	Core i3-2330M	incl. graphics, 2.20 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, Attention: not for Corporate Projects (only for SMB, education and government)														x		S26361-F4018-E233	154,00	
	Intel Core i5-560M	incl. graphics, 2.66 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x				П											x	S26361-F4019-E650	270,00	Phased out
	Intel Core i5-2520M	incl. graphics, 2.50 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies:				П		\dagger		T		T	Н			х		S26361-F4019-E252	270,00	



	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P/00	ESPRIMO P/05	ESPRIMO P900	ESPERIMO GROUP	Product Code	EUP (@)	Comments
ns mati	rix Continued)																			
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual				х		х							х	T	T	S26361-F3416-E220	50,00	
		core, incl. heat sink, AMD-V										4	_	_	4	_	_			
	AMD Athlon II X2 255	3.1 GHz, 2 MB total cache, socket AM2, dual				х												S26361-F3416-E255	66,00	
		core, incl. heat sink, AMD-V	Ш	_				-	-	_	_	-	+	+	+	+	+			
	Athlon II X2 265	3.3 GHz, 2 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V				х		х							х			S26361-F3416-E265	66,00	
	Phenom II X2 560	3.3 GHz, 7 MB total cache, socket AM3, dual	Н	-	\vdash	х		х	-	\dashv	\dashv	+	+	+	х	+	+	S26361-F3513-E560	102,00	
	Thomas and a second	core, incl. heat sink, AMD-V				^									^			020001100102000	102,00	
	Phenom II X4 960T	3.0 GHz, 8 MB total cache, socket AM3, quad			П	х		х	\exists			\top	\top		х	\top	\top	S26361-F3513-E960	139,00	
		core, incl. heat sink, AMD-V																		
	FX-4100	3.6 GHz, 8 MB total cache, socket AM3+, quad core, incl. heat sink, AMD Turbo Core, ,						х							х			S26361-F4021-E410	188,00	Orderable from: 24/10/2
		quad core, inci. neat sink, AWD 1 tibo Core, ,																		
	Phenom II X6 1035T	2.6 GHz, 9 MB total cache, socket AM2+, six core, incl. heat sink, AMD-V; also recommended for PRIMERGY MX130 S1				x												S26361-F3513-E635	264,00	
ory																	i i			
	2GB DDR3-1333	1 module PC 1333, DIMM				х		х						-	х	I	T	S26361-F4404-E2	23,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	Н	_	\vdash	х	\vdash	х	-	_	_	-	+	4	х	+	+	S26361-F4404-E3	45,00	
	1GB DDR3-1066 2GB DDR3-1066	1 module PC 1066, DIMM 1 module PC 1066, DIMM	Н	-	\vdash		\vdash	\dashv	\dashv	х	x	+	+	+	+	+	+	S26361-F4402-E1 S26361-F4402-E2	23,00	
	4GB DDR3-1066	1 module PC 1066, DIMM									x						#	S26361-F4402-E3	45,00	
	2GB DDR3-1333	1 module PC 1333, DIMM		х			х	\exists	х	\Box	\Box	х		х		х	T	S26361-F3378-E2	23,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	х	х	х		х	\dashv	х	-	-	х	х	х	+	х	+	S26361-F3378-E3	45,00	Phonod cut
	1GB DDR3-1066 2GB DDR3-1066	1 module PC 1066 (PC2-8500), SO-DIMM 1 module PC 1066 (PC2-8500), SO-DIMM	Н	-	\vdash	\vdash	\vdash	\dashv	\dashv	\dashv	\dashv	+	+	+	+	+		S26361-F4406-E1 S26361-F4406-E2		Phased out Phased out
	2GB DDR3-1066 2GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM	Н		\vdash		\vdash	\dashv	\dashv			\dashv	+	+	+	†	x	S26361-F4407-E2	23,00	
	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM															x	S26361-F4407-E3	45,00	
nics	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2										-		-	-		-	S26361-F3305-E211	7.00	Phased out
		monitor mode (1 DVI-D + 1 VGA) possible								x	х									Phased out
	DVI-D + DisplayPort Extension Adapter FH ATI Radeon HD5450 512 MB	excl. DVI adapter cable PCle, dual monitor (2 DVI-I/ VGA),, HDCP,	Н	_	\vdash			-	-	X	X						+	S26361-F2757-E656 S26361-F3535-E545	9,00 47,00	
	ATTRadeon HD5450 512 MB	DirectX11, incl. 2 Adapter, DVI-VGA								х	х	х	x	x	х	х		526361-F3535-E545	47,00	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCle Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3									x	х	x	x	x	x		S26361-F3000-E407	47,00	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCle Gen2, Dual Monitor (1x DVI- I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3	х		х	х	х	х	х						T	T		S26361-F3000-E405	47,00	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCle Gen2, DVI-I, VGA, HDCP, DirectX11,						-			х	х	х	x	х	x	+	\$26361-F3000-E422	84,00	
		dual link, display port	Ш									_	4		4	4	_			
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCIe Gen2, DVI-I, HDCP, DirectX11, dual link, display port		х	х	х	х	x	х									S26361-F3000-E420	84,00	
	NVIDIA Quadro NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately											x	x	x	x		S26361-F2748-E38	84,00	
	2nd NVIDIA Quadro NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately												x	x	x		S26361-F2748-E138	84,00	
	NVIDIA Quadro NVS 300 512MB PCle x16LP	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately	х		х	x	х	x	х									S26361-F2748-E338	84,00	
	2nd NVIDIA Quadro NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCle x16, adapters and cables must be ordered separately					х	x	х						Ì			S26361-F2748-E438	84,00	
	No Energy Star + Blue Angel approval						х		х					х		х		S26361-F2550-E110	3,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor for connection of one VGA-monitor					X			\neg		X					х	\$26361-F2391-E200	17,00	
	DVI/VGA Adapter LFH59/ 2x DVI-I adapter cable	for connection of one VGA-monitor for connection of two DVI-I monitors	x	X			X			\dashv			x x				+	S26361-F2391-E1 S26361-F2391-E101	6,00 17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	х		х	х		х	х							х		S26361-F2391-E102	19,00	
vable	Media Drives																h	<u> </u>		
	ODD cover (dummy drive)	necessary when no ODD is configured						I	I	П	П	T	T	T	Ţ		х :	S26361-F2542-E52	4,00	
	Cable for 2nd ODD Card Reader 8-in-1 ESPRIMO Q	SD/MMC/RS MMC/xD/MS/MS Pro	Н	-	H		\vdash	\dashv	\dashv	\dashv	\dashv	х	х	х	+	Х	x	S26361-F2581-E23 S26361-F3077-E16	4,00 10,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software	П	х	х	х	х	х	х	х	х	х	х	х	х	х	+	S26361-F3418-E510	17,00	
	DVD SuperMulti SATA	must be ordered separately occupies accessible 5,25"- bay,DVD software must be ordered separately	H	х	х	х	х	х	х	х	х	х	x	x	x	x	+	S26361-F3420-E510	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately		х	x	x	х	x	х			х	x	x :	х	x		S26361-F3523-E510	166,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical	Н	-	H	Н	\vdash	\dashv	\dashv	+	х	+	+	+	х	+	+	S26361-F2581-E20	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	disc drive occupies accessible 3.5"- bay and requires	Н	У	у	у	х	x	x	х	x	х	х	x	x	x	+	S26361-F3077-E5	10,00	
	monitoria (Neaver 2011) 030 2.0 3.5	occupies accessione 5.3 - bay and requires internal USB interface, Formats: CF1, CF1I, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type		^	*	^	*	^	^	^	^	^	^	^	^	^		320001°F30///°E3	10,00	



										_	_			- 1			- 1.			
			ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO Q900	Product Code	EUP (€)	Comments
gory ons mat	Description trix	Details	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш́ì	ш	ű	ші	ı́ Ē	ПП	
	Media Drives (Continued)																			
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCle x1 card; occupies accessible 3.5"- bay and requires internal USB		х	х	х	х	х	х		х	х	х	х	х	х		S26361-F3077-E15	14,00	
		2.0 interface, front connector USB 3.0,																		
		Formats: CF I, CF II, IBM MD, SM, SD, Mini																		
		SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS																		
		Pro Duo, MS Micro, xD-Picture Card, xD-																		
		Picture Card M type, xD-Picture Card H type																		
	FDD 1.44MB	occupies accessible 3,5"- bay	H	H	Н	Н	Н				х	-	+	+	+	+	+	S26361-F1723-E510	12,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software	х								^					\exists	\forall	S26361-F3429-E510	33,00	
		must be ordered separately												_			_			
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	х															S26361-F3522-E510	39,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software	-	-	Н	Н						-	-	+	+	+	х	x S26361-F3630-E200	39.00	
	DVD Gaponian GATA Giot in Gilli	must be ordered separately															^	020001100002200	00,00	
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read + DVD read/write			П	П								\top	\top	\neg	х	S26361-F3562-E200	166,00	
		+CD read/write, Blu-ray Playback SW must be ordered separately																		
D		ordered separately										_		4		4	4			
Disks	mSATA Adapter		х				х											S26361-F2542-E530	22.00	Orderable from: 07/11/20
	HDD SATA II 320GB 5.4k 2.5" AF	occupies 2,5"-bay (internal); Disk imaging	-		П	П	n			Н		\dashv	\dashv	+	$^{+}$	\forall	х	S26361-F3658-E320	53,00	
		software of the customer must be 4k sector size/advanced format readv.																		
			_	_	ш	Ш	ш				Ш	_	_	4	_	4	4			
	HDD SATA II 500GB 5.4k 2.5" AF	occupies 2,5"-bay (internal); Disk imaging software of the customer must be 4k sector															х	S26361-F3658-E500	72,00	
		size/advanced format ready.																		
	2 GB mSATA		х		Н		х											S26361-F3666-E2	38,00	
	4 GB mSATA		х				х											S26361-F3666-E4	55,00	
	8 GB mSATA		х	_	Н	Н	х					-	-	+	-	-	+	S26361-F3666-E8	99,00	
	16 GB mSATA SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very	x	х	х	Н	x	х	х			-	х	+	+	+	+	S26361-F3666-E16 S26361-F3680-E128	177,00 288,00	
	COD GATATIII 12505 High opeou	fast 2.5" solid state drive with SATA 6GB/s		Î	^		^	^	^				^					020001100002120	200,00	
		interface, no WinXP support																		
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA												х	х	х	П	S26361-F3681-E128	288,00	
		6GB/s interface, incl. easy rail, , no WinXP support																		
	000 40000 134	1 11	-	-								-		+	-	-	+	000004 F0575 F400	000.00	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s	х	х	х	х	х	х	х		х		х					S26361-F3575-E100	299,00	
		interface, no WinXP support																		
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA											\neg	\top		\neg	х	x S26361-F3584-E100	299,00	
		3GB/s interface, no WinXP support																		
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA												х	х	х		S26361-F3639-E100	299,00	
		3GB/s interface, incl. easy rail, no WinXP support																		
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal)	_	х	~	Н	v	х	v			v	х	v	v		+	S26361-F3660-E320	39.00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal)	x			Н		x						x			\top	S26361-F3660-E500	47,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal)	х				х		х					х	х	х	\Box	S26361-F3660-E100	84,00	
	HDD SATA II 160GB 5.4k 2.5"	occupies 2,5"-bay (internal)	-	-	Н	Н						-	-	+	-	-		x S26361-F3491-E200		Phased out
	HDD SATA II 250GB 5.4k 2.5" HDD SATA II 320GB 5.4k 2.5"	occupies 2,5"-bay (internal) occupies 2,5"-bay (internal)	-	-	Н	Н						-	+	+	+	+		x S26361-F3528-E10 x S26361-F3567-E100	47,00 53.00	Phased out
	HDD SATA II 500GB 5.4k 2.5	belegt 2,5"-Einbauplatz (intern)																x S26361-F3603-E100		Phased out
	HDD SATA II 160GB 7.2k 2.5"	belegt 2,5"-Einbauplatz (intern)												_	4	4	х	x S26361-F3560-E200	44,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology				х					х							S26361-F3560-E100	44,00	
		and SOD/s, compatible to SATA technology																		
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ	Н	Н	Н	Н	Н						_	х	х	х	+	S26361-F3640-E100	44,00	
		and 3GB/s, compatible to SATA technology																		
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	х	х	х		х	x	х				х	x	x	х		S26361-F3661-E160	44,00	
		and 300/s, compatible to SATA technology																		
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ	-	-	Н	х				х	х	-	+	+	+	+	+	S26361-F3212-E100	37,00	
		and 3GB/s, compatible to SATA technology																	,50	
					Ш	Ш														
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal)	F	F	Щ	х	П				х	_	4	Ŧ	Ŧ	4	Ŧ	S26361-F3570-E100	39,00	
	HDD SATA II 500GB 7.2k HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal) occupies 3,5"-bay (internal)	-	-	Н	x	\vdash			X	x	-	+	+	+	+	+	S26361-F3435-E100 S26361-F3568-E100	47,00 77,00	
	HDD SATA II 1000GB 7.2k HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ	х		П	x	х	х	х	_	^	\dashv	\dashv	х	x	х	\top	S26361-F3497-E100	73,00	
		and 6GB/s, compatible to SATA technology																		
	0.11.6.2.11100.055		-	H	Ш	Ш	Ш			Ш		_	_	+	4	_	+	000004 5		
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD		х	х	х	х	х	х		х	х	х	х	х	х		S26361-F2581-E30	3,00	
munic	ation/Network																			
	Bluetooth Q900																х	S26361-F2542-E6	23,00	
	WLAN 2x2 agn	Maricand	F	F	Ш	П	П			Ш		7	4	Ŧ	Ŧ	4	х	S26361-F3108-E10	17,00	
	WLAN Intel 802.11abgn USB 3.0 PCle x1	MiniCard	х	х	Ļ	х	-	х	Y	\vdash	х	Y	х	¥	¥	Y	+	x S26361-F3108-E8 S26361-F3050-E10	17,00 28,00	Phased out
	Gigabit Ethernet PCle x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	X	X		x		X			^	X		X		X		S26361-F3067-E60	17,00	
	Gigabit Ethernet PCle x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, Wol., autodetect, PXE Boot, PCI Express			H	x	Н			х	х	+	+		+			S26361-F3067-E30	15,00	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11	-	-	Н	.	Н			<u>,</u>	v	-	+	+	+	+	+	\$26361_F2000 E2	8.00	
	Modem 56k	modem cable to be ordered separately, full				х				х	х							S26361-F3088-E2	8,00	
		height																		



	IO Options		٥	,	٥	45	٥	ď	۰	09	21	٠	۔ ا	, ,		٥	8			
			ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P705	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	Product Code		22
			RIMO	RIMO	RIMO	RIMO	RIMO	RIMO	RIMO	RIMO	RIMO	RIMO	MIN MIN	M M	RIMO	RIMO	RIMO	fuct C	<u>©</u>	Comments
	Description	Details	ESP	ESP	ESP	ESP	R	ESP	ESP	ESP	ESP	ESP	ES ES	3 8	ESP	ESP	ESP	Proc	EUP	5
ns mat munic	ix ation/Network (Continued)																			
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal	х	х	х	х	х	х	х	х	х	х	x z	х	х		S2	6361-F3108-E5	17,00	
	Parallel Interface	USB interface 1x 25 Pin D-SUB parallel socket, occupies		Н	х	х	х	х	х		-	+	+	+	+	Н	91	26361-F2542-E30	3,00	
	raialiei litteriace	internal parallel interface and one slot			^	^	^	^	^								32	:0301-F2342-E30	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full					х	х	х	х	х		x :	х х	х		S2	26361-F2542-E34	3,00	
		height																		
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies	х									\exists					S2	6361-F2542-E60	3,00	
	eSATA Interface	internal parallel interface and one slot for eSATA peripherals, occupies one internal		Н							_	-	-	+	+	Н	01	26361-F2542-E40	2.00	
	esara interiace	SATA interface and one slot; low profile	х		х	×	х	×	×								32	:0361-F2542-E40	3,00	
	2.7	6.0074		Ш	Ш	Ш					_	_	_	_	-					
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height					x	х	х				X I	x x	х		S2	26361-F2542-E70	4,00	
	Dual serial card PCle x1 Dual serial card PCle x1, powered	Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel		X		Н		X			-		x 2					26361-F3316-E6 26361-F3316-E7	23,00	
	Dual serial card PCI	Dual Port RS232	X	х	Х	Н	X	х	×	х	х	X	X .	x x	×			26361-F3316-E4	24,00 22,00	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel				х					\Box	\Box	\perp	T				6361-F3316-E5	24,00	
	FireWire PCI-Card IEEE1394 FH	400 Mbit/s, 3 external and 1 internal connectors				х				х	х						S2	26361-F3106-E520	17,00	
ry kit																				
	Country kit (CDN,US)	incl. power cord (US),safety manual (GB)					х	х	х		х		x z					6361-F2930-E100	8,00	
	Country kit (D) Country kit (INT, power cord EU)	incl. power cord (EU),safety manual (D) incl. power cord (EU),safety manual (INT)	x	x	x		x			\vdash					X			26361-F2930-E101 26361-F2930-E102	8,00 8,00	
	Country kit (I)	incl. power cord (I),safety manual (I)	x	x	х	х	х	х		х					x			26361-F2930-E104	8,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB) incl. power cord (GB),safety manual (INT)													х	Н		26361-F2930-E105	8,00	
	Country kit (INT, power cord GB) CK ESPRIMO Q (INT, power cord EU)	incl. power cord (GB),safety manual (INT)	X	Х	X	X	х	х	X		х	х	X :	x x	X	x		26361-F2930-E110 26361-F2930-E122	8,00 8,00	
	Country kit ESPRIMO Q (I)	incl. power cord (I),safety manual (I)														х	x S2	6361-F2930-E123	8,00	
	CK ESPRIMO Q (INT, power cord GB) Country kit ESPRIMO Q (CDN, US)	incl. power cord (GB),safety manual (INT) incl. power cord US), safety manual (GB)		Н	Н	Н			Н		-	+	+	+	+	X		26361-F2930-E124 26361-F2930-E127	8,00 8,00	
	Country kit (INT, no power cord)	without power cord, incl. safety manual (INT)	х	х	х	х	х	х	х		х	х	х :	х х	х	^		6361-F2930-E135	8,00	
				Ш	Ш	Ш						_			_					
	Made in Germany sticker	The "Made in Germany" sticker prominently displays this universally admired differentiating	х	х	х	х	x	х	х	х	х	х	x 2	x x	X		S2	26391-F404-E911	2,00	
		product value																		
ox-Ke	yboards																			
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable	х	х	х	х	х	х	х				X 2	x x	Х		S2	26381-K341-E110	26,00	
		resources, PS2-USB, bright light grey/black,																		
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB																		
		cable, palmrest																		
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT	¥	х	Y	х	Y	х	Y			-	x 2	x x	x		S	26381-K341-E120	26,00	
	INDI OT ALGO D	keyboard, Layout German, 45% renewable	_ ^	^	^	^	^		Î						^			.000111011 2120	20,00	
		resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on																		
		with PS2 and USB, comes with PVC free USB																		
		cable, palmrest																		
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT	х	х	х	х	х	х	х			\exists	х :	х х	х		S2	26381-K341-E165	26,00	
		keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light																		
		grey/black, additional 5 comfort-, 1 power-key,																		
		power-on with PS2 and USB, comes with PVC free USB cable, palmrest																		
	VDDO DV FOO I		Ш	Щ	Ш	Щ	Ш		Ш		_	4	_	_		Ш	1		-	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable	×	х	х	х	x	х	х				X I	x x	×		S2	26381-K341-E185	26,00	
		resources, PS2-USB, bright light grey/black,																		
		additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB																		
		cable, palmrest																		
	KB520 US	KB520 keyboard standard, marble grey, US,	х	х	х	х	х	х	х	\vdash	х	х	x :	x x	x	Н	S2	6381-K520-E102	13,00	
		cable USB 2m,		Ш	Ш	Ш	Ш		Ш					Į.	L					
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	х	х	х	х	x	х	х		х	х	x :	x x	х		S2	26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great	х	х	х	х	х	х	х	\vdash	х	х	x :	x x	x	\vdash	S2	6381-K520-E165	13,00	
		Britain, cable USB 2m,			Ш				Ш											
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	х	х	х	х	x	х	х		х	х	x :	x x	х		S2	6381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard	х	х	х	х	х	х	х	\vdash	х	х	x :	x x	×	\vdash	S	6381-K550-E102	10,00	
		black US	L"	Ĺ	Ù			·												
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	х	х	х	х	х	х	х		х	х	x :	x x	х		S2	26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard	х	х	х	х	х	х	х	H	х	х	x :	x x	X	\vdash	9.5	26381-K550-E165	10,00	
		UK						Û				."		^	l^				70,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	х	х	х	х	х	х	х		х	х	x :	х х	×		S2	26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard	х	х	х	х	х	х	х	х	х	х	x :	x x	X	Н	Qr	26381-K550-E402	10,00	
		black, international and USA layout, USB	*	^	^	^	^	^	^	^	^	^	^ '	` ×	×		32	.0001-N000-E402	10,00	
			Ш	Ш	Ш	Ш	Ш		Ш					_	\perp	Ш				
	KB400 USB black D	KB400 USB D, SLIM value keyboard black,	х	х	х	х	x	х	х		х	х	X I	x x	×		S2	26381-K550-E420	10,00	
	THE TOO GOD BROKED	german layout, USB														1			1	
		german layout, USB KB400 USB GB, SLIM value keyboard black,	х	х	х	х	х	х	х	х	х	х	x :	x x	х		S	6381-K550-E465	10.00	
	KB400 USB black GB	german layout, USB KB400 USB GB, SLIM value keyboard black, english layout, USB KB400 USB I, SLIM value keyboard black,	х	х	x	х	х	x	х	х	х	х	x :	х	х		S2	26381-K550-E465	10,00	



					ιņ	_				-		_	_	. .	_	8			
		ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	RIMO P500	ESPRIMO P700	ESPRIMO P900	RIMO Q900	ESPRIMO Q9000	Product Code	•	Comments
Description	Details	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESPI	ESP	ESPI	EPF	ESPI	Prod	EUP	Com
natrix			_	_	_	_	_	_	_							_			
Keyboards (Continued)																			
KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2	х	х	х	х	х	х	х	х	х	х	х	х	x x			S26381-K551-E410	9,00	
KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black	х	х	х	х	х	х	х	х	х	х	х	x	x x	+	+	S26381-K551-E420	9,00	
NO-100 T OZ BIAGK D	Germany PS2	^	^	^	^	^	^	^	^	^	^	^	^	^ ^			020301-1031-2420	3,00	
KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black	х	х	х	х	х	х	х	х	х	х	х	х	хх			S26381-K551-E465	9,00	
	UK PS2																		
KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2	х	х	х	х	х	х	х	х	х	х	х	х	x x			S26381-K551-E485	9,00	
IV. I I IVD000 I IOD I IO				Ш						_	-	_	_	_	+	-	000004 1/500 5 400	47.00	
Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	х	х	х	х	х	х	х		х		х	x	x x			S26381-K560-E402	17,00	
Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof,	х	х	х	х	х	х	х		х	\dashv	х	x	x x	+	+	S26381-K560-E420	17,00	
Noyboard Nacco COS S	black, 1.8 m USB cable	^	^	^	Ŷ	^	^	^		^		^	^	^ ^			020001 11000 2 120	,	
Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof,	х	х	х	х	х	х	х		х	\dashv	х	х	хх	Т	\top	S26381-K560-E465	17,00	
	black, 1.8 m USB cable			Ш															
Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	х	х	х	х	х	х	х		х		х	х	х			S26381-K560-E485	17,00	
B00 K . L 10 . L . 0 0				Ш	Ш	Ш				-	-	+	-	+	+	-	T00400 V4505 =:	1.55	
PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	х			х	х	х	х					x	x x			T26139-Y4530-E1	4,00	
cation-SW																			
Nero 9 Essentials XL	Recording software, Showtime, (DVD-video	х	х	х	х	х	х	х		х	х	х	х	х х	х	х	S26361-F1818-E89	3 10,00	
	but no Blu-ray playback),, BackltUp/ on DVD																		
				Ш	Ш	Ш				_	_		4		\perp				
Rec.DVD eLux RL3		х		Н	Н	х				-	-	-	-	-	+	-	\$26361-F2727-E70 \$26361-F2727-E70		
eLux RL + Scout builtin license Win Embedded Standard_7 German	Windows Embedded Standard 7 without	x		Н	Н	x				\dashv	\dashv	+	+		+	+	S26361-F2727-E70 S26361-F2009-E20		
Will Embedded Standard_7 Cerman	manageability agent.	^				^											020301-1 2003-E20	03,00	
Win Embedded Standard_7 English	Windows Embedded Standard 7 without	х		Н	Н	х					\dashv	\rightarrow	\top	+	+		S26361-F2009-E21	1 69,00	
	manageability agent.																		
Win Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout	х				х							П		Т	Т	S26361-F2009-E20	7 79,00	
	EP agent. (The license for Scout EP is not included and has to be ordered additionally.)																		
	included and had to be ordered additionally.)																		
Win Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout	х		Н	Н	х				-	-	-	+	-	+		S26361-F2009-E21	0 79.00	
VIII EIIDOGGG GIGIIGGGCC EIIGIIGII	EP agent. (The license for Scout EP is not	^				^											02000112000221		
	included and has to be ordered additionally.)																		
Rec.DVD WES7 German		х		Ш		х				_	4	-	-	+	\perp		S26361-F2009-E80		
Rec.DVD WES7 English Rec.DVD WES7 SC German		X	\vdash	\vdash	Н	x		\vdash		-	\dashv	+	+	+	+	\vdash	S26361-F2009-E80 S26361-F2009-E80		
Rec.DVD WES7 SC German Rec.DVD WES7 SC English	+	X		Н	Н	X		\vdash		-	\dashv	+	+	+	+	+	S26361-F2009-E80		
Windows MultiPoint Server 2011 Standard		Û											х				S26361-F2011-E16		
Windows MultiPoint Server 2011 Premium	Languages: English, French, German,										П	Т	х	Т	Г		S26361-F2011-E16		
	Chinese (Hong Kong), Hungarian, Italian, Japanese, Korean, Polish, Portuguese																		
	(Brazil), Portuguese (Iberain), Russian,																		
	Spanish, Chinese (simplified), Chinese																		
	(traditional), Turkish																		
						Н							х				S26361-F2011-E17	0 62,00	
Windows MPS 2011 CAL					х	х	х	х		х	х	х	х	х х	х	х	S26361-F2009-E24		
Windows MPS 2011 CAL License EU/MM - Windows 7 Home Premium	You may select this license for shipments in	х	х	х	^	^													
	European and Mature Markets and from	х	х	x	^	^													
	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets	х	х	x	^	n													
	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing	x	х	x	^	^													
	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets	х	x	x	^	^													
	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing		x						x	x	x	x	x	x x	×	x	S26361-F2009-E25	3 133,00	
License EU/MM - Windows 7 Home Premium	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from								х	x	x	х	x	x x	×	x	\$26361-F2009-E25	3 133,00	
License EU/MM - Windows 7 Home Premium	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging								х	x	x	х	x	x x	x	x	S26361-F2009-E25	3 133,00	
License EU/MM - Windows 7 Home Premium	European and Mature Markets and from 1.1,2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1,2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing licenses for better pricing and for marketing								х	x	x	x	x	x x	x	x	S26361-F2009-E25	3 133,00	
License EU/MM - Windows 7 Home Premium	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets								х	x	x	x	x	x x	x	x	S26361-F2009-E25	3 133,00	
License EU/MM - Windows 7 Home Premium License EU/MM - Windows 7 Professional	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	×	×	x	x	x	×	x										
License EU/MM - Windows 7 Home Premium	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. RUICIS. Select for shipments to Russia and	x		×	x		x	×	x			x					S26361-F2009-E25		
License EU/MM - Windows 7 Home Premium License EU/MM - Windows 7 Professional	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets icenses for better pricing and for marketing fund advantages in your region. RUICIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgysztan, Moldova.	x	×	×	x	x	x	×	x										
License EU/MM - Windows 7 Home Premium License EU/MM - Windows 7 Professional	European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region. RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azarbaijan, Belarus,	x	×	×	x	x	x	×	x										



IIM	O Options					F	F	Ŧ		F	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	F			
_	Description	Dataile	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO PAO	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO 0900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
matri		Details	ш	ш	ω	ıω	ω	ш	w	ш	100	0 0	1 111	1 100	1 W	ш	0	_ ω	Δ.	ш	Ö
	on-SW (Continued) License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Noire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polymesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kerya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Maii, Mauritania, Mauritus, Mayotte, Morocco, Mozambrique, Nambia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Catar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Principe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	×	c x	×	i	3	X 3	()	c x	СХ	: ×)	x	S26361-F2009-E255	133,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only:, Not to be distributed to small business or the United States Federal Government.				x					1	x						x	S26361-F2009-E177	112,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.				x					1	x						x	S26361-F2009-E180	112,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD. Note; Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.				x					3	х						х	S26361-F2009-E181	112,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x					3	х						х	S26361-F2009-E182	189,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD, Note; Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for small business (500 or fewer employees) and home and consumer End Users only, Not to be distributed to the United States Federal Government.				х					3	x						x	\$26361-F2009-E185	189,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for small business (500 or fewer employees) and home and consumer End Users only, Not to be distributed to the United States Federal Government.				x					3	x						x	S26361-F2009-E186	189,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.				x					3	x						x	S26361-F2009-E187	323,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only, Not to be distributed to the United States Federal Government.				х					3	x						x	S26361-F2009-E190	323,00	



on ontinued) De Professional 2010 (IT) De Home and Student 2010 MPI MM	Product package contains 32 and 64-bit Office 2010 Recovery DVD. Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government. Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word,	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	× ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	× ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P/00	ESPRIMO P/05	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	Product Code	EUP (@)	Comments
ontinued) ze Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government. Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word,		ESPRIMO E400	ESPRIMO E500	× ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	× ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P/03	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	Product Code	EUP (©)	Comments
ontinued) ze Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government. Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word,				x					x						ш	ш			
ce Professional 2010 (IT)	2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 22-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government. Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word,				x					х										
ce Home and Student 2010 MPI MM	Student 2010 32-bit (Mature Markets), Word,																x	S26361-F2009-E191	323,00	
	Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the preloaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x		х	x	х			х	x	х	x	x	x	\$	\$26361-F2009-E271	112,00	
ce Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed, . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu CBM Windows 7 license and the pre-loaded language versions (MAN,, NORDICS, BER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x		x	x	х			х	x	х	x	x	x	\$	\$26361-F2009-E272	189,00	
ce Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is neededd, T, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER- NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x		x	x	х			х	x	х	x	x	x	\$	S26361-F2009-E273	323,00	
M-INDIA Windows 7 Professional ayback software	EM-INDIA. Select for shipments to: India DVD-video and Blu-ray playback, on DVD Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	х	x	x	x	x	x	x		-					\rightarrow				133,00 33,00	
ting System nePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 products Fujits UGM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	х										2,00 3,00	
nePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For	х	х	x	x	х	х	x		х	х	х	х	x	х	х	x S	S26361-F2109-E442	3,00	
N.	H-INDIA Windows 7 Professional pback software ng System Premium64 MAIN+Office2010s	icense and the pre-loaded language versions (MANN, NORDICS, IBER-NE, E.M-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitisu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, with the Fujitisu OEM Windows 7 incense and the pre-loaded language versions (MAM), NORDICS, IBER-NE; EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional DVD-video and Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Blu-ray playback, on DVD., Slu-ray playba	icense and the pre-loaded language versions (MANN, NORDICS, IBER-INE, EM-SE, RUJ) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitisu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 ilcense and the pre-loaded language versions (MAM), NORDICS, IBER-NE, EM-SE, RUJ) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional EM-INDIA. Select for shipments to: India x DVD-video and Blu-ray playback, on DVD., Blu-ray playback, and Bl	ilicense and the pre-loaded language versions (MAIN, NORDICS, BEFR-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerProint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitisu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language versions it will be the same, With the Fujitisu DEM Windows 7 ilicense and the pre-loaded language versions (MAIN, NORDICS, ISER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 ilicenses and languages. EM-INDIA. Select for shipments to: India x x Windows XP if the system runs on Intel onboard graphics. But-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics. MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, FT, IT, ML (German, English, Spanish, French, Italian, Dutch), Note: included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 PKC (Product Key Cards) products from channel.	ilicense and the pre-loaded language versions (MAIN, NORDICS, BER-RNE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitus Necovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitus UCHM Windows 7 license and the pre-loaded language versione (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages versione (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. EM-INDIA Select for shipments to: India	icense and the pre-loaded language versions (MAIN, NORDICS, BER-NE, E.M-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is neededd, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 icense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. In India Windows 7 Professional EM-INDIA Select for shipments to: India x x x x x x yes are working for all Windows 7 licenses and languages. In India Windows 7 Professional Windows 7 licenses and languages. Muli MAIN (Main European MuLi), x x x x x x x x x x x x x x x x x x x	license and the pre-loaded language versions (MAIN, NORDICS, IBER-N.E, EMS, ERU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is neededd., The installed Microsoft Windows 7 perseating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EMS-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional EM-INDIA Select for shipments to: India x x x x x x x x x x x y x y byback software DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics. MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, Tr, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 MPI licenses are needed Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	license and the pre-loaded language versions (MAM), NORDICS, IBER-NE, E.MSE, RU you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 oreading system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 loreaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-NDIA Windows 7 Professional EM-INDIA. Select for shipments to: India	license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, E.M.S, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. 2 Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: Licenses only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 preading system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 licenses and the pre-loaded language versions (MAIN, NORDICS, IBERNE, EMS-E, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. 4-I-NDIA Windows 7 Professional EM-INDIA Select for shipments to: India	iconse and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) voic can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerProint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Necovery or RDVD is needed!, The installed Microsoft Windows 7 persenting system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 Professional Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER- NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional EM-INDIA Select for shipments to: India x x x x x x x x x X x x x x x x NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional EM-INDIA Select for shipments to: India x x x x x x x x x X x x x x x x x x N-INDIA Windows 7 Professional EM-INDIA Select for shipments to: India DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics. MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Sarter are a 2bit applications, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PRC (Product Key Cards) products from channel.	ilicense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RLI) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Market), Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Market), Windows 7 licenses and languages wersional 2010 32-bit (Mature Market), Windows 7 licenses and language wersion and professional 2010 32-bit (Mature Market), Windows 7 licenses and language versions (MAIN, NORDICS, IBERNAL MINDOWS 7 licenses and language versions (MAIN, NORDICS, IBERNAL MINDOWS 7 licenses and language versions (MAIN, NORDICS, IBERNAL MINDOWS 7 licenses and languages. 4-INDIA Windows 7 Professional EM-INDIA. Select for shipments to: India x x x x x x x x x x x x x x x x x x x	ilicense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RLI) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerProint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitiss Necovery or RDVD is neededd., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 icense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. H-INDIA Windows 7 Professional EM-INDIA. Select for shipments to: India x x x x x x x x x x x x x x x x x x x	ilicense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RLI) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerProint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitisu Recovery or RDVD is neededd., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same, With the Fujitsu OEM Windows 7 icense and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 icenses and languages. H-INDIA Windows 7 Professional EM-INDIA. Select for shipments to: India x x x x x x x x x x x x x x x x x x x	license and the pre-loaded language versions. (MAIN, NORDICS, BERFAE, EM-SE, RIJ) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 receivery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 receivery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 receivery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 receivery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 licenses and the pre-loaded language versions (MAIN, NORDICS, BER-NE, EM-SE, RUJ) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. ##NDIA Windows 7 Professional ##NDIA Windows 7 licenses and Blu-ray playback, on DVD. Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics. ##NDIA Windows 7 Professional MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: included Office 2010 and Office 2010 Starter are 32bit applications, For Activation of Office 2010 For Cell 2010 FOR (Product Key Cards) products from channel. ##Premium64 NORDIC+Office2010s Prelead: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish, Languages: DA, EN, FI, NO, RU, SV (Danish,	iscense and the pre-loaded language versions (MANN, NORDICS, BER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Professional 2010 MPI MM Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNotes, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed, The installed Microsoft Windows 7 operating system language determines the Office 2010, In Fujitsu OEM Windows 7 licenses and the pre-loaded language versions (MAIN, NORDICS, BER-NE; EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. ##NDIA Windows 7 Professional EM-INDIA Select for shipments to: India	license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 precovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 precovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 precovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 precovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Bit-RDIA Windows 7 Professional EM-INDIA. Select for shipments to: India x x x x x x x x x x x x x x x x x x x	license and the pre-loaded language versions (MAIN, NORDICS, IBER-RE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The Installed Microsoft Windows 7 operating system language determines the Office 2010, language versions it will be the same, With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Publisher, RU, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. But any pulpasack, not DVD. Bit-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics. MULI MAIN (Main European MuLi), x x x x x x x x x x x x x x x x x x x	Isonse and the pre-loaded language versions (MAIN, NORDICS, BER-RE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. X	Iconese and the pre-loaded language versions (MAN, NORDICS, SIER-NE, ENES, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages. Professional 2010 MPI MM	Sconse and the pre-loaded language versions (MAN, NORDICS, IBERNE, EMS-BE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for sall Windows 7 licenses and languages. X



SPRIM	O Options	1								_	_										
	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
tions matr	ix tion-SW (Continued)																				
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Stovak), Note: Included Office 2010 aand Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x		x	x	x	х	x	x	x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	х	х	x	x		x	x	x	x	х	x	x	x	\$26361-F2109-E446	3,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, Engilsh, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Statter are 25th applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	S26361-F2109-E351	3,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 20th applications, For Activation of Office 2010 Products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	х	х	x		x	x	x	x	x	x	x	x	S26361-F2109-E352	3,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 Products Furjists UEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 MPI (C) (Product Key Cards) products from channel.	x	x	x	x	x	×	x		x	x	x	x	x	х	x	х	S26361-F2109-E353	3,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Furjisu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x		x	x	x	x	x	х	x	х	S26361-F2109-E355	3,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	х	х	x	x		x	х	х	х	х	x	х	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	х	х	x	x	x	x	x	x	x	x	х	x	x	x	S26361-F2109-E451	3,00	



PRIN	IO Options																			
						5				00	٦,						8			
			ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	ode		40
			ĕ	§	ĕ	₽ E	Q ■	일	ĕ	₽ E	§	9 9	2	8	₽	8	§	Product Code	©	Comments
			P.R.	PR.	PR.	PRI	PR	PR	PRI	PR	E E	200	PR :	PR.	PR	PR	PR.	npo	EUP (€)	i ii
gory ons mat	Description	Details	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ű	ш	ш	ш	ш	ă.	ш	გ
	tion-SW (Continued)																			
	Win7 Starter32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL,		х	х					П	х	x :	к	Т	Т	х		S26361-F2109-E313	3,00	
		EN, FR, HE, TR (Arabic, German, Greek,																		
		English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter																		
		are 32bit applications., For Activation of Office																		
		2010 products Fujitsu OEM Office 2010 MPI																		
		licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards)																		
		products from channel.																		
	Discontinuo DI D (VE) FORDINO DT	incl. Nero Essentials S. Norton Internet									_		+	+	-	-		000004 50007 5040	0.00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	Security Trial 90 days		х	Х	х	х	х	х	х	х	X :	x x	×	×		×	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet	х	х	х	х	х	х	х	х	х	x	к х	x	х	х	х	S26361-F2007-E901	3,00	
		Security Trial 90 days						Ш		Ш			\perp							
	REC-DVD Win7 HomeBasic 32bit RUS REC-DVD Win7 Professional 32 RUS	RU RU	X	X					X	\vdash	X		K X					S26361-F2009-E532 S26361-F2009-E552	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	x	x			x	x	x		x		x x					S26361-F2009-E643	3,00	
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR																		
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	х	v	х	х	х	х	х	\vdash	х	x	K X	x	x	-	v	S26361-F2009-E553	3,00	
	ALC DAD WHITE I TOTOGSSIONAL SZ MI WILL	HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL,	^	^	^	^	^	^	^		^	^	` *	` ^	*	^	^	SESSO 1-1 2008-ESSS	3,00	
		SR, SV, TR						Ш		Ш										
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL,	х	х	х	х	х	х	х		х	x	к х	×	x	x	х	S26361-F2009-E653	3,00	
		SR, SV, TR																		
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR,	х	х	х	х	х	х	х	х	х	х	к х	×	х	х	х	S26361-F2009-E753	3,00	
		HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR																		
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German,	x		x		x	х	х	х	-	х	ĸ x	x	x	x	H	S26361-F2109-E751	3,00	
	REC-DVD 2 WIII7 MAIN+OIIICe2010s	English, Spanish, French, Italian, Dutch),	×	×	×		×	×	X	×		× .	* *	×	×	, x		520301-F2109-E751	3,00	
		Office 2010 incl. Office Starter - 32bit, MAIN																		
		(Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI																		
		licenses are needed! Preload works also for																		
		Office 2010 PKC (Product Key Cards) products from channel.																		
		producto from chamos.																		
								Ш												
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian,	х	х	х		х	х	х			х :	к х	x	х	х		S26361-F2109-E752	3,00	
		Swedish), Office 2010 incl. Office Starter -																		
		32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM																		
		Office 2010 MPI licenses are needed! Preload																		
		works also for Office 2010 PKC (Product Key																		
		Cards) products from channel.																		
ity	le	Terror and the desired and the second																000004 50540 5405	00.00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard	X				x	х	х				×	×	х			S26361-F2542-E435	33,00	
		disk, e.g. if the system will be sold. Please																		
		notice, that SSD (Solid State Disk) cannot be deleted in a secure method.																		
	SmartCase Logon+	Authentication, Password Manager ,				х		Н	Н	\vdash	х	+	+	+	+			S26361-F2727-E730	23,00	
		SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no																	"	
		eLux support, Version 3.0.3																		
	Smartcardreader USB Solo 3 extern 3310V2		Y	Y	Y	х	х	y	х	Н	х	+	, v		x	-	H	S26381-F331-E220	23,00	
		interface , black, USB cable	Ĺ	Ĺ	Ĺ	L^	_^	_^	_^		_		^	^	⊥^				20,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support,	х	х	х	х	х	х	х		х		к х	×	х			S26361-F1260-E520	19,00	
		w/o SmartCard	L	L	L															
,	Grey Upgrade Mouse M440 ECO		х	х	х	х	х	х	х		х	x	x x	x	х			S26361-F2542-E225	17,00	
	Laser Mouse GL9000						х	х	х				х	x	x	х		S26381-K438-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit, USB 2.0 interface, allows horizontal scrolling	х	х	х	х	х	х	х		х	X :	к	×	х			S26361-F2542-E216	6,00	
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB	х	х	х	х	х	х	х	\vdash	х	x	ĸ x	x	x	-		S26361-F2542-E217	9,00	
	5	2.0 interface incl.adapter to PS/2, allows	"	"	"	"	"	"				.	^	^	^				2,00	
lo"		horizontal scrolling						Ш												
ane	Med-Kit ESPRIMO/CELSIUS	incl. license and manual	х				х		х				x		x			S26361-F2542-E250	28,00	
	Lock in front panel		Ü				х	х					Ţ		L.			S26361-F2542-E326	6,00	
	Rear Panel for 4 low profile cards Intrusion switch	4 low profile slots	H	H	\vdash	х	х	х	y	\vdash	\dashv	+	×		x	\vdash		S26361-F2542-E425 S26361-F2542-E426	4,00 4,00	
	Rubber feet for vertical position (4				х		X			H			×	x	×			S26361-F2542-E480	4,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC					х		х				х		х			S26361-F2542-E57	4,00	
	Cable for according to 11100				-	Н	Ш	Ш	\square	Н	4	+	+	+	-	-	H	COCOCA FORCA FAC	2.05	
	Cable for second internal USB device Lock in front panel C700		х				Н	Н	Н	\vdash	\dashv	+	X	+	Х	-		S26361-F2581-E10 S26361-F2542-E333	3,00 6,00	
			x															S26361-F2542-E322	4,00	
	Intrusion switch				1	1 1							Х	x	х	F	F	S26361-F2542-E323	6,00	
	Intrusion switch Key lock in side door	for lock of housing									-									
	Intrusion switch Key lock in side door Lock in front panel	for lock of housing for lock of housing				x		Н	-	\Box	-	+	+	+	+	-		S26361-F2542-E325 S26361-F2542-F412	6,00	
	Intrusion switch Key lock in side door Lock in front panel Intrusion switch Feet for vertical position (set)	for lock of housing		x	х	х	х	x	x									S26361-F2542-E412 S26361-F2542-E400	4,00 4,00	
	Intrusion switch Key lock in side door Lock in front panel Intrusion switch		x	x	x	х	x		x		x		x x	x	x	x	x	S26361-F2542-E412	4,00	



ESPRIM	IO Options																				
Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5645	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO Q900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options mat																					
Miscellane	ous (Continued)	for countries with import regulations	х			v	х	v	v					х	v	Ų.	х	v	S26361-F3436-E2	3.00	
Keyboard /		Tor countries with import regulations	^			^		^	^					^	^	^	^	^	320301*F3430*E2	3,00	
,,	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries															х		S26381-K456-E100	15,00	
Desk View																					
	DV Adv. Migration (DVD + 1 Lic.)	Desk/New Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.) System Migration (Virtualization of HDDs and full systems) Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), - Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).	x	x	x	x	x	x	x		x	x	x	x	x	х	x	х	S26361-F4040-E10	43,00	



Positioning CELSIUS workstations



CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



CELSIUS M Series

CELSIUS M Series. Mid-range workstation.

Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



CELSIUS R Series

CELSIUS R Series. High-end workstation.

You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



CELSIUS H710

The Fujitsu CELSIUS H710 delivers workstation power in a 39.6 cm (15.6-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and powerful NVIDIA® graphics, the CELSIUS H710 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Description	Details	Product Code	EUP (4)	Comments
Standard	products				
CELSIUS	S H710				
	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ (Promo)	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ DVD/500GB 7.2K/NO UMTS/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK INT/AC ADAP 19V/120W/,	LKN:H7100W0002IT		
	CELS H710 /15.6" HD+ LED/I7-2620M/2GB/ (Promo)	CELS H710 /15.6" HD+ LED/I7-2620M/2GB/ 4GB/DVD/500GB 7.2K/NO UMTS/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK INT/AC ADAP 19V/120W/,	LKN:H7100W0003IT		
			Product Code	EUP (4)	Comments
Model	Description	Details	<u> </u>	Ш	ŭ
	configurations				
CELSIUS	CELSIUS H710	Base unit, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro 1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 120W., Modular bay concept for optical drives, second battery or second hard disk drive, Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that the Fingerprint sensor can be configured optionally., Please be aware, that VPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., Please use the "No Modem" option instead., For Russia please	S26391-K323-V100	999,00	



CELSIUS H910

The Fujistu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
CELSIUS					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xv/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card	S26391-K324-V100	899,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W. , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card	S26391-K324-V200	933,00	



CELSIUS W410 Your gateway to workstation power

CELSIUS W410

The CELSIUS W410 is an excellent system providing advanced performance for workstation applications. Powered by the 2nd generation Intel® Core™ processor family and available with a wide selection of professional graphics cards, this system offers you advanced power and productivity of workstation technology and is ideal for business environments such as entry-level 2D CAD.

Model	Description	Details	Product Code	EUP (每	Comments
CELSIUS	configurations				
	CELSIUS W410	Base unit, system board D3062, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q67., , Slots: , 4 DIMM-sockets (max. 16 GB, DDR3-1333, dual channel), 4 slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 1x PCle x1, 1x PCl (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel® HD Graphics or HD Graphics 2000 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports – 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays: , 6 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in., , , , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , Internal interfaces: , 6x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V115	377,00	



CELSIUS W510 Your gateway to workstation power

CELSIUS W510

The CELSIUS W510 is a productivity workstation with the latest Intel® Xeon® processors and professional graphics that act together to deliver performance and flexibility. This system is the ideal choice for business environments such as 3D CAD, financial forecasting and digital content creation, giving you the performance to boost your productivity.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
SEE SIGN SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	CELSIUS W510	Base unit, system board D3067, 300 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206;, , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 2x PCle x1, 3x PCl (32-bit / 33 MHz), Onboard I/O-devices: , Intel® HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports – 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , Bays:, 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: , 1x DP + 1x VDV or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , Internal interfaces: , 4x USB 2.0, 1x USB 2.0 with standard connector., , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1359-V115	433,00	
CELSIUS	W510 POWER				
	CELSIUS W510 POWER	Base unit, system board D3067, 500 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206;, Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCle 2.0 x16, 1x PCle 2.0 x4 (mechanical x16), 2x PCle x1, 3x PCl (32-bit / 33 MHz), Onboard I/O-devices: , Intel HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642;, , Bays:, 8 (2x 5,25' and 2x 3,5'' externally accessible, 4x 3,5'' internal HDD-bays or [2x 3,5'' internal HDD-bays and 2x 3,5'' internal HDD-bays] - all internal HDD-bays accessible from the front)., Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVIV/GA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVIV/GA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal interfaces: , 4x USB 2.0, 1x USB 2.0 with standard connector., , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1359-V215	455,00	



CELSIUS M470 Your new "thoroughbred" workstation

CELSIUS M470

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (4)	Comments
Standard	products	100	_	_	
CELSIU	S M470-2 CELS M470-2 POW /XEON W3550/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0004IT		
	CELS M470-2 POW /XEON W3565/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3565/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0006IT		
Model	Description	Details	Product Code	EUP (♠)	Comments
	t configurations			_	
CELSIU:	S M470-2 CELSIUS M470-2 power	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse; Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCle Gen2 x16, 1x PCle x4 Gen2 (mechanical x8), 1x PCle x4 Gen1 (mechanical x8), 2x PCl (32-bit / 33 MHz), , Onboard I/O-devices;, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V915	517,00	
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCle Gen2 x16, 1x PCle x4 Gen2 (mechanical x8), 1x PCle x4 Gen1 (mechanical x8), 2x PCl (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V815	495,00	



CELSIUS R570 Your compact "powerhouse" workstation

CELSIUS R570

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
CECSION	CELSIUS R570-2	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR VO Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit /33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in; , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	728,00	
	CELSIUS R570-2 power	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCle Gen2 x16, 1x PCle x4 Gen2 (mechanical PCle x8), 1x PCle x4 Gen1 (mechanical PCle x8), 2x PCl (32-bit / 33 MHz), , Onboard I/O-devices;, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V615	773,00	



CELSIUS R670 The new uncompromising high-end workstation

CELSIUS R670

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

		1		
Description	Details	roduct Code	UP (€)	Comments
•	Details		Ш	O
R670-2				
Chipsets: Intel 5520, Intel 82801JB I/O Controller Included., , Slots: , 12 DIMM-slots (each CPU with 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2 ATA Controller (4 Ports), FireWire controller (IEEE, Front interfaces: 2x USB 2.0, 1x audio out, 1x aud 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1	Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS C 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCle Gen2 x16, 3x xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller 5 and 5 an	ontroller 1068E, DeskVi PCIe x4 Gen2 (mechani oller (8 ports, RAID 0 and accessible and 4 internal 6x USB 2.0, 2x audio in,	ew licens cal PCle d 1E), Se l HDD-ba 1x audio	x8), rial ys ,
CELS R670-2 /XEON E5620/2x2GB/ (Promo)	CELS R670-2 /XEON E5620/2x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0004IT		
CELS R670-2 /XEON E5630/3x2GB/ (Promo)	CELS R670-2 /XEON E5630/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0005IT		
CELS R670-2 /XEON E5640/4x2GB/ (Promo)	CELS R670-2 /XEON E5640/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0006IT		
CELS R670-2 /XEON X5660/3x4GB/ (Promo)	CELS R670-2 /XEON X5660/3x4GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0007IT		
CELS R670-2 /XEON E5645/3x2GB/ (Promo)	CELS R670-2 /XEON E5645/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0010IT		
CELS R670-2 /XEON E5649/4x2GB/ (Promo)	CELS R670-2 /XEON E5649/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0011IT		
Description	Details	Poduct Code	EUP (♠)	Comments
configurations		_		_
R670-2				
CELSIUS R670-2	, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MH2), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K991-V415	973,00	
	, Base unit, prepared for rack mounting (rack mou Chipsets: Intel 5520, Intel 82801JB I/O Controller H included., , Slots: , 12 DIMM-slots (each CPU with 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2 ATA Controller (4 Ports), FireWire controller (IEEE, Front interfaces: 2x USB 2.0, 1x audio out, 1x aud 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1 Embedded security (TPM 1.2) - Infineon, Disable / CELS R670-2 /XEON E5620/2x2GB/ (Promo) CELS R670-2 /XEON E5630/3x2GB/ (Promo) CELS R670-2 /XEON E5640/4x2GB/ (Promo) CELS R670-2 /XEON E5640/4x2GB/ (Promo) CELS R670-2 /XEON E5645/3x2GB/ (Promo) CELS R670-2 /XEON E5645/3x2GB/ (Promo) CELS R670-2 /XEON E5649/4x2GB/ (Promo)	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, Chipsets: Intel 5520, Intel 82801 JB I/O Controller Hub (ICH10), Premium Status-LCD, Syleus system management, LS1-SAS, 3t I/O (124-bit / 33 MHz), Onboard I/O-devices: Zenetwork controller Realtek B11CP (2 Ports, GB-LAN, ASF 2.0), SAS Controllar AT Controller (Ports), FireVitre (controller Realtek B11CP (2 Ports, GB-LAN, ASF 2.0), SAS Controllar AT Controller (Ports), FireVitre (controller Realtek B11CP (2 Ports, GB-LAN, ASF 2.0), SAS Controllar (SPE), SAS Controller (Ports), FireVitre (controller (IEEE) 394a), P. Land (Ports), FireVitre (IEEE) 394a), P. Land (IEEE) 394a), Internal interfaces: 2x LSB 2.0, 1x audio out, 1x audio in. 1x FireVitre (IEEE 1394a), Rear interfaces: 2x LSB 2.0, 1x USB Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option, CELS R670-2 /XEON E5620/2x2GB/ (Promo) CELS R670-2 /XEON E5630/3x2GB/ (Promo) CELS R670-2 /XEON E5640/4x2GB/ (Pr	Reforce Resonanting (rack mounting (rack mount at aptionally sevalable). CEB systemboard D2618, power supply 1000 W, optical USB till scort mounting (rack mounting (rack mount at aptionally sevalable). CEB systemboard D2618, power supply 1000 W, optical USB till scort mounting (rack mounting). (Rack Mounting) (Rock Mounting). Provided the Chapter of the Chapter o	Reference



																							_				
			CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910 CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	roduct Code	EUP (@	Sommerts
ries	Description & services matrix	Details	5	5	5	5 5	3 5	5 5	5	5	5 5	3 8	1 5	12	5	5 5	1 2	5	5 5	5 5	5	8	2	5 5	5 .	ш	8
or	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12			7			T		x		X			х						т			Ŧ	S26361-F3612-L245	712,00	
	Xeon X5647 2.93GHz 12MB Turbo Boost	threads 2.93 GHz, 12 MB Turbo Boost, 4 cores/8	Н	Н	+	+	+	+	⊬	x	+	×		Н	x	+	+	Н	+	+	+	Н	\dashv	+	S26361-F3612-L247	1.000.00	
	Xeon E5649 2.53GHz 12MB Turbo Boost	threads 2.53 GHz, 12 MB Turbo Boost, 6 cores/12	Ш	Н	4	+	+	+	L	x	4	×	_	Ш	x	_		Ш	_	+	-	Ш	_	+	S26361-F3612-L249	1.000,00	
		threads	Ш	Ш	4									Ш				Ц				Ц					
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads								x		х	1		х										S26361-F3612-L972	1.867,00	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads								х		х			х										S26361-F3612-L975	1.867,00	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads		П	T					х	Т			П	х										S26361-F3612-L987	2.167,00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads	П	П	T	†	Ť	T	T	х	\top	T	Ť	П	х			П		Ť	T	П		T	S26361-F3612-L990	2.167,00	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3									#							х							S26361-F3502-L76	266,00	
	Opteron 2380 2.5 GHz Opteron 2384 2.7 GHz	4x512KB L2 2MB L3 4x512KB L2 2MB L3				#	+			Н	+							x				Н			S26361-F3502-L80 S26361-F3502-L84	444,00 699,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										х	1		х										S26361-F3612-L309	633,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		П	Т	T	Τ		Г	П	Т	х		П	х	Т		П		Τ		П		Τ	S26361-F3612-L330	712,00	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores	П	П		T	Ť	T	T	П	\top	х		П	х		Т	П	\top	T	T	П			S26361-F3612-L340	1.344,00	
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads	H	Ħ	#	#	#			x	+	×			x			H	\pm			H		#	S26361-F3539-L113	310,00	
	Xeon E5606 2.13GHz 8MB Turbo Boost Xeon E5607 2.26GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads 2.26 GHz, 8 MB cache, 4 cores/4 threads		\exists	#	#	#	1		x	#	X		Ħ	x	#		H	\pm			H		#	S26361-F3539-L116 S26361-F3539-L117	300,00 362,00	
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		Ш						Ш		×		Ц	х										S26361-F3612-L220	666,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			T	T	Τ	Г		П	Τ	×		П	x	Τ	Г		T	Т	Г		7	T	S26361-F3612-L230	917,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		П	T	\top	T		Т	П	\top	×		П	×	Ť		П	\top	T		П		\top	S26361-F3612-L240	1.278,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	Н	H	\dagger	$^{+}$	†	†	t	H	†	×		H	x	+	†	Н	+	†	†	Н	7	$^{+}$	S26361-F3612-L950	1.645,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6	Н	Н	+	+	+	+		H	+	×		\forall	x	+	+	Н	+	+	+	Н	+	+	S26361-F3612-L960	2.000,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	cores 3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4	Н	H	+	+	+	+	+	Н	+	×		H	x	+	+	Н	+	+	+	Н	+	+	S26361-F3612-L967	2.334,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	cores 2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6	Н	Н	+	+	+	+	H	Н	+	×	-	Н	x	+	-	Н	-	+	+	Н	-	+	S26361-F3612-L970	2.334,00	
		cores	Ш	Ш	4	4	1		L	Ш	4	Ĺ		Ш		4	\perp	Ц	4	1	╙	Ц		4			
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		Ш						Ш				Ш	х										S26361-F3612-L977	2.723,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores													х										S26361-F3612-L980	2.723,00	
,	8GB DDR3-1333 ECC	1 module, same number of modules for each			Ť					x					Ħ					P				x	x S26361-F3379-L4	834,00	
	2 GB DDR3 1066 MHz PC3-8500	processor necessary 1 Modul, PC3-8500 ub	Ш	Н	4	x	+	+	L	Н	4	+	+	Ш	4	_		Ш	_	+	-	Ш	_	+	S26391-F504-L100	73,00	
	2GB DDR3-1333 PC3-10600 4GB DDR3-1333 PC3-10600	i Modul, P C P dodo do			1	х	#	İ				İ	Ė							İ				#	S26391-F505-L200 S26391-F505-L300	73,00 128,00	
	4GB DDR3-1333 PC3-10600 2GB DDR3-1333 PC3-10600 4GB DDR3-1333 PC3-10600						x >				#														S26391-F892-L200 S26391-F892-L400	73,00 128.00	
	8GB DDR3-1333 PC3-10600						x >					+	t												S26391-F892-L800	1.110,00	
	2GB DDR3-1066 SO-DIMM PC3-8500 1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible	Н	×	X	$^{+}$	$^{+}$	×	t	Н	†		t	Н	\forall	$^{+}$	t	Н	-	ĸ	†	Н		$^{+}$	S26391-F736-L250 S26361-F2994-L114	73,00 42,00	
	2GB DDR2-800	with this base unit memory mix refer to system board manual, 1	H	Н	+	+	+	×	H	Н	+	+	╀	Н	+	+	\perp	Н		ĸ	\vdash	Н	-	+	S26361-F2994-L116	69,00	
		module PC 800 (PC2-6400), DIMM, compatible with this base unit								Ш				Ш													
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																		X					S26361-F2995-L114	42,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	П		T		T			П				П						x				T	S26361-F2995-L116	69,00	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible	Н	Н	+		t	t		Н			t	Н	+	+		Н	$^{+}$	x		Н		$^{+}$	S26361-F2994-L118	177,00	
	2GB DDR3-1333	with this base unit 1 module PC 1333, DIMM	Н	Н	+	+	+	+	┝	Н	+	+	╀	Н	4	+	+	Н	x	+	x	Н	х	+	S26361-F4401-L2	53,00	
	4GB DDR3-1333	1 module PC 1333, DIMM			#	#	Ŧ	Ŧ	F	H		Ŧ	F					Н	×	Ŧ	X		х		S26361-F4401-L3	106,00	
	2GB DDR3-1333 4GB DDR3-1333 2GB DDR2-800 ECC	1 module PC 1333, DIMM 1 module PC 1333, DIMM to be used in pairs, 1 module PC 800 (PC2-	Ħ	Ħ	#	#	#	ŧ.		Ħ	#	+	F	Ħ	#	#	F	H	\pm	+		x		X	x S26361-F3378-L2 x S26361-F3378-L3 S26361-F3369-L424	53,00 106,00 99,00	
		6400), ECC, DIMM	Ц	Ш	1		\perp	×	L	Ц		1	L	Ц	_	\perp	L	Ш	\perp	1	L	Ш		1			
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary		Ш						Ш				Ш			x	x							S26361-F3367-L459	188,00	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary		П	T	T	T	Т		П	T	T	Г	П	T	T	Г	x	T	Τ			1	T	S26361-F3367-L464	433,00	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary	П	П	Ť	\top	\dagger	T	T	П		T	T	П	\exists	Ť		х	\top	T	T	П	T	\top	S26361-F3367-L479	1.310,00	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-	Н	H	\dagger	+	$^{+}$	†	t	H	$^{+}$	†	†	H	\dashv	+	†	Н	+	†	x	Н	х	+	S26361-F4411-L2	77,00	
	4GB DDR3-1333 ECC	10600), ECC, DIMM to be used in pairs, 1 module PC 1333 (PC3-	Н	H	+	+	+	+	+	H	+	+	+	H	+	+	+	Н	+	+	x	Н	х	+	S26361-F4411-L3	173,00	
	4GB 2x2GB DDR2-800 rg ECC	10600), ECC, DIMM 2 modules, same number of modules for each	Н	H	+	+	+	+	\vdash	Н	+	+	+	Н	+	+	+	x	+	+	+	Н	+	+	S26361-F3376-L484	188,00	
	8GB 2x4GB DDR2-800 rg ECC	processor necessary 2 modules, same number of modules for each	Н	H	+	+	+	+	\vdash	Н	+	+	+	H	4	+	+	x	+	+	+	Н	4	+	S26361-F3376-L488	433,00	
		processor necessary	Ц	Ц	4	4	1	1	1	Ц	4	_	1	Ш	4	1	1		\perp	1	1	Ц	4	4			
	1GB DDR3-1066 1GB DDR3-1333	1 module 1 module			#	#	#		×	x		×			x	x		H	\pm			H		#	S26361-F3374-L403 S26361-F3375-L403	33,00 33,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		Ш					×	Ш		x		x											S26361-F3375-L413	52,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		Π	T	T	Γ		x	П	T	x	Г	x	T	Γ			Т				1	Τ	S26361-F3375-L414	77,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	П	\Box	Ť	\top	\top	T	×	П	T	x	T	×	\exists	T		П	\top	T	T	П	7	\top	S26361-F3375-L415	173,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each	Н	H	+	+	+		t	х	$^{+}$	х	:	Н	x	+		Н	+	†		Н	\forall	+	S26361-F3377-L413	52,00	
	2GB DDR3-1333 ECC	processor necessary 1 module, same number of modules for each	Н	Н	+	+	+	+	\vdash	x	+	×	1	\forall	x	+	+	Н	+	+	+	Н	+	+	S26361-F3377-L414	77,00	
	4GB DDR3-1333 ECC	processor necessary 1 module, same number of modules for each	Н	H	+	+	+	+	\vdash	х	+	×		H	x	+	+	Н	+	+	+	Н	4	+	S26361-F3377-L415	173,00	
		processor necessary	Н	Н	4	4	+	+	-	Ĥ	+	Ŧ,	+	H		4	+	Ш	\perp	+	1	Ш	4				
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	Ц	Ш	1		\perp	L	L	Ц		1	L	Ц	_	\perp	L	Ш	\perp	1	L	Ш			x S26361-F3379-L2	77,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																						x	x S26361-F3379-L3	173,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each										x		x						_					S26361-F3375-L424	95,00	

Listino Prezzi Ottobre 2011



		CELSIUS H250	CELSIUS H265	CELSIUS H270	SIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V840	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	roduct Code	•	Comments
Description & services matrix	Details	뜅	뜅	핑	핑	팅 [U U	뜅	뜅	딩	뜅	팅	E	핑	뜅	E E	5	j 5	뜅	뜅	딩	핑	뜅	뜅	팅	£	E E	5
ntinued) 4GB DDR3-1333 rg ECC	1 module, same number of modules for each					Ţ	Ţ				x	Ţ	,			Ţ	Ţ						7		S26361	-F3375-L425	206,00	
8GB DDR3-1333 rg ECC	processor necessary 1 module, same number of modules for each			Ш		+	+	+	Н	Ш	x	4	١,	-	Ш	4	+	+	+	L	Ш		4	4		-F3375-L426	800.00	
	processor necessary 1 module, same number of modules for each			Ш		4	1	_	Ш	Ш	_	4	ļ.		Ш	4	4	1	L		Ш		4	_		-F3377-L424	,.	
2GB DDR3-1333 rg ECC	processor necessary								Ш	Ш		х		x	Ш				L								95,00	
4GB DDR3-1333 rg ECC	module, same number of modules for each processor necessary											х		x												I-F3377-L425	206,00	
8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary	1										х		х											S26361	I-F3377-L426	800,00)
16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary	1				Т				П		х		x	х		Т		Т	Г					S26361	-F3374-L427	889,00	
2x DVI-D Extension Adapter PCI	FH incl. DVI adapter cable																			×				ı	526361	I-F2757-L655	28.00	Phased out
DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, monitor mode (1 DVI-D + 1 VGA) possible	2							П	П					П					x						I-F3305-L210	22,00	
NVIDIA Quadro NVS 300 512MB				Ш		4	4	×	x	Ш	x	x	1	_	×	4	4	1	L	L	Ш	х	4	x	Paeaes	-F2748-L38	99,00	
INVIDIA QUAUTO INVO 300 STZINIS	cables must be ordered separately	situ							×		*	*	'	×	×							*		^	X 320301	1-F2/40-L30	99,00	'
NVIDIA Quadro NVS 295 256MB			+	Н	+	+	,	c x	х	Н	х	х	,	×	Н	+	+	x x	+	×	х	-	х	+	S26361	-F2748-L236	106,00	
	DVI-D via DP DVI adapter cable; w/o adapter	s																										
NVIDIA Quadro NVS 450 2x256N	3 4xDP Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCle x16, w/	,	П	П				×	x	П	х	х	,	×	x			×		x	x	х	х	x	x S26361	-F2748-L245	410,00)
NVIDIA Quadro FX 380 256MB	adapters Connectors: 2x DVI-t; PCIe x16; w/o adapter		Ш	Ц	Ц	4	1	_	Ш	Ц		_	1	L	Ш	4	4	_		L	Ц			4	Dance -	-F2856-L38	4410	Phased out
			Ш	Ц			T,	×	Ш	Ш	x		T,	×	Ш			x x	_	×	x		х					
NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, v adapters							L	x	Ш		х		×						L		х				-F2856-L41	110,00	
NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PC x16; w/o adapters	le				T	Τ		x	Π	T	х	Τ	x	x	T	T	×	Г		x	x				-F2856-L61	178,00	
NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PC x16; w/o adapters	le	П	П		\top	T	Т	×	П	\exists	х	T	x	×	\top		×			×	х	х	x	x S26361	-F2856-L201	467,00)
NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCle x16, w/c adapters.	\top	П	П	\forall	\top	\dagger	\top	×	Н	\dashv	х	\dagger	x	x	\dagger	\dagger	†	†	T	П	х	\forall	x	x S26361	-F2856-L202	467,00	
NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PC x16; w/o adapters	le	+	Н	\forall	+	+	+	х	H	\dashv	х	+	x	х	+	+	+	+		Н		х	\forall	x S26361	I-F2856-L401	800,00	
NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP,	+	+	Н	+	+	+	+	x	H	\dashv	х	+	x	х	+	+	+	+	\vdash	Н	-	х	\dashv	x S26361	-F2856-L501	2.100,00	
NVIDIA Quadro FX 5800 4GB	stereo; 1x DVIVGA-adapter; PCle x16 Connectors: 2x DVI-I and 1x DP, stereo; 2x	+	+	Н	H	+	+	+	x	Н	+	х	+	x	Н	+	+	+	+	H	Н	-	+	+	S26361	-F2856-L258	2.888,00	Phased out
NVIDIA Quadro 6000 6GB	DVIVGA- adapter; PCle x16 Connectors: 1x DVI-I dual link and 2x DP,	-		Н	-	+	+	+	x	Н	4	x	+		х	-	+	+	╀	H	Н	-	-	4		-F2856-L601	4.100.00	
ATI FirePro V3800 512 MB	stereo, 2x DVIVGA-adapter, PCle x16 Connectors: 1x DVI-I dual link, 1x DP; PCle x	10.		Ш		4	4	1	Ш	Ш	_		4			4	4			L						-F2530-L380	106,00	
	w/o adapters		Ш	Ш	Ц	4	1	1	x	Ц	_	x	1		x	4	1	×		L								
ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCle x w/o adapters	7							x	Ш		х		×				×		L						-F2530-L480	184,00	
ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCle x w/o adapters					T			x	П	T	х		×		T		×			x	х	х	x	x S26361	-F2530-L580	400,00	
ATI FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PC x16, w/o adapters, ,	le	П	П					х	П		х		x	x			×			x	х	х	x	x S26361	-F2530-L590	434,00	Orderable from: 12/12
ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCle x w/o adapters	16,	П	П		\top	T	T	x	П	\exists	х	T	x	П	T	\top	T	T	T	П		х	T	S26361	-F2530-L780	888,00	
ATI FirePro V7900 2 GB	Connectors: 4x DP, PCle x16, w/o adapters,	,	Н	Н	\forall	$^{+}$	†	†	x	Н	\dashv	х	†	x	х	$^{+}$	†	†	†	t	Н		\forall	\forall	x S26361	-F2530-L790	745,00	
CELSIUS RemoteAccess Card		+	+	Н	+	+	,	c x	×	H	x	х	x >	×	x	+	+	x	+		×		х	x	x S26361	-F3565-L1	295,00	
CELSIUS RemoteAccess Portal	LAN, PCIe x1 PCoIP, 2x DVI-I,10/100/1000 Mbps LAN, 4x	+	+	Н	\dashv	+	,	c x	x	Н	х	х	x >	×	x	+	+	x	+	\vdash	x	х	х	x	x S26361	-K1322-V1	295,00)
NVIDIA Tesla C2070 Computing	USB, audio Processor Connectors: 1x DVI-I, PCIe x16	+	\vdash	Н	+	+	+	+	x	Н	\dashv	х	+	x		+	+	+	+	\vdash	Н	-	+	4		-F2856-L207	2.088,00	
NVIDIA Tesla C2075 Computing- Display Port/ DVI-D adapter cabl	Processor Connectors: 1x DVI-I, PCle x16, , for connection of one DVI-D monitor	\mp	F	Н		х	,	c x	х			х	x >		х	\mp	Ŧ	x x	F	x	x	x	x	x	S26361	-F2856-L209 -F2391-L200	2.167,00)
DVI/VGA Adapter LFH59/ 2x DVI-I adapter cable	for connection of one VGA-monitor for connection of two DVI-I monitors	+	F	H		\mp		c x		х		х	x >		х	\mp		x x					х	х	x S26361	-F2391-L1 I-F2391-L101	13,00)
LFH59/ 2x DP adapter cable	for connection of two Display Port monitors		П	П	П	\top	T	×	x	П	x	x	,	×	x			T	Т		П	х		x	x S26361	-F2391-L102	30,00	
SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card		П	П	\forall	\top	\dagger	\top	П	Н	х	х	,	×	x	\dagger	х	x	†	T	П		\forall	\forall	S26361	I-F2542-L95	78,00	
Media Drives	124,2002, 212,000					÷	÷						÷				÷		þ				ij		gneno:	I-F3077-L14	44,00	1
MCR 20in1 + USB 3.0 front con.	internal USB 2.0 interface, front connector U 3.0, Formatis: CF LOT, ILBMMO, SN, SN, SN, SN, SN, SN, SN, SN, SN, SN	lini							*		^	^	,		. *												***,00	
MCR 20in1 + USB 3.0 front con.	3.5" requires USB 3.0 PCIs x1 card occupies accessible 3.5" by and requires internal US 2.0 interface, front connector USB 3.0. Form CF (.C.F. II. BMM.D. SM, SD, Mm. SD, CF CF SD HC, MMC, RS-MMC, MMC micro, MD Cmobile, MS, MS Pro Ms, Bro Ms, SP Fo Duo, Mcro, x0-Picture Card H type	ats: SD, MS																×		x	x	x	x	x	x \$26361	-F3077-L15	33,00	
Blu-ray Triple Writer	bay module, BD read/write + DVD read/write CD read/write	+	+	Н	х	+	+	+	Н	H	\dashv	+	+	+	Н	+	+	+	+		Н		+	\forall	S26391	-F515-L100	133,00	
DVD Super multi (reader/writer)	CD I GRUWING	\pm		H	х	#	+		Н	H	_	#	+		Н	\pm	+	+			Н		#	4		-F515-L200	77,00	
Weight saver for modular bay Blu-ray burner		\pm		Н			x		Ħ	H		#			Н	\pm	+				Н				S26391	-F777-L300 -F894-L200	17,00	
2nd HDD bay module (without H weight saver				Н	x	X	+		Н	H		#	+		Н	#	\pm				Н				S26391	-F984-L600 -F440-L300	33,00 17,00	
DVD SATA	occupies accessible 5,25"- bay, without DVE video playback software							×	x	Ш	x	х	Ţ,	×	×			×								-F3418-L510	33,00	
DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burnin software included (without DVD-video playba software)							×	х		х	х		х		I		×								-F3420-L510	44,00	
Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD				_			X	х		х	-		X				×					- 7	- 7	000004	-F3523-L510	267,00)



	S Accessories				Т	Т	Т		Т	Т	Т	Т	Т	Т	Т	Т	П		Т	Т	Т	Т	П		П	П	. [
			CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIOS H710	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	IUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V840	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	N210	CELSIUS W510 POWER	et Code	€	ents
gory	Description	Details	CELS	CELS	CELS	CELS		SELS CELS	CELS	CELS	SES	CELS	CELS	CELS	CELS	CELS	CELS	CELS	CELS	SELS SELS	CELS	CELS	CELS	CELS	CELS	CELSIUS \	CELS	Product	EUP (Comments
	& services matrix Media Drives (Continued)																													
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	Т	×	:	х	x	х	х	x	x S	S26361-F3077-L5	22,00	
		MD, SM, SD, Mini SD, Micro SD, SD HC, MMC,																												
		RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-																												
		Picture Card, xD-Picture Card M type, xD- Picture Card H type																												
		ricture Card in type																												
			Ш	_	4	4	4	\perp	\perp	\perp	4	\perp	\perp	\perp	4	\perp		Ш	4	4	\perp	\perp		Ш	4	4	4			
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM							×	×	×	×	x		×	×	x										٤	S26361-F3077-L4	28,00	
		MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS																												
		Pro, MS Duo, MS Pro Duo, MS Micro, xD- Picture Card, xD-Picture Card M type, xD-																												
		Picture Card, xD-Picture Card M type, xD- Picture Card H type																												
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable								İ												х					5	S26361-F1723-L510	18,00	
	AS controller SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCle x4			-		Ţ	×		×	v .	x x	x		7				-			P				-		S26361-F3976-L1	133,00	
	SAS/SATA cable for RAID controller	for RAID controller D2616, plugs for 4x HDD,	П		\forall	\top	Ť	T	Ť	×	x /	<u> </u>	Î	t	$^{+}$	×		П	\top	$^{+}$	†	t		П	\exists	\forall		S26361-F2581-L47	18,00	
municati	ion/Network				4		4	4	4	Н	4	4	4	Н	4					4	4				4	4				
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash	П	П	Т	Т	Т	Т	Т	Т	Т	Т	т	Т	т	Т	П	П	Т	т	Т	Т	П	х	П	x	x S	S26361-F3067-L60	30,00	
		manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	П																											
			Ш				1		\perp	L					L	L	L	Ш			L	L		Ш		_				
	Dual 1 Gigabit Ethernet PCle x4 USB 3.0 PCle x1		Н	-	4	+	H	+	+		x	H	x		H	х	х	H	+	×	1	H	X	x	x	x		S26361-F3067-L80 S26361-F3050-L10	144,00 33,00	
	Gigabit Ethernet PCle x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express,	П				T	×	×	×		х			С	х	х	П	\top	x x		х	X		х	T	5	S26361-F3067-L30	28,00	
		autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile	П																											
	Dual 10 Gigabit Ethernet PCle x8	FTS D2755, without SFP+ modules	Ħ	#	#		#	\perp			x		X	İ		x	x	Ħ	#	\perp		F		Ħ		#	. 5	S26361-F3067-L70	377,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface						×	×	×	x '	x x	X	×	×	×	х			×	1	×	×	х	x	x	x S	S26361-F3108-L5	33,00	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11	П	\exists	\top		†	\top	T	Ť	T	T	T	T	Τ	T	Т	П	\top	×	×	х	х	П	х	\forall	5	S26361-F3088-L2	18,00	
		modem cable to be ordered separately, full height																												
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies	П		\top		т	\top	т	Ť	Т	т	Т	T	Т	Т		П	\top	т	×	х	х	П	х	\neg	5	S26361-F2542-L30	10,00	
	Parallel Interface	internal parallel interface and one slot 1x 25 Pin D-SUB parallel socket, occupies	Н	-	+	+	+	×	×	: x	x	×		+	×	+	\vdash	Н	+	×	+	+	Н	х	\dashv	х	x S	S26361-F2542-L34	10.00	
		internal parallel interface and one slot, full height						"				"			"					"										
	eSATA Interface	for eSATA peripherals, occupies one internal	Н	-	+	+	+	+	+	+	+	+	+	+	+	+	⊢	Н	+	+			X	Н	х	+		S26361-F2542-L40	10.00	
	esara iliteriace	SATA interface and one slot; low profile																			^	^	^		^		ľ	320301-1 2342-240	10,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal	Н	-	+	+	+	٠.	×	: x	+	×	x	+	٠.	x	x	Н	+	×		H	Н	х	-	x		S26361-F2542-L70	13.00	
	esara iliteriace i i i	SATA interface and one slot; full height						^	` ^	` ^	^	^	` ^		^	1	^			^				^		^	^	320301-1 2342-270	13,00	
	Dual serial card PCle x1	Dual Port RS232 via splitter cabel	Н	-	+	+	+	+	+	+	+	+	+	+	+	+	⊢	Н	-	+	+	+		х	-			S26361-F3316-L6	39,00	
	Dual serial card PCI	Dual Port RS232	Ш		士	土	Ι	×	×	: х	x	×	x	İ	×	х			士	x x		х	х	Ĥ	х		8	S26361-F3316-L4	30,00	
	Dual serial card PCle x1, powered FireWire PCl-Card IEEE1394	Dual Port RS232 via splitter cabel 400 Mbit/s, 3 external and 1 internal connectors	Н	-	+	+	+	+	+	+	١,	x x	x	+	+	+	\vdash	Н	+	×	×	x	Н	X		X X	x 5	S26361-F3316-L7 S26361-F3106-L520	45,00 28,00	
			Ш		ш		Ш	Ш	Ш	L	Ш	Ш	Ш	Ш	Ш	Ш				Ш	Ш	L				ш				
-Infrastr	Rack mounting kit CELSIUS				т	т	т	т	т	X	x		x		×	x	x		т		т	т				x	x S	S26361-F2581-L101	245,00	
Application	on-SW Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security			-					Ţ	-		-		-				-	-								S26361-F2010-L199	12,00	
		Trial 90 days				ľ	х :	х																					12,00	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security						×	×	×	x >	х	X	×	×	x	х		х	x x	×	х	х	х	х	×	x S	S26361-F2007-L909	22,00	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero Essentials S, Norton Internet Security	х	x	х	х	+	+	+	+	+	+	+	+	+	+	\vdash	Н	+	+	+	Н		Н	\dashv	+	5	S26361-F2007-L904	22,00	
			Ш		_		_	_	Ш	Ш	_	ш	ш	Ш	_	ш	ш			_	ш				ш	_				
	1st Battery E8410/ E8420 8-cell 75Wh		х		т	т	т	т	т	Т	т	т	т	Т	т				т	т	т	т				т	5	S26391-F405-L810	122,00	Phased out
	AC-Adapter 19V/100W 2nd battery		х		-	x	+	-	-	H	-	-	-	+	+			Н	-	-	+	Н		Н	-	-		S26391-F408-L300 S26391-F440-L200	44,00	Phased out
	External battery charger, incl. 16V AC	not fitting for main battery E8420			1	х	#												#								5	S26391-F458-L200	187,00	Phased out
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under "Miscellaneous"				x																					5	S26391-F519-L100	55,00	
	2ND BATTERY			х	х				İ	İ								Ħ	#	1				H				S26391-F746-L100		Phased out
	2nd battery External battery charger, incl. 16V AC		\vdash	-	+)	x :	x	+	+	+	+	+	+	+	+	\vdash	H	+	+	+	+	\vdash	Н	\dashv	+		S26391-F777-L200 S26391-F778-L400	144,00 187,00	
	2pin AC Adapter 19V/120W				7		х		F	T	Ŧ	Ŧ	F	F	T	F	F		7	\perp	F	F		П		7	5	S26391-F886-L700	66,00	
	AC Adapter 19V/210W Battery 8cell 5800mAh					,	x :	x x																Н				S26391-F896-L500 S26391-F896-L700	66,00 110,00	
rity	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o			Ţ		Ţ		T		Ŧ	P	P		T	П	П				У					Ţ	5	S26361-F1260-L520	28,00	
		SmartCard	Ш														L	Ш			Ļ	L		Ш						
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	Π	J	Ī				1	1								ΙТ		×	1	x	x	х	x	x	x S	S26361-F1260-L521	28,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o	П	\exists	\dagger	\top	\dagger	\top	×	×	x	х	x	T	x	×	х	П	\top		Ť	T	T	Н	\forall	\dagger	5	S26361-F1260-L522	28,00	
		SmartCard, CELSIUS M, R, V only																												
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check	×	\dashv	+	x	\dagger		t	t	†	†	†	t	†	†	t	Н	+	+	†	t		Н	\dashv	+	5	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	hint box / product description Single key licence, for more info please check	x	4	+	x	+	+	+	+	+	+	+	+	+	+	\vdash	H	+	+	+	+	\vdash	Н	+	+		S26361-F2009-L102	29,00	
		hint box / product description	Ш														L	Ш				L		Ш						
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	×		T	x	Γ				Г								T	Г			1		T	T	5	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check	×	\dashv	+	х	$^{+}$	+	†	†	†	†	†	t	†	†	t	\Box	+	+	†	t	\vdash	Н	\dashv	+	5	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	hint box / product description Single key licence, for more info please check	x	-	+	x	+	+	+	+	+	+	+	+	+	+	\vdash	\vdash	+	+	+	+	\vdash	Н	4	+	-	S26361-F2009-L105	46,00	
		hint box / product description															L	Ш				L	L							
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	×	П	T	x	T	T	Г	Т	Т	Т	Г	Г	Т				T	Т	Г	Г			T	T	5	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check	×	+	+	x	+	+	+	+	+	+	+	+	+	+	\vdash	\vdash	+	+	+	+	\vdash	Н	\dashv	+	5	S26361-F2009-L107	35,00	
		hint box / product description	Ш	4	4	_	4	4	\perp	1	1	1	1	1	1	1	L	Ш	4	\perp	\perp	₽	L	Ц	4	4				
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	×			×																					5	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check	×	\exists	\top	x	†	\top	T	Ť	T	T	T	T	Ť	T	T	П	\top	\top	T	T	T	П	T	\forall	8	S26361-F2009-L109	78,00	
	ATP, Data Protection, PE, Abo. 1Y.	hint box / product description Single key licence, for more info please check	\vdash	-	+	x	+	+	+	+	+	+	+	+	+	+	H	H	+	+	+	+	\vdash	Н	\dashv	+	-	S26361-F2009-L113	48,00	
		hint box / product description	П						L						L		L	Ш				L		Ш						
									_	-	_		_	1		T			T	T	T					T	5	S26361-F2009-L114	77,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check	П			x																			- 1					
		Single key licence, for more info please check hint box / product description Single key licence, for more info please check	H	4	4	x	+	+	H	+	+	+	+	+	+	H	H	Н	+	+	+	H	H	Н	+	+	5	S26361-F2009-L115	94,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				_																							94,00	



S Accessories					T	T								T					T		П	П			~			
		CELSIUS H250	CELSIUS H265	SIUS H270	CELSIUS H700	SILIS HOTO	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V840	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	SIUS W510 POWER	oduct Code	€).	Comments
Description & services matrix	Details	핅	병	벙	평 년	1 0	9 9	핌	병	핑	병	평	g g	1 H	핌	뜅	병	3 3	1 8	l H	GEL	SEL S	핌	딤	GEL	Proc	E.	l l
ontinued) ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check				x		Ţ					Ţ	Ţ					Ţ	Ţ							S26361-F2009-L117	88,0	n
ATP, ComputraceOne, Abo. 3Y.	hint box / product description Single key licence, for more info please check	L	Ш	4	х	4	+	L	Ш	Ц	4	4	4	+	L	Ш	4	4	+	L	L	L	L			S26361-F2009-L118	116.0	
	hint box / product description		Ш						Ш							Ш						L						
Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			х																					S26361-F2009-L201	19,0	0
Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info	x	Н	+	х	+	+	╁	Н	Н	+	+	+	+	+	Н	+	+	+	+	╁	⊬	H	H	Н	S26361-F2009-L202	29,0	0
	please check hint box / product description																											
Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	П	T	х	Ť	T	T	П	П	T	T	Ť	Ť	T	П	T	Ť	Ť	T	T	T	Т		П	S26361-F2009-L203	37,0	D
Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info		Ш	4	1	1		L	Ш			4	_	1		Ш		_	_	1		L			Ш	S26361-F2009-L204	30,0	
Data Protection, Abo. 11. Master	please check hint box / product description	×			x																					326361-F2009-L204	30,0	
Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info	×	H	+	x	+	+	+	Н	\dashv	+	+	+	+	+		+	+	+	+	+	H	H		Н	S26361-F2009-L205	46,0	0
	please check hint box / product description																											
Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	×	П	Т	х	Τ		Г				T	Τ	Τ				Τ	Τ	Т	Г	Г				S26361-F2009-L206	57,0	D
ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info	×	Н	4	x	+	+	H	Н	4	4	+	+	+	H	Н	4	+	+	+	H	L	L	L	Н	S26361-F2009-L207	35,0	n
	please check hint box / product description	^																									33,0	
ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info	×	H	†	х	†	+	\vdash	H	\forall	+	+	+	+	+	Н	+	+	+	$^{+}$	t	t			Н	S26361-F2009-L208	56,0	0
	please check hint box / product description		Ш						Ш							Ш						L	L					
ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	П	Ī	х					I	ľ						ľ									S26361-F2009-L209	78,0	0
ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info	\vdash	H	+	x	+	+	\vdash	Н	\dashv	+	+	+	+	+	Н	+	+	+	+	+	\vdash	H	H	Н	S26361-F2009-L213	48,0	0
,,	please check hint box / product description																										,0	
ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	T	H	\dagger	x	\dagger	†	†	H	\forall	+	\dagger	†	†	†	П	+	†	†	t	T	T	T		Н	S26361-F2009-L214	77,0	0
			Ш		1	1		L	Ш			4		L		Ш			1	L	L	L			Ш			
ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				х																					S26361-F2009-L215	94,0	0
ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info	H	H	+	x	+	+	╀	Н	\dashv	+	+	+	+	H	Н	+	+	+	+	+	H	H		Н	S26361-F2009-L217	88,0	D
	please check hint box / product description																											
ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	T	П	T	х	Ť	T	T	П	П	T	T	Ť	Ť	T	П	T	Ť	Ť	T	T	T	Т		П	S26361-F2009-L218	116,0	D
			Ш		1	1		L	Ш			4		L		Ш			1	L	L	L			Ш			
SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x																					S26361-F2432-L720	44,0	0
SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99	H	H	+	x	+	+	x	х	\dashv	х	x)	K X	x	Н	+	x x	ĸ	x	x	H	x		Н	S26361-F2727-L100	22,0	D
SmartCase Logon+ CD 1 license	licenses,, no software, no data medium Authentication, Passwordmgmt., SSO, Secure	H	Н	+	x	+	×	×	x	×	x	×	x >	x x	×	Н	×	x x		. x	×	H	x			S26361-F2727-L730	42,0	
	Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3						"	"							"						"							
			Ш	4	1	1		L	Ш			4	_	1		Ш		_	_	1		L			Ш			
RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		Ш	_		х :			Ш							Ш										S26381-F11-L100	38,0	
Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	×	x	×	X 3	к :	x x	×	x	x	х	x	x x	x x	×		x	x x	K X	×	×	x	x	x		S26381-F331-L220	25,0	
PalmSecure Mouse Login Kit	Palm Secure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scrill-wheel. Set contains also the palm guide, quick start guide, maunal and OmniPass login software CD. 1.5 m USB cable, brown box.				x	x :	x																			S26381-K435-L100	310,0	
us					÷	÷														÷						D00004 F0F40 000	10.0	
Locking HDD cage UMTS upgrade kit	inal Scanna for PAID 5		H	#	,	x	+		H			#	_	_	_			+		#	F	X	F	X		S26361-F2542-L332 S26391-F985-L120 S26361-F2691-L44	110,0	D
iButton for RAID 5 support Casters for CELSIUS M, R & V	incl. license for RAID 5 Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and		H	\dagger	$^{+}$	†	×	×	х	х	х	x	x x		x	Н	х	х	$^{+}$	\dagger	t	H	T	H		S26361-F2581-L44 S26361-F2581-L200	44,0 84,0	
Description 2.0 age	YBWM004000 (CELSIUS M440).	L	Ц	1	1	1	1	L	Ш	Ц	4	4	1	1	1	Ш	4	1	_	L	L	L	L	L	Ц	Poenes Fosso :		
Rear USB 2.0 connector Blanking Plate 5.25" drive bays, 10 pcs.	2x USB 2.0		H		+	+	+		H			\pm	+	+		H		2	K			x				S26361-F2438-L215 S26361-F2542-L326	9,0 14,0	D
Blanking Plate 5.25" drive bays, 10 pcs.	bleate O cate 4 C ::			i			÷					÷	+	÷				+	÷	X	X		X	×		S26361-F2542-L325	28,0	
power cable EU power cable UK	black, 2-pole, 1.8 m black, 2-pole, 1,8 m	x	H	\perp	x 2	к			H			\pm	#			H		#								T26139-Y2540-V113 T26139-Y2540-V213	16,0	0
power cable US Monitor outlet cable	black, 2-pole, 1,8 m necessary to contact monitor directly to the PC	×	H	+	x 3	X	+	+	Н	H	+	+	+	+	+	Н	+	+	×	: x	H	H	H			T26139-Y2540-V313 S26361-F2542-L57	17,0	
Cable for 2. USB device			Н	\pm	\pm	\pm	×	x	x	x	х	x	x x	ĸ x	x	Н	х	x x	k x	×	x	L	X	L		S26361-F2581-L10	13,0	
Cable Powercord (D), 1.8m	grey, 1,8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey,3 wire					1	x																			T26139-Y1740-V10	7,0	0
Cable Powercord (USA, Desktop),1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire		Н	\dagger	\dagger	1	x	\vdash	Н	\forall	\top	†	\dagger	†		П	\top	\dagger	†	t	†	T			Н	T26139-Y1741-V10	7,0	0
Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire	\vdash	H	+	+	+	x	+	H	\forall	+	+	+	+	+	Н	+	+	+	+	+	H	H		Н	T26139-Y1744-V10	7,0	0
Power cord three-wire EU	Power cord three-wire EU		х	x	,	x			Н			+	+					+		t					Н	S26361-F2581-L310	10,0	0
Presenter IV Air	2.4 GHz presener with laser pointer, mouse und	i x	x	х	x	Ţ									T								f			S26381-K440-L100	47,0	0
oftware	Gamepad function		Ц	J		ı														L	L		L	L				
OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD- ROM; Activation of file encryption, "crypto			T	T	T	T						T	T			x	x	T	Г	Г					U11081-C157	15,0	0
	module"; to openFT V8.0 and V8.1	L	Ц	4	1	1	1	1	Н	Ц	4	4	1	1	1	Ш			1	1	L	L	L	L	Ц	1H1001 C174	4 405 0	
ODENET ETAM 2 (MINIDOWE) VIII A	openFT - openFileTransfer; Right to Use for	1				1							-1				х	^								U11081-C171	1.125,0	
OPENFT-FTAM-2 (WINDOWS) V8.0	usage in automated unattended mode, für 1																											
OPENFT-FTAM-2 (WINDOWS) V8.0 OPENFT-FTAM-2-U (WINDOWS) V8.0	usage in automated unattended mode, für 1 system with 1 to 4 CPUs openFT-FTAM, Update Right to Use for usage in	1	H	+	+	+	+	H	H	\dashv	+	+	+	+	H	Н	х	x	+	+	╁		H		Н	U11081-C177	562,0	0
	usage in automated unattended mode, für 1 system with 1 to 4 CPUs	1		+		+											x	х								U11081-C177	562,0	0



S Accessories																												
		CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	JS W510	CELSIUS W510 POWER	oduct Code		ents
Description	Details	CELSII	CELSII	CELSIC	CELSIL	CELSIL	CELSII	CELSII	CELSII	CELSIL	CELSII	CELSII	CELSIL	CELSII	CELSII	CELSII	CELSII	CELSI		CELSII	CELSII	CELSII	CELSIL	CELSIUS V	CELSII	Produc	EUP (4)	Comments
& services matrix oftware (Continued)																												
OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1			T						T	T	T				П	х	х	Γ							U11081-C186	1.125,00	0
OPENFT-2-U (WINDOWS) V8.1	system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to Use		Н	+	+	+	┝	Н	Н	+	+	+	+	+	H	Н	х	x	+	+	+			Н	-	U11081-C192	451,00	0
	from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																											
OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																x	x								U11081-C199	15,00	0
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0		П														х	х		T						U11081-C201	30,00	0
OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1	П	П	T	T	T	Т		П	T	T	T	T	T		П	х	х	T	Ť	T					U11081-C202	1.225,00	0
	to 4 CPUs; required: U11081-C201																											
OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081- C201									T		T	T	T			×	х			T					U11081-C203	1.994,00	0
OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using	Н	Н	+	+	+	┝	Н	Н	+	+	+	+	+	H	Н	х	x	+	+	+			Н	-	U11081-C204	3.988,00	0
	in automated, unattended mode; system extendable up to 24 CPUs; required: U11081- C201																											
OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																х	x								U11081-C207	710,00	0
OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202			Ī		Ī						Ī					x	х								U11081-C212	1.225,00	D
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-		H	+	T	t					+	+				H	х	х								U11081-C213	1.994,00	0
OPENFT-FTAM-3 (WINDOWS) V10.0	C203 License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-		H	+	+	+				+	+		+			H	x	х								U11081-C214	3.988,00	0
	C204															Ш												
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081- C207																x	х								U11081-C217	710,00	0
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		×	x	x		×	x	×	х	x	х	x x	×	x	х	×	х	x >	×	×		x			U11081-C301	1.225,00	0
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	×	x	×		×	x	x	x	х	x	××	x	x	×	x	х	x >	×	×		x			U11081-C311	1.225,00	0
OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	×	×	×	x		×	x	x	x	х	x	x x	×	x	х	x	x	x >	c x	×		х			U11081-C321	500,00	0
OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU										T						х	x								U11081-C302	1.994,00	0
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																x	x								U11081-C312	1.994,00	
OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																x	x								U11081-C322	814,00	0
OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU												T				х	x								U11081-C303	3.988,00	0
OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system	П	H	\dagger	\dagger	+			H	\dagger	+	+	t	t	T	H	х	x	\dagger	\dagger	t	T				U11081-C313	3.988,00	0
OPENFT-FTP-3 (WINDOWS) V11.0	extendable up to 24 CPU License openFT-FTP (WINDOWS) V11.0; for	H	Н	+	+	+	\vdash	Н	\dashv	+	+	+	+	+	\vdash	Н	x	x	+	+	+	\vdash	H	H		U11081-C323	1.628,00	0
	using in automated, unattended mode; system extendable up to 24 CPU		Ш													Ш												
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0		x				x	x					x x						x >		×		х			U11081-C300	30,00	
OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	х		x	×	х	х	x	х	x x	x	x	x	х	x	x)	×	x		x			U11081-C299	15,00	
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		×	х			×	х	x	x	х	x	××	×	х	П	x	х	x >	c x	×		х			U10987-C501	1.225,00	
OPENET-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs												××						x >				x			U10987-C513	1.225,00	
OPENET - (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	×	x			×	x	x	х	x	х	x x	×	x	Ц			x >	×	×		x			U10987-C525	500,00	
OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															Ш	x									U10987-C502	1.994,00	
OPENET-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU								Ц							Ц	x									U10987-C514	1.994,00	
OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																x	x								U10987-C526	814,00	
OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																x									U10987-C503	3.988,00	
OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU		Ц													Ц		x					L			U10987-C515	3.988,00	
OPENET 4 (INIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU		Ц						Ц							Ц	x									U10987-C527	1.628,00	
OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																x	x								U10987-C504	4.618,00	J



_																													
CELSIU	S Accessories																												
Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS RO/0-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510 POWER	Product Code	EUP (6	Comments
	& services matrix																												
Additional S	oftware (Continued)																												
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																×	х							U	10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																x	x							U	10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																×	х							U	10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	П		T		T			П					T	Ť		x	x						Ī	U	10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT- SW V11.0	×	×	x		T	×	x	x	х	х	х	x	x	х	×	х	x	x	x	х	х	T	х	U	10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	×	x			×	x	x	x	х	х	x	×	x	x	x	×	x	x	x	х		х	U	10987-C499	15,00	

Fujitsu Technology Solutions

Listino Prezzi Ottobre 2011



LOIU	S Options												
			710	910	470-2	570-2	370-2	410	510	CELSIUS W510 POWER	a		
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	SIUS W	Product Code	©	Comments
egory	Description	Details	E	딤	핑	핑	핑	E	팅	빙	Pro	E E	Con
ns matr													
Display	y 39,6 cm (15.6") HD+ magnesium LED		х					Т			S26391-F890-E100	78,00)
	39,6 cm (15.6") FHD magnesium LED		х					†			S26391-F890-E200	134,00	
	43,9 cm (17.3") FHD LED			х							S26391-F890-E500	150,00	
ovals/c	dependencies												
	GS approval	non glossy front bezel to fulfill GS approval			х	х	х				S26361-F2555-E200	3,00	
	Blauer Engel (Blue Angel)	ENERGY OF THE PROPERTY OF THE			Х	-	-	+	-	-	S26361-F2550-E100	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.			x						S26361-F2600-E110	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.				x					S26361-F2600-E120	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.					х				S26361-F2600-E130	3,00	
ssor													
	Intel Core i7-2640M 2.8GHz 4MB		х	х							S26391-F981-E264	400,00	
	Intel Core i7-2620M 2.7GHz 4MB	2.70 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, TXT	х	х							S26391-F981-E262	400,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT	х	х							S26391-F981-E254	287,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT	х	х							S26391-F981-E252	262,00	
	Intel Core i7-2720QM 2.2GHz 6MB	2.20 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT	х	х							S26391-F981-E272	410,00	
	Intel Core i7-2760QM 2.4GHz 6MB	2.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT,	х	х							S26391-F981-E276	410,00	
	Intel Core i7-2820QM 2.3GHz 8MB Intel Core i7-2860QM 2.5GHz 8MB	2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT	X	X				L			S26391-F981-E282 S26391-F981-E286	557,00	
	Intel Core i7-2900QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT, 2.50 GHz, 8 MB total cache, quad core/8	х	x				L			S26391-F981-E290	557,00 967,00	
	Intel Core i7-2960XM 2.7GHz 8MB	threads, technologies: VT-x, TXT 2.70 GHz, 8 MB total cache, quad core/8		x							S26391-F981-E296		Orderable from: 15/10/2
	Celeron G530	threads, technologies: VT-x, TXT, 2.40 GHz, 2 MB total cache, dual core/2					-	×			S26361-F4020-E530	38,00	
	Pentium G620	threads, LGA1155, technologies: VT-x, 2.60 GHz, 3 MB total cache, dual core/2					-	×	\perp	H	S26361-F4050-E620	70,00	
	Pentium G840	threads, technologies: VT-x incl. Intel HD Graphics, 2.80 GHz, 3 MB total					+	X			S26361-F4050-E840	80,00	
		cache, dual core/2 threads, LGA1155, technologies: VT-x											
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x						X	x	x	S26361-F4493-E210	144,00	
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,						х	х	x	S26361-F4493-E212	144,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT						х			S26361-F4494-E240	233,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT						х			S26361-F4494-E250	255,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT						×			S26361-F4495-E260	355,00	
	Xeon E3-1220 3.10GHz 8MB Turbo Boost	3.10 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT						T	х	x	S26361-F4498-E220	233,00	
	Xeon E3-1225 3.10GHz 6MB Turbo Boost	incl. Intel HD Graphics P3000, 3.10 GHz, 6 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT							х	x	S26361-F4497-E225	238,00	
	Xeon E3-1230 3.20GHz 8MB Turbo Boost	3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT							х	x	S26361-F4498-E230	266,00	
	Xeon E3-1235 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT							х	x	S26361-F4497-E235	277,00	
					-	-	-	_		_	S26361-F4498-E240	288,00	



JS Options										1		
		CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (@)	Comments
Description trix	Details	쁑	쁑	8	8	8	쁑	쁑	뜅	Ę	<u> </u>	ပိ
(Continued)												
Xeon E3-1245 3.30GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.30 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT							х	х	S26361-F4497-E245	299,00	
Xeon E3-1270 3.40GHz 8MB Turbo Boost	3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT							х	х	S26361-F4498-E270	377,00	
Xeon E3-1275 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT							х	х	S26361-F4497-E275	399,00	
Xeon E3-1280 3.50GHz 8MB Turbo Boost	3.50 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT	H						х	х	S26361-F4498-E280	699,00	
Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			х	х	х				S26361-F3612-E309	522,00	
2nd Xeon L5609	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				х	х				S26361-F3613-E309	522,00	
Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			х	х	х				S26361-F3612-E330	655,00	
2nd Xeon L5630	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores					х				S26361-F3613-E330	655,00	
Xeon L5640 2.26 GHz, 12 MB Turbo Boost, 2nd Xeon L5640	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores 2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s	L		х	X	x				S26361-F3612-E340 S26361-F3613-E340	1.110,00	
Xeon E5603 1.60GHz 8MB	QPI, 6 cores 1.60 GHz, 8 MB cache, 4 cores/4 threads	L		x		×				S26361-F3539-E113	244,00	
2nd Xeon E5603	1.60 GHz, 8 MB cache, 4 cores/4 threads				х					S26361-F3540-E113	244,00	
Xeon E5606 2.13GHz 8MB	2.13 GHz, 8 MB cache, 4 cores/4 threads			х						S26361-F3539-E116	288,00	
2nd Xeon E5606 Xeon E5607 2.26GHz 8MB	2.13 GHz, 8 MB cache, 4 cores/4 threads 2.26 GHz, 8 MB cache, 4 cores/4 threads				X					S26361-F3540-E116	288,00 355,00	
2nd Xeon E5607	2.26 GHz, 8 MB cache, 4 cores/4 threads			Х	X	X				S26361-F3539-E117 S26361-F3540-E117	355,00	
Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			х	х	х				S26361-F3612-E220	466,00	
2nd Xeon E5620	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores					х				S26361-F3613-E220	466,00	
Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	L		х	X	X				S26361-F3612-E230	655,00	
2nd Xeon E5630 Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores 2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s			x	x	x				S26361-F3613-E230 S26361-F3612-E240	655,00 910,00	
2nd Xeon E5640	QPI, 4 cores 2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s				x	х				S26361-F3613-E240	910,00	
Xeon E5645 2.40GHz 12MB Turbo Boost	QPI, 4 cores 2.40 GHz, 12 MB Turbo Boost, 6 cores/12	H		х	х	х				S26361-F3612-E245	655,00	
2nd Xeon E5645	threads 2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads				х	х				S26361-F3613-E245	655,00	
Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads	H		х		х				S26361-F3612-E247	910,00	
2nd Xeon X5647	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads					х				S26361-F3613-E247	910,00	
Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads			х	х	х				S26361-F3612-E249	910,00	
2nd Xeon E5649	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads				х	х				S26361-F3613-E249	910,00	
Xeon X5650 2.66 GHz, 12 MB Turbo Boost, 2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores 2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,	L		х		x				\$26361-F3612-E950 \$26361-F3613-E950	1.110,00	
Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores 2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,	L		x		X				S26361-F3612-E960	1.344,00	
2nd Xeon X5660	6 cores 2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,	H		_		x				S26361-F3613-E960	1.344,00	
Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	6 cores 3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,	H		х		х				S26361-F3612-E967	1.566,00	
2nd Xeon X5667	4 cores 3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores			H	х	х				S26361-F3613-E967	1.566,00	
Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	H		х	х	х				S26361-F3612-E970	1.566,00	
2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	T			х	х				S26361-F3613-E970	1.566,00	
Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads			х	х	х				S26361-F3612-E972	1.566,00	
2nd Xeon X5672	3.20 GHz, 12 MB Turbo Boost, 4 cores/8				х	х				S26361-F3613-E972	1.566,00	



	IS Options												
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP(@)	Comments
	Description	Details	S	ä	ä	핑	ä	ö	ö	핑	Pro	<u> </u>	Ö
ons mat	(Continued)												
.03301	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12			х	х	х				S26361-F3612-E975	1.566,00	
		threads											
	2nd Xeon X5675	3.06 GHz, 12 MB Turbo Boost, 6 cores/12				х	х				S26361-F3613-E975	1.566,00	
		threads											
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,			х		х				S26361-F3612-E977	1.955,00	
	2nd Xeon X5677	4 cores				_					000004 F0040 F077	4.055.00	
	2nd Xeon X56//	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores					х				S26361-F3613-E977	1.955,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,			х		х		Н		S26361-F3612-E980	1.955,00	
	,	6 cores										,	
	2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI,					х				S26361-F3613-E980	1.955,00	
		6 cores											
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8			х		х				S26361-F3612-E987	1.955,00	
	2-1 V VEC07	threads	-	-	Н	-		-	Ш		C0C0C4 F0040 F007	4.055.00	
	2nd Xeon X5687	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads					х				S26361-F3613-E987	1.955,00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12			х	-	х		Н		S26361-F3612-E990	1.955,00	
	1	threads					^						
	2nd Xeon X5690	3.46 GHz, 12 MB Turbo Boost, 6 cores/12					х				S26361-F3613-E990	1.955,00	
		threads											
	Xeon W3503 2.40GHz 4MB	4.8 GT/s QPI, 2 cores			х				ш	_	S26361-F3541-E103	244,00	
	Xeon W3505 2.53GHz 4MB XEON W3520 2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 2 cores 4.8 GT/s QPI, 4 cores			X	-			Н		S26361-F3541-E105 S26361-F3541-E320	288,00 366,00	
	Xeon W3520 2.80 GHz, 8 MB Turbo Boost,	2.80 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4			X				Н		S26361-F3541-E320	366,00	
	Account to cook 2.00 Grap of this Turbo Books,	cores			^						020001100112000	000,00	
	Xeon W3550 3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			х						S26361-F3541-E350	366,00	
	Xeon W3565 3.20 GHz, 8 MB Turbo Boost,	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4			х						S26361-F3541-E365	366,00	
		cores											
	Xeon W3670 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4.8 GT/s QPI, 6 cores			х						S26361-F3614-E570	977,00	
	Xeon W3690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12			х	-					S26361-F3614-E590	1.188,00	
	7.001 W 0000 0.40012 12WD 10100 B0001	threads			^						02000110014 2000	1.100,00	
nory													
	8GB DDR3-1333 ECC	1 module, same number of modules for each			х				х	х	S26361-F3379-E4	733,00	
		processor necessary											
	2GB DDR3-1333 PC3-10600 2GB DDR3-1333 PC3-10600		Х	X		-			Н		S26391-F892-E200 S26391-F892-E210	23,00 23,00	
	4GB DDR3-1333 PC3-10600		х	X							S26391-F892-E210	45,00	
	4GB DDR3-1333 PC3-10600			х							S26391-F892-E410	45,00	
	8GB DDR3-1333 PC3-10600		х	х							S26391-F892-E800	500,00	
	8GB DDR3-1333 PC3-10600			Х							S26391-F892-E810	500,00	
	2GB DDR3-1333 4GB DDR3-1333	1 module PC 1333, DIMM 1 module PC 1333, DIMM				-		X			S26361-F3378-E2 S26361-F3378-E3	23,00 45,00	
	1GB DDR3-1333	1 module			х	х	х	^	^	^	S26361-F3375-E403	23,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each			х	х	х				S26361-F3377-E413	38,00	
		processor necessary											
	2GB DDR3-1333 ECC	1 module, same number of modules for each			х	х	х				S26361-F3377-E414	53,00	
	100 DDD0 1000 500	processor necessary			Ш	_			Ш		000004 ===== = ::	400	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary			х	х	х				S26361-F3377-E415	122,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each			Н	-			х	×	S26361-F3379-E2	53,00	
		processor necessary							^	^		30,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each							х	х	S26361-F3379-E3	122,00	
		processor necessary											
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each				х	х				S26361-F3377-E424	68,00	
	100 0000 000	processor necessary			Ш	_			Ш				
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary				х	х				S26361-F3377-E425	133,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each			\vdash	х	х		Н		S26361-F3377-E426	277,00	
	000 DDR0-1000 Ig E00	processor necessary				^	^				020001-10011-E420	211,00	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each			Н	х	х		Н		S26361-F3374-E427	777,00	
		processor necessary											
hics													
	NVIDIA Quadro 3000M			х	Н	-			Ш		S26391-F891-E300	599,00	
	NVIDIA Quadro 4000M NVIDIA Quadro 5010M			X	Н	-			Н		S26391-F891-E400 S26391-F891-E500	1.088,00	
	NVIDIA Quadro NVS 300 512MB PCle x16	Connectors: 1x LFH 59, PCIe x16, adapters		Ĥ	х	х	х	х	х	х	S26361-F2748-E38	84,00	
		and cables must be ordered separately				ľ	'	`				,,,,,,	
							_	_	-				
	NVIDIA Quadro NVS 295 256MB PCle x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o			х	х	х				S26361-F2748-E235	84,00	



IUS Options												
		CELSIUS H710	CELSIUS H910	IUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	(p	Comments
/ Description	Details	핅	Ä	CELSIUS	Ä	핅	ES	핅	Ä	rodi	EUP (€)	IIII OC
natrix	John				_					<u> </u>		
2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o			x	x	x				S26361-F2748-E135	84,00	
NVIDIA Quadro NVS 295 256MB PCle x16	adapters Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters			х	x	x				S26361-F2748-E236	84,00	
NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters			х	х	x	х	x	х	S26361-F2748-E245	377,00	
No Energy Star + Blue Angel approval							х	х	х	S26361-F2550-E110	3,00	
NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters			x	х	X				S26361-F2856-E38	110,00	Phased out
NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters			х	х	х	х	х	х	S26361-F2856-E41	92,00	
NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters			х	х	х	х	х	х	S26361-F2856-E61	155,00	
NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP;			х	х	х	х	х	х	S26361-F2856-E201	455,00	
NVIDIA Quadro 2000D 1GB	PCIe x16; w/o adapters Connectors: 2x DVI-I dual link, PCIe x16, w/o			х	х	х	x	х	х	S26361-F2856-E202	455,00	
NVIDIA Quadro 4000 2GB	adapters, Connectors: 1x DVI-I dual link and 2x DP;	H	_	х	х	x	H	\vdash	x	S26361-F2856-E401	710,00	
NVIDIA Quadro 5000 2.5GB	PCIe x16; w/o adapters Connectors: 1x DVI-I dual link and 2x DP,									S26361-F2856-E501	1.610,00	
	stereo; 1x DVI/VGA-adapter; PCIe x16			х								
Second NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16			х	х	х				S26361-F2856-E502	1.610,00	
NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16			х	х	х				S26361-F2856-E258	2.655,00	Phased out
Second NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16			х	х	х				S26361-F2856-E158	2.655,00	Phased out
NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16			х	х	х	t			S26361-F2856-E601	3.510,00	
Second NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP,			х	х	х	H			S26361-F2856-E602	3.510,00	
ATI FirePro V3800 512 MB	stereo, 2x DVI/VGA-adapter, PCle x16 Connectors: 1x DVI-I dual link, 1x DP; PCle			х	х	х	х	х	х	S26361-F2530-E380	86,00	
ATI FirePro V4800 1 GB	x16; w/o adapters Connectors: 1x DVI-I dual link, 2x DP; PCIe		_	х	х	х	х	X	х	S26361-F2530-E480	177,00	
ATI FirePro V5800 1 GB	x16; w/o adapters Connectors: 1x DVI-I dual link, 2x DP; PCIe			х	х	X	X	X	x	S26361-F2530-E580	388,00	
ATI FirePro V5900 2 GB	x16; w/o adapters Connectors: 1x DVI-I dual link and 2x DP,			x	х	x	х	x	v	S26361-F2530-E590	422.00	Orderable from: 12/12/
	PCIe x16, w/o adapters,						^	*			, , ,	
ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP,, PCIe x16, w/o adapters			х	Х	х			х	S26361-F2530-E780	666,00	
ATI FirePro V7900 2 GB	Connectors: 4 x DP, PCle x16, w/o adapters,			х	х	х			х	S26361-F2530-E790	733,00	
CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1			х	х	х		х	х	S26361-F3565-E1	295,00	
NVIDIA Tesla C2070 Computing-Processor Second NVIDIA Tesla C2070	Connectors: 1x DVI-I, PCIe x16			X						S26361-F2856-E207		
	Computing-Processor, Connectors: 1x DVI-I, PCIe x16			х	х					S26361-F2856-E208	,	
NVIDIA Tesla C2075 Computing-Processor Zweite NVIDIA Tesla C2075	Connectors: 1x DVI-I, PCle x16,		_	X	X		H			S26361-F2856-E209 S26361-F2856-E998		
Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			х	х	х				S26361-F2391-E200	17,00	
DVI/VGA Adapter	for connection of one VGA-monitor		-	X	X					S26361-F2391-E1	6,00	
LFH59/ 2x DVI-I adapter cable LFH59/ 2x DP adapter cable	for connection of two DVI-I monitors for connection of two Display Port monitors			x	x	x	x	-		S26361-F2391-E101 S26361-F2391-E102	17,00 19,00	
SLI bridge for NVIDIA graphics					х	х				S26361-F2542-E95	44,00	
No graphics	Attention: System has got no functional graphics.			х	х	х				S26361-F2748-E999	39,00	
No graphics card								x	х	S26361-F2748-E998	10,00	
ble Media Drives Cable for 2nd ODD										S26361-F2581-E23	4,00	
Cable for 2nd ODD		Н					X	х	¥	S26361-F2581-E24	4,00	
DVD-RW Dual Double Layer Super Multi			х			+		<u> </u>	Ĥ	S26391-F894-E100	39,00	
Blu-ray burner /w Playback Software			x							S26391-F894-E200	217,00	
Weight saver for modular bay		х	Ė			Т	Т			S26391-F984-E400	4,00	
DVD Super Multi (reader/writer)	Nero on driver DVD	х								S26391-F984-E100	39,00	
Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software	х								S26391-F984-E200	217,00	
2nd Battery 6cell 41Wh (3,800mAh)	Nero on driver DVD	х								S26391-F984-E500	122,00	
				_								
DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately						X	Х	х	S26361-F3418-E510	17,00	



SIUS	S Options												
	Description	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (@	Comments
matri	x Media Drives (Continued)												
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately						x	x		S26361-F3420-E510	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately						x	х	x	S26361-F3523-E510	166,00	
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately			х	х	×				S26361-F3418-E530	17,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			х	х	X				S26361-F3420-E530	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately			х	х	х				S26361-F3523-E530	166,00	
	Cable for ODD				х	х					S26361-F2581-E21	4,00	
	Cable for ODD					Е	х	-			S26361-F2581-E22	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5*	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	X	S26361-F3077-E5	10,00	
	MCR 20in1 + USB 3.0 front con., 3.5*	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	x	S26361-F3077-E15	14,00	
•	MultiCard Reader 20in1 USB 2.0 5.25°	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x	x	x				S26361-F3077-E4	15,00	
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x	x	x				S26361-F3077-E14	18,00	
sks	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very				v	×				S26361-F3680-E128	288,00	
	SSD SATA III 1200D High speed	fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support			X	×	^				320301-1 3000-E 120	200,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support						×			S26361-F3681-E128	288,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support							х	х	S26361-F3682-E128	288,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x	x	S26361-F3683-E128	288,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			х	х	×				S26361-F3680-E256	455,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support						х			S26361-F3681-E256	455,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							х	x	S26361-F3682-E256	455,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							х	х	S26361-F3683-E256	455,00	



S Options												
		CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	(b)	Comments
Description	Details	E	CEL	CEL	E.	E	E.	E.	GEL	Prod	EUP (€)	Com
rix												
(Continued) SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid			х	х	х				S26361-F3680-E512	910,00	
	state drive with SATA 6GB/s interface, , no WinXP support											
SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support						x			S26361-F3681-E512	910,00	
SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							х	x	S26361-F3682-E512	910,00	
2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							х	x	S26361-F3683-E512	910,00	
SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support			х	х	х				S26361-F3575-E100	299,00	
SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support						х			S26361-F3639-E100	299,00	
SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							х	х	S26361-F3662-E128	299,00	
2nd SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							х	х	S26361-F3663-E128	299,00	
SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support			х	х	х				S26361-F3576-E100	477,00	
SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support						х			S26361-F3642-E100	477,00	
SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							х	х	S26361-F3662-E256	477,00	
2nd SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support							х	x	S26361-F3663-E256	477,00	
HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal)						х	х	х	S26361-F3660-E320	39,00	
HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal)						х			S26361-F3660-E500	47,00	
HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal)	-				-	X	Х	Х	S26361-F3660-E100	84,00	
HDD SATA 320GB 5.4k HDD SATA 320GB 5.4k XP optimized		X	X			+		+		S26391-F893-E320 S26391-F893-E321	122,00 133,00	
HDD SATA 320GB 5.4k FDE	Not for China!,	X	X							S26391-F893-E328	155,00	
HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology						х			S26361-F3640-E100	44,00	
HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology						х			S26361-F3661-E160	44,00	
HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology							х	x	S26361-F3664-E160	44,00	
2nd HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology							x	x	S26361-F3665-E160	44,00	
HDD SATA 500GB 7.2k		Х								S26391-F893-E507	177,00	
2x HDD SATA 750GB 7.2k		u	X		H	-	\vdash	+	-	S26391-F893-E509	333,00	
HDD SATA 750GB 7.2k 2x HDD SATA 750GB 7.2k		Х	X		\vdash	+	\vdash	+	\vdash	S26391-F893-E757 S26391-F893-E759	222,00 378,00	
HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal)	+		х	х	+				S26361-F3570-E100	39,00	
HDD SATA II 500GB 7.2k	occupies 3,5 "-bay (internal)			X	X	_				S26361-F3435-E100	47,00	
HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal)			х	х					S26361-F3568-E100	77,00	
HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology			х	х	х				S26361-F3212-E30	37,00	
HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology			x	х	x	х	x	х	S26361-F3497-E100	73,00	
						_	-	_	_			



	S Options												
										~			
										POWER			
					١					ŏ			
			0		CELSIUS M470-2	CELSIUS R570-2	R670-2	_	•		_		
			CELSIUS H710	CELSIUS H910	4	22	292	CELSIUS W410	CELSIUS W510	CELSIUS W510	Product Code		
			Š	ŝ	S	S	S	8	S	S	ŭ		Comments
			⊒	∣≅	≅	≅	CELSIUS	≅	∺	≅	lict	EUP (€)	E E
			1 22	121	12	12	<u> </u>	<u> </u>	<u> </u>	12	8	₫.	Ę
	Description	Details	ö	ö	ö	2	ö	ö	ö	2	ď.	ᇳ	ပိ
ns mati	rix												
Disks	(Continued)												
	HDD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports			х	х	х	х	х	х	S26361-F3521-E100	139,00	
		NCQ and 6GB/s, compatible to SATA											
		technology											
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal)					х				S26361-F3705-E100	77,00	
	HDD SATAII 2000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ			х	х	х	х	х	х	S26361-F3590-E100	255,00	
		and 3GB/s, compatible to SATA technology											
		-											
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ	-		х	х	х	-		-	S26361-F3526-E10	112.00	Phased out
	TIDD SATA II 130GB TOK	and 3GB/s, compatible to SATA technology			^	^	^				320301-1 3320-L 10	112,00	r nased out
		and 3GB/s, compatible to SATA technology											
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports			х	х	х	х	х	х	S26361-F3527-E10	195,00	
		NCQ and 6GB/s, compatible to SATA											
		technology											
	HDD SATA III 600GB 10k	occupies 3,5"-bay (internal), supports NCQ			х	х	х	х	х	x	S26361-F3632-E100	273,00	
		and 6GB/s, compatible to SATA technology										.,	
		, ,											
	LIDD CAC 200CB 451	and the second of the second o	-		-	-	-	-		-	C0C0C4 F0444 F0*	404.00	
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal)	-		X	X		-		-	S26361-F3414-E20	184,00	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal)	-	-	Х	Х	Х	<u> </u>		<u> </u>	S26361-F3518-E20	223,00	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal)			Х	х	Х			_	S26361-F3591-E100	417,00	
	SSD 20GB(Intel Smart Response)/HDD 500GB			х							S26391-F893-E815	333,00	
	SSD SATA 128GB FDE	Not for China!,	х	х							S26391-F893-E820	444,00	
	SSD 128/HDD 500GB			х							S26391-F893-E825	555,00	
	SSD highspeed 128/HDD 500GB			х							S26391-F893-E826	555,00	Orderable from: 30/11/20
	SSD SATA 256GB FDE	Not for China!, ,	х	х							S26391-F893-E830	877,00	
	SSD SATA 512GB (FDE)	Not for China!, ,	х	х							S26391-F893-E840	1.322,00	
	2x SSD SATA 512GB (FDE)		\Box	х							S26391-F893-E849	2.755,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive	\Box		х	х	х				S26361-F2581-E31	3,00	
												.,	
	Cable for SATA HDD		-	-			-				S26361-F2581-E35	3,00	
	Cable for SAS HDD		-			-		Х		-	S26361-F2581-E41	3,00	
			-	-		<u> </u>	X	-		<u> </u>			
	Cable for SSD HDD		-	-		<u> </u>	Х	-			S26361-F2581-E42	3,00	
	Kabel für 2x HDD		-	-	-	<u> </u>	<u> </u>	<u> </u>	Х		S26361-F4030-E2	7,00	
	Rails for 2x HDD 3.5"		-		-	_	_	_	Х		S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5"					_	_	_	Х	Х	S26361-F4030-E40	4,00	
RAID/S	SAS controller												
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4			X	Х					S26361-F3976-E1	95,00	
nunica	ation/Network												
	Dual 1 Gigabit Ethernet PCIe x4				Х		Х			_	S26361-F3067-E80	110,00	
	USB 3.0 PCle x1		_		Х	х	Х		Х		S26361-F3050-E10	28,00	
	Gigabit Ethernet PCle x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash						х	х	х	S26361-F3067-E60	17,00	
		manageability for AMD platforms, RJ45, WoL,											
		autodetect, PXE Boot, PCI Express 2.0											
	No UMTS + No UMTS Antenna			-	-	-	-	-		-	S26391-F895-E110	10,00	
			v										
		Not for Chinal	X			_		_		-	\$26301-E805-E120	12.00	
	No UMTS + UMTS Antenna	Not for China!,	х								S26391-F895-E120	12,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000	Not for China!,	x								S26391-F895-E125	88,00	
	No UMTS + UMTS Antenna	Not for China!, for China please use S26391-F895-E135 No	х										
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China)	Not for China!,	X X								S26391-F895-E125 S26391-F895-E130	88,00 10,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Cobi 3000 Modem module (NOT for China) No Modem	Not for China!, for China please use S26391-F895-E135 No	x x x								S26391-F895-E125 S26391-F895-E130 S26391-F895-E135	88,00 10,00 2,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN	Not for China!, for China please use S26391-F895-E135 No	x x x	x							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210	88,00 10,00 2,00 2,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg\(\text{in}\) (WW)	Not for China!, for China please use S26391-F895-E135 No	x x x	х							S26391-F895-E125 S26391-F895-E130 S26391-F895-E135 S26391-F955-E210 S26391-F955-E230	88,00 10,00 2,00 2,00 10,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW)	Not for China!, for China please use S26391-F895-E135 No	x x x	х							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210	88,00 10,00 2,00 2,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg\(\text{in}\) (WW)	Not for China!, for China please use S26391-F895-E135 No Modem	x x x	х	x	x	x				S26391-F895-E125 S26391-F895-E130 S26391-F895-E135 S26391-F955-E210 S26391-F955-E230	88,00 10,00 2,00 2,00 10,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW)	Not for Chinal, for China please use S26391-F895-E135 No Modem	x x x	х	x	x	x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E230 \$26391-F955-E240	88,00 10,00 2,00 2,00 10,00 22,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11a\blg/n (WW) Gigabit Ethernet PCIe x1	Not for China!, for China please use S26391-F895-E135 No Modem	x x x x x x	х	x	x	x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E230 \$26391-F955-E240 \$26391-F3067-E40	2,00 2,00 10,00 2,00 10,00 22,00 15,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg\(\text{log}\) (WW) Intel Centrino 6205 802.11a\(\text{log}\) (WW) Rigabit Ethernet PCle x1 No Bluetooth	Not for China!, for China please use S26391-F895-E135 No Modem	x x x x x x	х	x	x	x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E230 \$26391-F955-E240 \$26361-F3067-E40 \$26391-F955-E310	2,00 2,00 10,00 2,00 10,00 22,00 15,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCIe x1 No Bluetooth Bluetooth Module V2.1	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express	x x x x x x	х							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F956-E240 \$26391-F3067-E40 \$26391-F895-E310 \$26391-F895-E310 \$26391-F895-E310	88,00 10,00 2,00 2,00 10,00 22,00 15,00 2,00 23,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8	Not for China!, for China please use S26391-F895-E135 No Modem	x x x x x x	x	x		x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E310 \$26391-F895-E310 \$26391-F895-E320 \$26391-F895-E320 \$26361-F3067-E70	88,00 10,00 2,00 2,00 10,00 22,00 15,00 2,00 23,00 344,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blgin (WW) Intel Centrino 6205 802.11alblgin (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules	x x x x x x	x							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E230 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E310 \$26391-F895-E310 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E320	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express	x x x x x x	x x							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E230 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E310 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E515	88,00 10,00 2,00 10,00 22,00 15,00 2,00 23,00 344,00 2,00 88,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blgin (WW) Intel Centrino 6205 802.11albigin (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules	x x x x x x	x x x x							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E320 \$26391-F895-E525 \$26391-F895-E525 \$26391-F895-E525 \$26391-F895-E525	2,00 2,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for China!,	x x x x x x x x x	x x							\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F956-E240 \$26391-F895-E310 \$26391-F895-E310 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610	2,00 2,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 23,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for China!, includes all adapter for EU	x x x x x x	x x x x	x	x	x				\$26391-F895-E125\$ \$26391-F895-E130\$ \$26391-F895-E135\$ \$26391-F955-E210\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E620\$ \$26391-F895-E620\$	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 23,00 33,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal	x x x x x x x x x	x x x x				x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F956-E240 \$26391-F895-E310 \$26391-F895-E310 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610 \$26391-F895-E610	2,00 2,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 23,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125\$ \$26391-F895-E130\$ \$26391-F895-E135\$ \$26391-F955-E210\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E620\$ \$26391-F895-E620\$	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 23,00 33,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for China!, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies	x x x x x x x x x	x x x x	x	x	x	x	x		\$26391-F895-E125\$ \$26391-F895-E130\$ \$26391-F895-E135\$ \$26391-F955-E210\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E620\$ \$26391-F895-E620\$	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 23,00 33,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface	x x x x x x x x x	x x x x	x	x	x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E30 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620	88,00 10,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 23,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n	Not for China!, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for China!, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies	x x x x x x x x x	x x x x	x	x	x				\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E30 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620	88,00 10,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 23,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n Parallel Interface	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E525 \$26391-F895-E525 \$26391-F895-E620 \$26391	88,00 10,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 2,00 23,00 33,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal	x x x x x x x x x	x x x x	x	x	x	x		x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E30 \$26391-F895-E510 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620 \$26391-F895-E620	88,00 10,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 23,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blg/n (WW) Intel Centrino 6205 802.11alblg/n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n Parallel Interface	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E525 \$26391-F895-E525 \$26391-F895-E620 \$26391	88,00 10,00 2,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 2,00 23,00 33,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n Parallel Interface	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E50 \$26391-F895-E50 \$26391-F895-E610 \$26391-F895-F805-F805-F805-F805-F805-F805-F805-F80	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blgin (WW) Intel Centrino 6205 802.11alblgin (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\text{modem cable} WLAN III, 802.11g/Draft-n Parallel Interface Dual serial card PCle x1	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height Dual Port RS232 via splitter cabel	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E320 \$26391-F895-E525 \$26391-F895-E525 \$26391-F895-E620 \$26391	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 23,00 33,00 17,00 3,00 4,00 4,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\ modem cable WLAN III, 802.11g/Draft-n Parallel Interface	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E135 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E30 \$26391-F895-E50 \$26391-F895-E50 \$26391-F895-E610 \$26391-F895-F805-F805-F805-F805-F805-F805-F805-F80	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 33,00 17,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blgin (WW) Intel Centrino 6205 802.11alblgin (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\text{modem cable} WLAN III, 802.11g/Draft-n Parallel Interface Dual serial card PCle x1	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height Dual Port RS232 via splitter cabel	x x x x x x x x x	x x x x	x	x	x	x	x	x	\$26391-F895-E125 \$26391-F895-E130 \$26391-F895-E130 \$26391-F895-E210 \$26391-F955-E210 \$26391-F955-E240 \$26391-F955-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E240 \$26391-F895-E25 \$26391-F895-E510 \$26391-F895-E610 \$26391-F895-E620 \$26391-	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 23,00 33,00 17,00 3,00 4,00 4,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11blgin (WW) Intel Centrino 6205 802.11alblgin (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Module V3.0 Modem adapter kit (EU) w\text{modem cable} WLAN III, 802.11g/Draft-n Parallel Interface ESATA Interface Dual serial card PCle x1	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height Dual Port RS232 via splitter cabel Dual Port RS232 via splitter cabel	x x x x x x x x x	x x x x	x	x	x	x	x	x x x	\$26391-F895-E125\$ \$26391-F895-E130\$ \$26391-F895-E130\$ \$26391-F895-E210\$ \$26391-F955-E210\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F895-E230\$ \$26391-F895-E230\$ \$26391-F895-E230\$ \$26391-F895-E230\$ \$26391-F895-E230\$ \$26391-F895-E230\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E610\$ \$26391-F895-E620\$ \$26391-F895-	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 23,00 33,00 17,00 4,00 23,00 23,00 23,00	
	No UMTS + UMTS Antenna UMTS Sierra Wireless Gobi 3000 Modem module (NOT for China) No Modem No WLAN WLAN Atheros 802.11b\g\n (WW) Intel Centrino 6205 802.11a\b\g\n (WW) Gigabit Ethernet PCle x1 No Bluetooth Bluetooth Module V2.1 Dual 10 Gigabit Ethernet PCle x8 No UMTS + No UMTS Antenna UMTS Sierra Wireless Gobi 3000 No Bluetooth Bluetooth Module V3.0 Modem adapter kit (EU) w\n modem cable WLAN III, 802.11g\Draft-n Parallel Interface eSATA Interface Dual serial card PCle x1 Dual serial card PCle x1 Dual serial card PCle x1, powered Dual serial card PCle x1 Dual serial card PCle x1	Not for Chinal, for China please use S26391-F895-E135 No Modem Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express FTS D2755, without SFP+ modules Not for Chinal, includes all adapter for EU internal WLAN module, occupies 1 internal USB interface 1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height for eSATA peripherals, occupies one internal SATA interface and one slot; full height Dual Port RS232 via splitter cabel Dual Port RS232	x x x x x x x x x	x x x x	x	x	x	x x x	x x x	x x x	\$26391-F895-E125\$ \$26391-F895-E130\$ \$26391-F895-E135\$ \$26391-F955-E210\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F955-E240\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E300\$ \$26391-F895-E510\$ \$26391-F895-E510\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E610\$ \$26391-F895-E620\$ \$26391-F895-E620\$ \$26391-F895-E620\$ \$26391-F895-E620\$ \$26391-F895-E620\$ \$26391-F3108-E5 \$26361-F3108-E5 \$26361-F3108-E5 \$26361-F3108-E5 \$26361-F3108-E5 \$26361-F3108-E5	88,00 10,00 2,00 10,00 22,00 15,00 23,00 344,00 2,00 88,00 2,00 33,00 17,00 4,00	



	IS Options			_									
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (@)	Comments
	Description	Details	뜅	뜅	뜅	빙	빙	뜅	뜅	빙	F F	급	కి
ions matr	Module (Continued)												
ouiu	2x Digital array mics + 2Mpix Webcam		х								S26391-F890-E720	26,00	
	Digital microphone			х							S26391-F890-E810	8,00	
	Digital mic + Webcam			Х							S26391-F890-E820	26,00	
bile Secu													
	No Fingerprint Module Fingerprint Module incl. Smart Access		X	-							S26391-F899-E100	4,00	
	TPM module	Not for Chinal,	x	х							S26391-F899-E200 S26391-F989-E300	28,00 8,00	
	EraseDisk	Firmware-embedded, unique feature to erase	X	X							S26391-F993-E100	23,00	
		sensible data unrecoverable from the hard										-,	
		disk											
	Kensington Lock cable		х	х							S26391-F959-E400	55,00	
untry kits													
	Country kit (CDN,US)	incl. power cord (US),safety manual (GB)						х	Х		S26361-F2930-E100	8,00	
	Country kit (D)	incl. power cord (EU),safety manual (D)		-	X	X	X	X	X		S26361-F2930-E101	8,00	
	Country kit (INT, power cord EU)	incl. power cord (EU),safety manual (INT)		-	X	X	X	X	X	X	S26361-F2930-E102	8,00	
	Country kit (I) Country kit (GB)	incl. power cord (I),safety manual (I) incl. power cord (GB),safety manual (GB)		-	X	X	X	X	X		S26361-F2930-E104 S26361-F2930-E105	8,00 8,00	
	Country kit (GB) Country kit (INT, power cord GB)	incl. power cord (GB),safety manual (INT)		-	X	X	X	X	X	X	S26361-F2930-E105	8,00	
	Country kit (INT, no power cord)	without power cord, incl. safety manual (INT)			X	X	X	X	X	X	S26361-F2930-E110	8,00	
	, and the position collay	cora, non salety mandar (INT)			^	^	^	"		^		5,00	
	Country kit (D)			х					Н		S26391-F898-E500	8,00	
	Country kit (GB)			x					П		S26391-F898-E600	8,00	
	Country Kit (INT)			х							S26391-F898-E700	8,00	
	Country kit (D)		х								S26391-F898-E100	8,00	
	Country Kit (INT)		х								S26391-F898-E200	8,00	
	Country kit (GB)		х								S26391-F898-E300	8,00	
	Made in Germany sticker	The "Made in Germany" sticker prominently			X	Х	Х	х	х	х	S26391-F404-E911	2,00	
		displays this universally admired differentiating product value											
wer supp	nh.												
wer supp	AC Adapter 19V/210W			х							S26391-F896-E500	66,00	
	Battery 8cell 5800mAh		х	X					Н		S26391-F896-E500 S26391-F896-E700	77,00	
	Power cable EU		X	^					Н		S26391-F878-E210	5,00	
	Power cable US		х								S26391-F878-E220	5,00	
	Power cable GB		Х								S26391-F878-E230	5,00	
	AC cable for 2-pin China		х								S26391-F878-E240	6,00	
	3-pin Power cable EU		х								S26391-F878-E310	6,00	
	3pin AC Adapter 19V/120W	for Russia/GOST	х								S26391-F886-E400	33,00	
	AC cable for 3-pin EU			х							S26391-F878-E410	7,00	
	AC cable for 3-pin US			Х							S26391-F878-E420	6,00	
	AC cable for 3-pin GB			Х			-				S26391-F878-E430	7,00	
	AC cable for 3-pin China		-	Х							S26391-F878-E440 S26391-F886-E700	6,00	
t Replica	2pin AC Adapter 19V/120W		х								526391-F666-E700	28,00	
i Kepiica	Portreplicator			х							S26391-F897-E100	77,00	
	Port Replicator		х	<u> </u>							S26391-F987-E100	77,00	
Box-Ke	eyboards												
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	х	Х	х	x	x	S26381-K341-E110	26,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			х	х	х	х	х	x	S26381-K341-E120	26,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort, 1 power- key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	х	х	х	X	х	S26381-K341-E165	26,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			х	х	х	х	X	х	S26381-K341-E185	26,00	
	KB520 US	KB520 keyboard standard, marble grey, US,			х	х	х	х	х	х	S26381-K520-E102	13,00	
		cable USB 2m,											
	KB520 DE KB520 GB	cable USB 2m, KB520 keyboard standard, marble grey, Germany, cable USB 2m, KB520 keyboard standard, marble grey, Great			x	x	x	x	x		S26381-K520-E120 S26381-K520-E165	13,00	



	S Options												
	o options				-				-				
										监			
										CELSIUS W510 POWER			
					0-2	2	R670-2			6			
			ž	5	147	22	167	₹ 14	V51	V51	- Ba		
			ş	호	S	S.	S	S	S	S	ğ		ents
			돐	둜	둜	탕	ᇙ	동	동	동	on p	₩)	Ĕ
ategory	Description	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS	CELSIUS W410	CELSIUS W510	핑	Product Code	EUP (€)	Comments
options mat	rix					_							•
neBox-Ke	yboards (Continued)												
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,			Х	х	х	х	Х	X	S26381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard				_	x	х	х		S26381-K550-E102	10,00	
	ND400 03D grey IIVI 03A	black US				х	^	^	^	^	320301-N330-L102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard				х	х	х	х	х	S26381-K550-E120	10,00	
		Germany											
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard				х	х	х	х	х	S26381-K550-E165	10,00	
		UK											
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy				х	х	х	х	х	S26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard			Х	х	х	х	Х	х	S26381-K550-E402	10,00	
		black, international and USA layout, USB											
	KB400 USB black D	KR400 LISE D. SI IM value keyboard blast			u	L.	-	-	l u	u	S26381-K550-E420	10,00	
	INDHOO OOD DIGUN D	KB400 USB D, SLIM value keyboard black, german layout, USB			Х	х	x	х	Х	×	020001-N00U-E42U	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black,			х	х	х	х	х	x	S26381-K550-E465	10,00	
		english layout, USB			^	^	^	^	^	^		.0,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black,			х	х	х	х	х	х	S26381-K550-E485	10,00	
		italian layout, USB			"	"	"	"	"			2,20	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black			х	х	х	х	х	х	S26381-K551-E410	9,00	
		US english PS2											
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black			х	х	х	х	х	х	S26381-K551-E420	9,00	
		Germany PS2											
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black			х	x	х	х	х	х	S26381-K551-E465	9,00	
		UK PS2											
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2			Х	х	Х	х	Х	X	S26381-K551-E485	9,00	
	Karibaard KD000 LICD LIC					-	-	-			C0C004 KEC0 E400	47.00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable			х	Х	х	х	x	×	S26381-K560-E402	17,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof,			х	х	х	х	х		S26381-K560-E420	17,00	
	Reyboard RB900 OSB D	black, 1.8 m USB cable			, ×	^	^	^		^	320361-K300-E420	17,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof,			х	х	х	х	х	Y	S26381-K560-E465	17,00	
	noyeed a record cest cest	black, 1.8 m USB cable			^	^	^	^	^	^	020001 11000 2 100	,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black,			х	х	х	х	х	х	S26381-K560-E485	17,00	
		1.8 m USB cable											
	Keyboard w/ TS 10key DE			х							S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT			х			_				S26391-F669-E123	39,00	
	Keyboard w/ TS 10key GB Keyboard w/ TS 10key US			X		-	+	-	-		S26391-F669-E125 S26391-F669-E134	39,00 39,00	
	Keyboard w/ TS DE		х	^			+				S26391-F678-E121	23,00	
	Keyboard w/ TS IT		Х								S26391-F678-E123	23,00	
	Keyboard w/ TS GB		х								S26391-F678-E125	23,00	
	Keyboard w/ TS US		Х								S26391-F678-E134	23,00	
	Keyboard w/o TS DE		X			\vdash	-	-	-	-	S26391-F678-E221	12,00	
	Keyboard w/o TS IT Keyboard w/o TS GB		X			\vdash	+				S26391-F678-E223 S26391-F678-E225	12,00 12,00	
	Keyboard w/o TS US		X			\vdash	+		\vdash		S26391-F678-E225	12,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca.	Ŷ		х	х	х	х	х	х	T26139-Y4530-E1	4,00	
		2,0 m length											
/Applica													
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video			х	х	х	х	х	х	S26361-F1818-E893	10,00	
		but no Blu-ray playback),, BackItUp/ on DVD											
	N. O. and S. O.					\vdash	-				000004 F0000 F411		
	No Operating System Nero 9 Essentials XL	Recording software, Showtime, (DVD-video	X	X			+				S26361-F2008-E100 S26361-F2008-E893	4,00 10,00	
	10.0 0 Eggeridaio AE	but no Blu-ray playback),, BackltUp/ on DVD	^	^							520001-1 2000-E093	10,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit	х	х							S26361-F2110-E177	112,00	
		Office 2010 Recovery DVD., Note:, Fujitsu											
		Office 2010 preload is 32-bit for best compatibility., This product is for home and											
		consumer End Users only., Not to be											
		distributed to small business or the United											
		States Federal Government.											
	Liver Flight Was to Fire	Manager de la della Francia della de				\vdash	-				000004 F0000 F0	40.0	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from			Х			х	x	×	S26361-F2009-E243	104,00	
		1.1.2010 also for shipments in Emerging											
		Markets. Please select the emerging markets											
		licenses for better pricing and for marketing fund advantages in your region.											



US	Options									OWER			
D	escription	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
natrix													
	n-SW (Continued) icense EU/MM - Windows 7 Professional	You may select this license for shipments in			х	х	х	х	х	¥	S26361-F2009-E253	133,00	
		European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.			^	^	^	^	^	^	525001.12500.2250	100,00	
0	EM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Noter, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	х	x							S26361-F2110-E180	112,00	
0	DEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	х	х							S26361-F2110-E181	112,00	
O	DEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	х	x							S26361-F2110-E182	189,00	
Li	icense RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).			x	x	х	х	x	x	S26361-F2009-E252	126,00	
O	DEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	х	x							S26361-F2110-E185	189,00	
O	DEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	х	X							S26361-F2110-E186	189,00	
D	Privers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days	х	х					П		S26361-F2010-E199	2,00	
0	DEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	х	X							S26361-F2110-E187	323,00	
0	DEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 Pereload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal	х	x							S26361-F2110-E190	323,00	



IU	S Options									POWER			
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POV	Product Code	EUP (⊖)	Comments
/ natr	Description	Details	빙	ä	빙	빙	ä	빙	빙	ä	Pro	Di	Ŝ
	ion-SW (Continued)												
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x							S26361-F2110-E191	323,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	х	х							S26361-F2010-E281	112,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Catar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Principe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swazlland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe			x	x	x	х	x	x	S26361-F2009-E255	133,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the preloaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	х	х							S26361-F2010-E282	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	х							S26361-F2010-E283	323,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.			х	х	х				S26361-F2009-E177	112,00	



US Options												
		CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP(@)	Comments
Description	Details	2	5	2	ö	ö	ö	ö	5	Ĕ	급	ပိ
atrix ation-SW (Continued)												
OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.			х	x	x				S26361-F2009-E180	112,00	
OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.			х	х	x				S26361-F2009-E181	112,00	
OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			х	x	х				S26361-F2009-E182	189,00	
OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			х	x	х				S26361-F2009-E185	189,00	
OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			х	x	х				S26361-F2009-E186	189,00	
OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			х	х	x				S26361-F2009-E187	323,00	
OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.			х	х	x				S26361-F2009-E190	323,00	
OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility, This product is for small business (500 or fewer employees) and home and consumer End Users only, Not to be distributed to the United States Federal			х	x	х				S26361-F2009-E191	323,00	



5													
IU	S Options												
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (@)	Comments
	Description	Details	S	S	빙	핑	핑	핑	B	핑	Pro	П	Ō
natr icati	ion-SW (Continued)												
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x	x	S26361-F2009-E271	112,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBERNE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	X	x	S26361-F2009-E272	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre- loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x	x	S26361-F2009-E273	323,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India			х	х					S26361-F2009-E258	133,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD. , Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.			х	х	х	х	X	X	S26361-F2007-E420	33,00	
	No Operating System Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	X	x			S26361-F1818-E100 S26361-F2109-E441	2,00 3,00	



		CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (每)	Comments
Description	Details	팅	핑	핑	핑	뜅	뜅	뜅	뜅	P.	3	S
natrix												
Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x			x	x	x	S26361-F2109-E442	3,00	
Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Stovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x			x	х	х	S26361-F2109-E444	3,00	
Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x			x	X	x	S26361-F2109-E446	3,00	
Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	х	x	x	x	x	S26361-F2109-E351	3,00	
Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	S26361-F2109-E352	3,00	
Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	S26361-F2109-E353	3,00	
Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	х	x	x	x	х	S26361-F2109-E355	3,00	



										ĸ			
			CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
	Description	Details	핑	핑	핑	핑	핑	핑	핑	핑	Pro	<u> </u>	Ç
atr at	ion-SW (Continued)												
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	S26361-F2109-E451	3,00	
	Drivers&Utilities DVD (XP/VISTA/7)	incl. Nero Essentials S, Norton Internet Security Trial 90 days			х	х	х	х	х	х	S26361-F2007-E909	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS License EU/MM - Windows 7 Home Premium	RU You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	х	х				х			S26361-F2009-E532 S26361-F2010-E243	3,00 104,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and also for shipments in Emerging Markets. Please select the emerging markets licenses for your country for marketing fund advantages (Jumpstart) in your region.	х	x							S26361-F2010-E253	133,00	
	REC-DVD Win7 Professional 32 RUS	RU			х	х	х		х		S26361-F2009-E552	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			х			х	х	х	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			х	х	х	х	х	х	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			х	х	х	х	х	х	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			х	х	х	х	х	х	S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	х	х	x	x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 Incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed!			x	х	x	х	х	x	S26361-F2109-E752	3,00	



JS Options												
		CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP(@)	Comments
Description trix	Details	쁑	8	쁑	8	8	8	H	뜅	Ę.	<u> </u>	ပိ
ation-SW (Continued)												
Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi). Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x							S26361-F2110-E441	8,00	
Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x							S26361-F2110-E442	8,00	
Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x							S26361-F2110-E451	4,00	
REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	X	х							S26361-F2010-E643	3,00	
REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	х	x							S26361-F2010-E553	3,00	
REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	х	х							S26361-F2010-E653	3,00	
REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	х	x							S26361-F2010-E753	2,00	
REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	х	x							S26361-F2110-E751	2,00	



	S Options												
	Description	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670-2	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (4)	Comments
ons matr	tion-SW (Continued)												
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Trukish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x							S26361-F2110-E753	2,00	
ırity	EB'-1	The second of the last of the									000004 F0540 F405	00.00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g., if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.						х			S26361-F2542-E435	33,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support, Version 3.0.3			x	х	x				S26361-F2727-E730	23,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable			х	х	х	х	х		S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard			х	x	х	x	х	х	S26361-F1260-E520	19,00	
se	Grey Upgrade Mouse M440 ECO				х	х	х	x	x	x	S26361-F2542-E225	17,00	
	Laser Mouse GL9000				х	х	х	х	х		S26381-K438-E100	17,00	
	Mouse 400NB Black		х	х							S26391-F428-E100	17,00	
	Grey mouse instead of black USB Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit, USB 2.0 interface, allows horizontal scrolling upgrade mouse for system unit, Logitech, USB			X	X	X	X	x		S26361-F2542-E216 S26361-F2542-E217	9,00	
	Grey USB/PS2 mouse inst.of bik USB	2.0 interface incl.adapter to PS/2, allows horizontal scrolling			х	х	х	x	x	X	526361-F2542-E217	9,00	
ellaneo													
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual			Х	Х	Х	х	Х		S26361-F2542-E250	28,00	
	Key lock in side door Intrusion switch	for lock of housing						х	Х	X	S26361-F2542-E331 S26361-F2542-E426	6,00 4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	х	х							S26391-F782-E200	3,00	
	Cable for second internal USB device				х	х	х				S26361-F2581-E10	3,00	
	Key lock in side door	for lock of housing		-	H		H	х	Н	-	S26361-F2542-E323	6,00	
	Key lock in side door Casters for CELSIUS M, R & V	for lock of housing Available in systems serial no. higher than			X	X	X	-		-	S26361-F2542-E324 S26361-F2581-E200	6,00 55,00	
		YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).											
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note			х	х	х	х	х	х	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations			х	х	х	х	х	х	S26361-F3436-E2	3,00	
oard /N	Mouse SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.			х	x	х	x	х	x	S26381-K425-E100	288,00	
View													
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1			х	х	х	х	х	х	S26361-F4040-E10	43,00	
		License, Components:, - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), - Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).,											



Positioning Displays





XL Line



B Line



SL Line



A/E Line



Superior Displays - P Line and XL Line A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

Advanced Displays - B Line and SL Line

- Efficiency for intensive office or entertainment usage:
 Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity: e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

All-round Displays - A/E Line and L Line Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient EPA 5.0, EPEAT Silver



Displays

P Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language
- *: on sleected models

XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog
- * featured on selected models

B Line

- Energy saving solutions (as of Summer 2009)
- Cut energy cost by half (versus Energy Star 4.1)
 - ECO operation mode for
- Energy Star 5.0
- ECO button direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line

- High ACR up to 10,000:1 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design Full HD 1080P support* 16:9 ideal video format*

- Headphone jack*

- A Line
 Energy saving solutions
 (Autumn 2009) (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line

- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (每	Comments
Peripherals		:	-		
Displays					
	DISPLAY E19-5	DISPLAY E19-5, E-Serie 48cm (19"), Commitment based availability	S26361-K1330-V160	127,00	Phased out
	DISPLAY E19W-5	DISPLAY E19W-5, E-Serie 48cm (19"wide), Commitment based availability	S26361-K1331-V160	117,00	
	DISPLAY SL22W-1LED	DISPLAY SL22W-1LED SL-Serie 55.9 cm (22"w), VGA, DVI, glossy black, LED Backlight	S26361-K1364-V160	122,00	
	DISPLAY P23T-6 IPS	DISPLAY P23T-6 IPS Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1370-V140	277,00	
	DISPLAY P24W-6 IPS	DISPLAY P24W-6 IPS Premium Line 61cm(24")wide Display IPS Panel DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1371-V140	410,00	
	DISPLAY P27T-6 IPS	DISPLAY P27T-6 IPS Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140	633,00	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140	173,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140	222,00	
	DISPLAY E19-6 LED	DISPLAY E19-6 LED E Line 48.3cm(19") black Commitment based availability only LED Backlight	S26361-K1376-V160	133,00	
	DISPLAY E22W-6 LED	DISPLAY E22W-6 LED E-Line 55.9cm(22")wide black Commitment based availability only LED Backlight	S26361-K1377-V160	144,00	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140	233,00	
	DISPLAY E23T-6 LED	DISPLAY E23T-6 LED E-Line 58.4cm(23")wide black Commitment based availability only LED Backlight	S26361-K1389-V160	155,00	
	DISPLAY B22W-6 LED proGREEN	DISPLAY B22W-6 LED proGREEN, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160	244,00	



Positioning Input Devices & Security devices



Keyboards & Security



Keyboards & mice



Security devices

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.





Input devices and Security

Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.


Category	Description	Details	Product Code	EUP (每	Comments
Peripherals	· · · · · · · · · · · · · · · · · · ·				
Keyboard /	Mouse				
	KBPC EM D	keyboard for emulationen; funktionality trimodular; light basic; incl. cable (PS/2) 1,4m; without driver	S26381-K257-L120	124,00	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	7,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	6,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	6,00	



Positioning PRIMERGY Tower Servers











PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (每	Comments
	products				
PRIMER	GY TX150 S7				
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/MOUSEM480GREY/,	LKN:T1507S0009IT		
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/MOUSEM480GREY/,	LKN:T1507S0010IT		
	Quad Core Xeon Processor and DDR3 RDIMM od SATA controller (for DVD) and 1 GBit Ethernet LA	standard power supply module, lockable covers, 1 standard fans; system ler UDIMM; iRMC 2 onboard server management incl. graphics controller N onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot p ServerBooks, Management software and updates.	and 10/100MBit Service	LAN port	
	PY TX150S7F/SFF/STANDARD PSU / (Promo)	PY TX150S7F/SFF/STANDARD PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0005IT		
	SATA controller (for DVD) and 1 GBit Ethernet LA	ler UDIMM; iRMC 2 onboard server management incl. graphics controller N onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot p ServerBooks, Management software and updates. PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/, PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/4x2GB 1333 ECC	lug 2.5" SATA/SAS/SSD		
	PY TXTSUS7F/SFF/HUT PLUG PSU7 (Promo)	R/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:115075000711		
Model	Description	Details	Product Code	EUP (每	Comments
	t configurations				
	GY TX150 S7				
	PYTX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		455,00	



ΛE	ERGY TX150 S7		l	
	Description	Details	Product Code	EUP (4)
nit	configurations	Details	<u> </u>	ш
RC	GY TX150 S7 (Continued)			
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	\$26361-K1265-V201	525,00
	DV.TV45007(055/0)	5 I DIVINI I DIVINI I DIVINI I DI DIVINI I	000004 1/4005 1/004	505.00
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	505,00
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	565,00
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	545,00
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	585,00



PRIMEROY TX:00 SS PRIMEROY TX:00 SS PRIMEROY TX:00 SS PRIMEROY TX:100 PRIMERGY TX150 SATA PRIMERGY TX300 PRIMERGY TX300 S2 PRIMERGY TX300 S3 Y TX150 S7 Y TX200 S3 Y TX200 S4 Y TX200 S5 Y TX 300 S4 Y TX 300 S5 Y TX 300 S6 Y TX 600 Y TX 600 S2 TX 100 S1 Y TX 200 S6 PRIMERGY TX200 S2 PRIMERGY TX200 Code PRIMERGY EUP (4) Category Description Accessories & services ma Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink 395,00 Phased out S26361-F3277-L186 Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink Intel Xeon E5503 2C/2T 2.00 GHz 4 MB S26361-F3277-L200 295,00 Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB S26361-F3278-L200 455,00 Phased out Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat Intel Xeon E5506 4C/4T 2.13 GHz 4 MB Intel Xeon E5507 4C/4T 2.26 GHz 4 MB Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB S26361-F3279-L226 740.00 Phased out Intel® Xeon® F5530 4C/8T 2 40 GHz 8 MB S26361-F3279-I 240 1 030 00 Phased out Intel® Yearn® E5540 4C/8T 2 53 GHz 8 MB or E5540 (4C/8T 2.53 \$26361_F3270_I 253 1.430.00 Phased out GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel® Xeon® X5550 4C/8T 2 66 GHz 8 MB S26361-F3280-I 267 1 850 00 Phased out Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB S26361-F3281-L226 1.030.00 Phased out Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) Intel Xeon E5620 4C/8T 2.40 GHz 12 MB Intel Xeon E5630 4C/8T 2.53 GHz 12 MB Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5640 4C/8T 2.66 GHz 12 MB S26361-F3618-L266 995.00 Intel Xeon X5650 6C/12T 2 66 GHz 12 MB S26361-E3619-L266 1 165 00 Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Year Y5660 6C/12T 2 80 GHz 12 MR \$26361_F3610_I 280 1.400.00 Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5670 6C/12T 2 93 GHz 12 MB S26361-E3619-I 293 2 230 00 Phased out Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5675 6C/12T 3.06 GHz 12 MB S26361-F3619-L306 1.610.00 Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, St.C: 4 x 256 KB, Tt.C: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5680 6C/12T 3.33 GHz 12 MB S26361-F3619-L333 2.560,00 Phased out Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5690 6C/12T 3.46 GHz 12 MB S26361-F3619-L346 Intel Xeon X5647 4C/8T 2.93 GHz 12 MB Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink S26361-F3620-L293 Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6. GT/s, Mem bus: 1333 MHz, 130 W) incl. hea sink Intel Xeon X5687 4C/8T 3.60 GHz 12 MB S26361-F3620-L360 Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink Intel Xeon I 5630 4C/8T 2 13 GHz 12 MR S26361_F3622_I 213 735.00 Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon I 5640 6C/12T 2 26 GHz 12 MB S26361-F3622-I 226 1 250 00 Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5645 6C/12T 2.40 GHz 12 MB S26361-F3633-L240 690.00 Intel Xeon E5603 4C/4T 1.60 GHz 4 MB S26361-F3648-L160 280,00 Intel Xeon E5606 4C/4T 2.13 GHz 8 MB S26361-F3648-L213 418,00 Intel Xeon E5649 6C/12T 2.53 GHz 12 MB Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink S26361-F3649-L253 MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod) MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod) 4GB 2x2GB DDR2-400 PC2-3200 rg ECC



			_										ĕ												_		
		PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX120	PRIMER GY TX120 S2	PRIMER GY TX120 S3	PRIMER GY TX140 S1	PRIMER GY TX150 PRIMER GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S5	PRIMER GY TX150 S7	PRIMER GY TX150 SATA	PRIMER GY TX200 PRIMER GY TX200 S2	PRIMER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 SS PRIMER GY TX200 S6	PRIMER GY TX300	PRIMER GY TX300 S2	PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S6	PRIMER GY TX600	PRIMER GY TX600 S2	Product Code	EUP (4)	omments
Description s & services matrix ontinued)	Details	1 6	ā ā			<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	Ξ.	<u> </u>	<u> </u>	<u> </u>	<u> </u>	Δ.	Ξ.	<u> </u>	<u> </u>		<u> </u>	<u> </u>	Σ δ		Ö
MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC		Т	Т	Т		Т	Т	П		Т	Т		Т	x					x	Т	Т			S26361-F3230-L524	570,00	Phased out
2GB DDR2-667 PC2-5300 ub d ECC 1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 module, unbuffered DDR2 667MHz 1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC. 1333 MHz. PC3-10600. DIMM	Н	х)	C .	Н		Ŧ	Н			×			F	H		Н	Ħ	Ŧ	Ŧ	F	F	H	S26361-F3237-L515 S26361-F3335-L513	165,00 45,00	Phased out
2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered,	Н	x	-		Н	_	+	Н		+	×		\perp		Н	+	Н		4	+				S26361-F3335-L514	45,00	
	ECC, 1333 MHz, PC3-10600, DIMM	Ш													L	Ш		Ш									
4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		×									x													S26361-F3335-L515	75,00	
2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		1	×		х	x																		S26361-F3335-L524	45,00	
4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	П	7	×	T	х	x		П						T	П		П	T	T	Ť				S26361-F3335-L525	75,00	
8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		2	x		х	×								H					+	t				S26361-F3335-L526	720,00	
1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL 2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz 1 modul, unbuffered DDR2 800MHz		#	Ŧ	F	П					X				F			П		#	Ŧ	F			S26361-F3870-L514 S26361-F3870-L515		Phased out Phased out
2GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz	П	Ť	Ť	х	П	\top	T		Т	Ť	T		\top				П		Ť	Ť	T	П		S26361-F3283-L515		Phased out
2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM	П				П			П			x		T		П		П			T				S26361-F3336-L514	85,00	
4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz	Н	$^{+}$	t	х	Н	+	+	Н			H			H	Н		Н	H	$^{+}$	$^{+}$	t			S26361-F3283-L516	225,00	Phased out
4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC		I													x					х				S26361-F3263-L523		Phased out
4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						T					×								T					S26361-F3336-L515	120,00	
8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC	П	\dagger		T	П	\forall	\dagger	П	\top	T	T	\forall	\dagger	T	х		П		T	х	T	П	\top	S26361-F3263-L524	570,00	Phased out
8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM	П							П			×				П		П							S26361-F3336-L516	195,00	
1GB DDR2 ECC 800 2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM 1 module PC 800 (PC2-6400), ECC, DIMM	×							\blacksquare																S26361-F3373-L413 S26361-F3373-L414		Phased out Phased out
Front-VGA interface PY VGA Card 512MB PCI-e x1	2nd optional VGA interface front side NVIDIA NVS 300 512MB PCIe-x1 graphic card	Н	x :	x			×					×					×				2	x x			S26361-F2571-L16 S26361-F2748-L537	20,00	
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card, low profile	Н	+	+	x	х	+	+	Н	+	+	H	+	+	H	Н	+	Н	+	+	+	+	H	+	S26361-F2748-L637	135,00	
• Media Drives Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0		÷			x																			S26361-F3325-L2	685,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	3																									
Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6 BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6' fitting height	××	x 2	x		Н	x		П			x		T	T	Н	×	П		+	†	x			S26361-F3585-L2	345,00	
F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD	Н				Н			Н					+		х		Н		x	x				S26361-F2826-L101	100,00	Phased out
MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display	'	T	T	T	П	T	T	П	Т		x	П		Т	П	x x	П			3	c x	П		S26361-F2826-L204	30,00	
F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD	П	Ť	Ť	T	П	\top	T		Т		T		\top				П		Ť	3	c x	П		S26361-F2826-L103	80,00	
MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD	\Box	†	t	t	П	\forall	†	\Box	\top	\top	t	\forall	$^{+}$			× ×	Н			†	t	Н		S26361-F2826-L104	85,00	
F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2s HDD		$^{+}$	†	t	Н	\forall	$^{+}$	Н	\top	x x	H	\forall		H	Н		Н		†	$^{+}$	$^{+}$	Н		S26361-F2826-L102	100,00	Phased out
DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-	Н	+	+	х	х	+	+	Н	+	+	х	+	+	H		x x	Н		+	,	c x	Н		S26361-F3269-L2	85,00	
Blu-ray Combo slimeline SATA	RAM,slimline 0.5" fitting height, black 2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height,	Н	$^{+}$	t	x	х	+	$^{+}$	Н			×	\forall		H	Н	× ×	Н	H	$^{+}$	3	c x	H		S26361-F3531-L2	255,00	
SFF 8xSAS HDD Box	black Extension Box for 8 pc. 2.5* hotplug HDD	Н							Н								x x	Н				c x			S26361-F2826-L114	165,00	
DVD-ROM 1.6* SATA	16x DVD, 48x CD, 1.6* fitting height, black beze		x :	×			x					×					× ×				,	(X			S26361-F3266-L2	30,00	
DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite										×				Ĺ	х			LĪ		x				S26361-F3267-L1		Phased out
DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6' fitting height, black bezel	×	× :	×			×					×					x x			J	,	c x			S26361-F3267-L2	55,00	
DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite	П			Ĺ						х	Ĺ			Ĺ	x					×	Ĺ			S26361-F3269-L1		Phased out
RDX Drive USB 25MB/s 3.5* int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			>	x																				S26361-F3857-L2		Phased out
RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	×	x :	х			×		П			×		T			x x			T	1	c x			S26361-F3857-L4	160,00	
RDX Drive USB 25MB/s 3.5* internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)	,	+			х			П		\dagger			\dagger		H	\dagger	Н	+	+	+			+	S26361-F3857-L5	160,00	
Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge	x	X 1	x			x			x	х	x			x	х	x x			x	x 2	×			S26361-F3324-L4	500,00	
Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable ki , 1.6" fitting height, with description (G/US) and			,	x	H	\dagger	+	\parallel	\dagger	\dagger		\dagger	\dagger		H	\dagger	Н	\forall	\dagger	\dagger			\forall	S26361-F3324-L2	625,00	Phased out
Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable ki , 1.6" fitting height, with description (G/US) and	t	+	+	+	x	+	+	H	+	+	\vdash	+	+	\vdash	H	+	Н	+	+	+	+	H	+	S26361-F3324-L5	500,00	
Tape Kit DDS Gen6 80GB USB 5.25" int.	cleaning cartridge DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	×	1	x		х	x	+	\parallel	+	+	x		+		\parallel	x x				3	c x			S26361-F3325-L4	685,00	
Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6* fitting height, black, with SAS cable, with	H	+	+	+		+	+	\parallel	+	+	x	+	+		\parallel	x x	H		+	3	c x		+	S26361-F4009-L4	1.280,00	
Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	cleaning cartridge SAS 3GB Interface, mini-SAS connector, 1.6' fitting height, black, with SAS cable, with	\forall	+	+		Н	+	+	Н	+	х	×	+	+		H	x x	Н	\dashv	+	3	c x		+	S26361-F3561-L4	1.395,00	
Tape Kit LTO4HH 800GB 120MB/s SAS	cleaning cartridge SAS 3GB Interface, mini-SAS connector, 1.6"	\forall	+	+	+	Н	+	+	H	+	×	×	+	+	\vdash	x	x x	Н	+	+	x 3	c x	H	+	S26361-F3626-L1	1.950,00	Phased out
	fitting height, , with SAS cable, with cleaning cartridge	1 1												- 1	1	1 I				- 1						1	



Donaisti e	Details	PRIMER GY TX100 S1	PRIMER GY TX100 S3	PRIMER GY TX120	PRIMER GY TX120 S2 PRIMER GY TX120 S3	PRIMER GY TX140 S1	PRIMER GY TX150	PRIMER GY TX150 S2	PRIMER GY TX150 S4	PRIMER GY TX150 S5	PRIMER GY TX150 S7	PRIMER GY TX150 SATA	PRIMER GY TX200	PRIMER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GY TX300	PRIMER GY TX300 S2	PRIMER GY TX300 S3	PRIMER GY TX300 S5	PRIMER GY TX300 S6	PRIMER GY TX600	PRIMER GY TX600 S3	roduct Code	EUP (9	omments
Description & services matrix Media Drives (Continued)		10.10		<u>.</u>							. 6.		0. 0									O. O		<u> </u>		
Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge									:	x x				×	x >	ĸ		×	x	x			S26361-F3626-L2	1.950,00	1
Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			П				Ť			×					,	K				x			S26361-F3627-L1	2.850,00	
AS controller SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI				÷				x	v			x :	x x			×	x	x					S26361-F2399-L1	205.00	Phased out
SCSI Ctrl U160 1- ch int/ext lp 68-Pin Kit for accessible drives	Adaptec 29160LP, 1x U160 SCSI Cable with terminator			х						X :			X				X		x x					S26361-F2737-L201 S26361-F2814-L6	295,00	Phased out Phased out
RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP BBU Upgrade for Fujitsu SAS/SATA RAID						Î	î	Ĥ	х		Ĥ		×		Î	Î		х				c x	S26361-F3215-L10 S26361-F3257-L10	220,00	Phased out
RAID Contr BBU Upgrade for RAID 5/6	Controller for RAID Ctrl. F3257 256MB and 512MB									;	x				x				×	1				526361-F3257-L10	235,00	Phased out
RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI		+	Н	x	+	H	+	Н		+	+		+	Н	×	+	H	+	x	х	+	+	S26361-F3257-L110	165,00	
RAID Contr BBU Upgrade for RAID 5/6 C	SAS2108 incl. cable 16cm, 55cm, 70cm BBU Upgrade for LSI SAS1078 and LSI	++	×	Н	,	c x	H	+	\vdash	H	×	+	H	+	Н	,	ĸ	H	+	+	Н	+	+	S26361-F3257-L210	165,00	
RAID 0/1 SAS based on LSI MegaRAID 4Port	SAS2108 incl. cable 16cm, 55cm, 70cm RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4	-	+	Н	x	×	H	+	Н		x x	+	H	+	х	x >	K	Н	×	x	x	+	+	S26361-F3257-L4	110,00	
RAID 5/6 SAS based on LSI MegaRAID 512MB	internal ports RAID-Ctrl, LSI MegaRAID SAS1078, PCle x4,		+	Н	+	-	Н	+	Н		x	H		+	x	x	+	Н	×	x	Н	+	+	S26361-F3257-L512	530.00	Phased out
	512MB Cache, 8 internal ports, optional BBU																									
RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCle x4, 8 internal ports	+	†	H	,	c x	\vdash	+	Н		x x	+	\vdash	$^{+}$	x	х э	ĸ	H	×	x	Н	+	$^{+}$	S26361-F3257-L8	135,00	
SCSI Ctrl U320 1ch int/ext PCle	Adaptec 29320LPE, 1x U320 SCSI	\Box	+	H	+		Ħ	#	Ħ		x x		H		x	x)	ĸ		×	x	x	#		S26361-F3270-L1	195,00	
SCSI Ctrl U320 1ch int/ext PCle lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	Ш	L	Ш	х	L	Ш		Ш				Ш		Ш			Ш			Ш		L	S26361-F3270-L201	195,00	
SAS Ctrl 3GB/s 4int/4ext PCle	SAS Controller 3GB/s 8 port, LSI SAS3442E-R			U			\prod				x x	L			x	X)	K	\coprod	X	×	x		Ĺ	S26361-F3271-L1	210,00	
SAS Ctrl 3GB/s 4int/4ext PCle lp	SAS Controller 3GB/s 8 port, based on chip LS SAS1068 Low Profile		T		х		П		П						П			П		Π	П	T		S26361-F3271-L201	210,00	
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal	,	к х	П	x >	×	П	\top	П	\sqcap	×		\sqcap		П	x >	ĸ	П	\top	T	×	\top	T	S26361-F3554-L512	385,00	
DAD OH CAC OO O'! (DOCCE)	port SAS/SATA RAID Controller based on LSI	\perp	\perp	Ц	_		Ш	1	Ш	Ш	1	1	Ш	1	Ц	_	_	Ц	1	1	Ц	4	1	Pagaga Fore: : -	***	
RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports				x >	×					×					x >	K				x			S26361-F3554-L8	165,00	
RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller	+	+	Н	+	+	\vdash	+	Н	+	×	+	\vdash	+	Н	x >	ĸ	Н	+	x	x	+	+	S26361-F3593-L501	590,00	
	SAS2108, PCle x4, 512MB Cache with ECC, 8 external ports, without iBBU																									
SAS Ctrl 6G 8ext PCle FH/LP	SAS Controller 6GB/s 8 port, based on chip LS		+	Н	x	-	Н	+	Н	Н	×	-		+	Н	,	K	Н	+	+	x	+	+	S26361-F3628-L501	260,00	
RAID Ctrl SAS 8Port opt remote BBU LSI	SAS2008 optional BBU for LSI MegaRAID SAS8880E		+	Н	_	-	Н	+	Н	Н.	x	-	Н	+	x	_	+	Н	X	_	Н	4	+	S26361-F3890-L11		Phased out
RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4,		_	Ш	_	_	Ш	1	Ш		x	L	Ш	_	x	_	_	Ш		×	Ш	4	_	S26361-F3890-L501		Phased out
RAID CITI SAS 8POR 512M FHILP LSI	512MB Cache, 8 external ports, without iBBU									;	×				×	×			×	×				526361-F3890-L501	740,00	Phased out
RAID CABLE TX100 S2	für nachträgliche Hochrüstung mit einem RAID	,	ĸ	Н	+		Н	+	Н	Н	+	+	Н	+	Н		+	Н	+	+	Н	+	+	S26361-F3659-L1	25,00	
el	Kontroller																					ò				
FC Ctrl 4GBit/s QLE2460 MWF LC	QLE2460, 4GBit/s, 1 channel FC controller, PCle x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified													x	x	x >	K		x x	х	×		×	S26361-F3483-L1	1.230,00	Phased out
	for Microsoft Cluster.			Ц			Ш		Ш						Ш			Ш			Ш					
FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462, 4GBit/s, 2 channel FC controller, PCle x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified													×	×	x >	ĸ		х	x	×		x	S26361-F3483-L2	1.895,00	Phased out
	for Microsoft Cluster.																									
FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber			П			П	Τ	П				П	Т	П	,	ĸ	П		Τ	x			S26361-F3631-L1	935,00	
FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4	-	+	Н	+	+	Н	+	Н	Н	+	-	Н	+	Н	,		Н	+	╀	x	+	+	S26361-F3631-L2	1.500,00	
TO OUT OCCUPY E OTHER TO GLEED AND LO	or PCle x8 SFF Interface for 50um Fiber															'								0200011000122	1.000,00	
FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCle x4, MMF LC inferface		$^{+}$	Н	\top	\top	H	†	Н			†		х	×	x >	ĸ	Ħ	x x	х	×		c x	S26361-F3306-L1	1.170,00	Phased out
FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller,			Н	+		Н	$^{+}$	Н	Н	$^{+}$	+	Н	х	х	х э	K	Н	x x	x	х	+	c x	S26361-F3306-L2	1.795,00	Phased out
FC CTRL 8GBIT/S LPE1250 MMF LC FH	PCle x4, MMF LC inferface 1 channel 8GB/sec FC controller PCle 2.0 x 4		+	Н	+		Н	+	Н	Н	+		Н	+	x	x 2	ĸ	Н	×	x	x	+	+	S26361-F3961-L1	935,00	
	or PCle x8 SFF Interface for 50um Fiber																									
FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber			П			П		П	П			П	Т	х	x >	K	П	×	х	x			S26361-F3961-L2	1.500,00	
ion/Network				Ш				4	ш		4			ш	Ш		ш	ш	4	4		4				
Eth Ctrl 1x1GBit PCl32 PRO/1000GT Cu Eth Ctrl 2x1GBit PCle PRO/1000PT Cu	Intel PRO 1000 GT desktop adapter Intel Pro 1000PT 2 Port Server Adapter	x	T		Ŧ	T		Ŧ	x	x :		Е		x x	x		Т		x x				, v	S26361-F3142-L2 S26361-F3228-L1		Phased out Phased out
Eth Ctrl 2x1GBit PCle PRO/1000PT Cu lp Eth Ctrl 1x1GBit PCle Pro/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter Intel® Pro 1000PT 1 Port Server Adapter	x >	K	х	+	F	H	Ŧ	H		x x		H	×		x >	K	H		X		1		S26361-F3228-L201 S26361-F3241-L1		Phased out
Eth Ctrl 1x1GBit PCle Pro/1000PT Cu lp Eth Ctrl 1x1GBit PCle Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter	H	F	х	х	F	H	Ŧ	H		x x		H			x)		H	x x			#		S26361-F3241-L201 S26361-F3242-L1	90,00	
Eth Ctrl 1x1GBit PCle Pro/1000PF LC lp Eth Ctrl 1x1GBit PCle x4 PRO/1000PT Cu	Intel® Pro 1000PF 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter Intel Pro 1000PT Quad Port Server Adapter wit	#	F	Ħ	х		Ħ	+	H				Ħ		x				x x			#		S26361-F3242-L201 S26361-F3462-L1	240,00	
	full hight bracket		1	Ц	1	1	\sqcup	1	Ш	Ш	x	1	Ш	, x	^	_	1	Н	^ ×	<u> </u>	Ш	4	, ×			
Eth Ctrl 4x1GBit PClex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter wit low profile bracket		L	x		L	Ц	\perp	Ш	Ш	\perp	L	Ш		Ш	\perp		Ц	\perp	L	Ш	\perp	L	S26361-F3462-L201		Phased out
Eth Ctrl 1x1GBit PCle CT Desktop Cu Eth Ctrl 1x1GBit PCle CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter Intel® GBit CT 1 Port Desktop Adapter Ip	x >			x >		Н	+	\exists		x x		Н		x	x >		Н	X	x			F	S26361-F3516-L1 S26361-F3516-L201	45,00 45,00	
Eth Ctrl 2x1GBit PCle x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCle x4 D2735-2 Cu, Based on Intel® LAN controller		к х		x >	×					×					,	K				x			S26361-F3610-L502	155,00	
	chip 82576NS, Usable with original Intel® driver kit																									
Eth Ctrl 4x1GBit PCle x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCle x4 D2745 Cu, Based on Intel® LAN controller	\Box	Т		,	×	\Box	T	П		×	Г		Τ	П	,	ĸ	П	T	Τ	×	T	Τ	S26361-F3611-L501	375,00	
	chip 82580EB, Usable with original Intel® driver kit																									
Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCk	+	+	H	+	x	H	+	Н	\vdash	×		\vdash	+	H	,	K	\forall	+	+	х	+	+	S26361-F3629-L502	500,00	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	x8 D2755 SFP+ 2 Channel 10GB/sec FCoE Controller, PCle 2.0		+	Н	+	+	\vdash	+	Н	+	+	+	\vdash	+	Н	+	+	Н	+	+	x	+	+	S26361-F3592-L2	1.180,00	
	x 8, SFP+ for opt. module or Twinax cable																									
	SFP+ module only for use in FCoE Ctrl OCe10102	\sqcap	T	П	T	Т		Ť	П		T	Τ			П			П	Ť	Т	×	T	Τ	S26361-F3592-L108	400,00	
SFP+ Modul Multi Mode Fibre 10GB FCoE		-	-	Н	+		\vdash	†	Н	Н	×		\sqcap		П	,	ĸ	П	\dagger	х	×	\dagger	\top	S26361-F3555-L501	810,00	Phased out
SFP+ Modul Multi Mode Fibre 10GB FCoE Eth Ctrl 2x10GBit PCle x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for														. 1	- 1	1	1		1		- 1	1	1		1
Eth Ctrl 2x10GBit PCle x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables	Ш				L	Ш		Ш				Ш	\perp	Ш		_	Ш	4	\perp	Ш	_	_			
	Intel® Ethernet Server Adapter X520-DA2 for					×		x x			×		x		H			x	+	×	×	+		S26361-F3555-L900 S26361-F3011-L1	735,00	Phased out



												_	_	_	_														
		PRIMER GY TX100 S1	PRIMER GY TX100 S3	PRIMER GY TX120	PRIMER GY TX120 S2	PRIMER GY TX120 S3	PRIMER GY 1X140 S1	1GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S5	PRIMER GY TX150 S6	PRIMER GY TX150 S7	PRIMER GY TX150 SATA	PRIMER GY TX200 S2	PRIMER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GY TX300	PRIMER GY TX300 S2	PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S5	PRIMER GY TX600	PRIMER GY TX600 S2	PRIMER GY TX600 S3	Code		nts
Description	Details	PRIME	WER I	RIMER	PRIME	PRIME	N MED	7 IMER	RIMER	PRIMER	PRIME	PRIME	PRIME	'RIMER	RIMER	PRIMER	PRIME	YRIMER	RIMER	PRIME	PRIME	RIME!	NIMER IN	PRIMER	RIMER	PRIMER	Product	EUP (6)	Comme
es & services matrix astructure (Continued)	Betails						_ 0																						
Conversion kit TX300S5 Floor -> Rack	for conversion of a floorstand BU to rack BU		Τ	Г		Т	Т	Τ	Т				Т	Τ	Т		T	Τ	П	П	Т	Т	×	Т	Γ	П	S26361-F1729-L240	120,	00 Phased out
Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU			Г	П		Т				П												,		Г		S26361-F1729-L250	100,	00
Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU			Г			Τ		Τ								х					T		Π	Γ		S26361-F1729-L330	120,	00 Phased out
Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU			Г			Т			x	х	х												Т	Г		S26361-F2618-L250	80,	00 Phased out
Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU			Г			×						x					x x						Т		П	S26361-F2618-L260	100,	00
RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management									x	х																S26361-F2734-L32	225,	00 Phased out
RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario- carrier, pre-assem, centre screw, max. load 50			Г			Τ		Τ						x	x				x	x	x	x >		Γ		S26361-F2735-L103	90,	00 Phased out
RMK-F1_TX150-S6	kg full extraction with vario-carrier, pre-assembled	\vdash	+	┝	Н	+	+	+	+	х	х	х	+	+	+	Н	+	+	H	Н	+	+	+	+	H	Н	S26361-F2735-L105	90,	00 Phased out
RMK-F2_3-xU-Servers_13mm-Drop-in Rails	with centre screw Telescopic full extract. drop-in mount.; vario- carrier for toolless mounting, max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm						×						×					x x)	1			S26361-F2735-L202	65,	00
cage nut set, M5, t=2,5mm Cable magmt. for 19" PC- Rack	Content: 50 pieces cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2					T	×			×	х	x	x		х	x		x x		х	x		x >			x	S26361-F2735-L500 S26361-F2735-L7	50, 30,	
1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for	+	+	\vdash	Н	+	+	+	+	х	х	\dashv	+	+	х	х	+	+	\vdash	х	х	+	+	+	H	x	S26361-F2735-L8	40,	00 Phased out
Cable management arm for 3rd party racks	PRIMECENTER- and 3rd-party racks all-purpose for PY server in 3rd party and	+	+	\vdash	H	+	x :	×	+	Н	H	x	x	×	x	Н	x	x x	×	x	+	х	x >	×	H	Н	S26361-F2201-L20	50,	00
FY-Software IRMC advanced pack	integrated remote management controller activation key for graphical console redirection			×							x					×					x	İ					S26361-F1790-L240	300,	00
iRMC S2 advanced pack	and remote media redirection integrated remote management controller	H	+	-	х	+	+	+	+	Н	Н	х	×	+	+	Н	x	x x	H	Н	+	x	x >	-	L	H	S26361-F1790-L241	300,	00
iRMC S3 advanced pack	activation key for graphical console redirection and remote media redirection	Н	1			x	×			Ц	Ц		_	1		Ц	4	ļ			_	1	1		L		S26361-F1790-L242	300,	
VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAWCPU) - Mandatory 1 year Service Pack needed!					х	×						×					×					,				S26361-F2341-L707	895,	00
VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!					x							х					×					,				S26361-F2341-L708	895,	
VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!					х							×					×					,				S26361-F2341-L709	2.585,	
VMware vSphere ENT w/o SP-3yr VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed! VMware vSphere Enterprise-Plus for 1 CPU					х							x					×					,				S26361-F2341-L710 S26361-F2341-L711	2.585,	
VMware vSphere ENT-PL w/o SP-1yr	Vinware vsphere Enterprise-Prus for 1 CPU (96GB VRAMCPU) - Mandatory 1 year Service Pack needed! VMware vSphere Enterprise-Plus for 1 CPU					x							x					×			_	1	,				S26361-F2341-L711	3.145,	
VMware STD AK(8CPU+VC-STD)w/o SP-1yr	(96GB vRAMCPU) - Mandatory 3 year Service Pack needed! VMware vSphere STD Acceleration Kit for 8						×						x					ļ^			1	1	,				S26361-F2341-L730	8.995,	
,	CPU (256GB vRAWCPU) inc VC-STD - Mandatory 1 year Service Pack needed!																												
VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!					x	×						x)				S26361-F2341-L731	8.995,	00
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAWCPU) inc VC-STD - Mandatory 1 year Service Pack needed!					х	х						×)	:			S26361-F2341-L732	15.750,	00
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAWCPU) inc VC-STD - Mandatory 3 year Service Pack needed!					х	x						×								+	+)		r		S26361-F2341-L733	15.750,	00
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAWCPU) inc VC-STD -		+			х	×			H			x	+		H	+				+	+)				S26361-F2341-L734	19.750,	00
	Mandatory 1 year Service Pack needed!																												
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!					х	×						x										,				S26361-F2341-L735	19.750,	00
VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAWCPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!	H	\dagger		Н	х	×			Н	Н	\dashv	x	+		Н			H	\dashv		\dagger)		r		S26361-F2341-L740	4.045,	00
VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAWCPU) inc VC-FND-E - Mandatory 3 year	\forall	\dagger		Н	x	x	t	T	Н	Н	H	x	†	T	Н	\dagger	†		H	\dagger	\dagger)		T	П	S26361-F2341-L741	4.045,	00
VMware Upgrade ESXi to STD w/o SP-3yr	Service Pack needed! VMware Upgrade ESXi to STD for 1 CPU (32GE vRAWCPU) - Mandatory 3 year Service Pack	+	+		H	+	+	+	+	H	H	\dashv	x	+	+	H	+	x	H	\dashv	+	+	x >	:		H	S26361-F2341-S702	895,	00
VMware Upgrade ESXi to ENT w/o SP-1yr	needed! VMware Upgrade ESXi to ENT for 1 CPU (64GE vRAWCPU) - Mandatory 1 year Service Pack needed!	\parallel	+		H	+	+	+		Н	H	\forall	x	+		Н		x		\forall	+	+	x)	:	h		S26361-F2341-S703	2.585,	00
VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GE vRAWCPU) - Mandatory 3 year Service Pack needed!		\dagger	T	Н	+	\dagger	\dagger	t		Н	\forall	x	\dagger	t		+	×		H	+		x >				S26361-F2341-S704	2.585,	00
VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	\parallel	\dagger		П	+	+	T		П	П	H	x	\dagger		П		×	T	H	+	+	x >				S26361-F2341-S705	3.145,	00
VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	Ħ	T		П	1	Ť	T		П	П	T	×	1		П		Ť		T			x >				S26361-F2341-S706	3.145,	00
VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAWCPU) - Mandatory 1 year Service Pack needed!												×					×					x >				S26361-F2341-S716	1.855,	
VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!												x					×					x >				S26361-F2341-S717	1.855,	
VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed:				Ш					Ц	Ш		x			Ц		×		Ц			x >				S26361-F2341-S718	2.475,	
VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!												x					×					x >	1			S26361-F2341-S719	2.475,	uu



	ervers Accessories																													
	ervers accessories			Ī	T	Τ	Π	Π				Т	T	Τ	_			Τ	Τ		Т	T	Τ			T	Τ			
			10.81	00 82	0083	0.82	TX120 S3	TX140S1	0	10.82	50 83	50 S4	TX150.S5	PRIMER GY TX150 S7	10 SATA	0	00 82	0.84	0.85	980	0 3	0.53	0.84	9800	980	واع	TX60083			
			PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX100 S3	PRIMER GY TX120 S2	Y TX12	Y TX14	Y TX150	PRIMER GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	Y TX15	Y TX15	Y TX15	PRIMER GY TX200	PRIMER GY TX200 S2	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GY TX200 S6	Y TX30	PRIMER GY TX300 S2 PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S5	PRIMER GY TX300 S6	Y TX600	GY TX600 S3	Code		_
			MERG	MERG	MERG	MERG	PRIMERGY	PRIMER GY	PRIMER GY	MERG	MERG	MERG	PRIMER GY	MERG	MERG	MERG	MERG	MERG	MERG	MERG	MERG	MERG	MERG	MERG	MERG	PRIMERGY	PRIMERG	oduct C	(b)	nment
es 8	Description & services matrix	Details	2	<u>R</u>	£ 8	<u> </u>	8	8	<u>E</u>	2	<u>R</u>	£ 5	£ £	<u> </u>	<u>R</u>	<u>R</u>	Œ 8	¥ £	<u>E</u>	2	2 8	£ £	<u> </u>	8	<u>E</u>	Œ E	2 2	, å	- B	Š
Y-5	Software (Continued) VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAWCPU) - Mandatory 1 year			T	Т						T		×		T	T	Т	Т	×	Т		П	x	x	Т	Т	S26361-F2341-S720	614,00	•
		Service Pack needed!				L	L	L	Ш				1		Ш	_	1		L	Ш		1	L		Ш	4				
,	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAWCPU) - Mandatory 3 year Service Pack needed!												×						×				х	×			S26361-F2341-S721	614,00	
,	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service		\forall	+		t	t	Н		+	+	+	x	Н	+	+		+	×		+		х	×	+		S26361-F2341-S728	3.465,00	
,	VMware Upgrade VCS FND to STD w/o SP-3yr	Pack needed! VMware Upgrade vCenter FND to STD for 1			+	+	L	L	Н		4	4	+	×	Ш	4	4	+	-	x	_	+	-		x	4	+	S26361-F2341-S729	3.465,00	
-	viviwale opgrade voo 1145 to 515 w/o 51-5yi	Instance of vCenter - Mandatory 3 year Service Pack needed!												^						^				^	^			320301-12341-3729	3.403,00	
١	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires	x	x	х	х	х	×	П		П	T	,	x x	П	T	T	×	×	×		T	х	х	x	T	T	S26361-F2565-L318	25,00	Phased out
		an OEM or ROK licensed PRIMERGY server system																												
١	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License.	x	х	x	×	x	x					,	x x				x	×	×			x	х	×			S26361-F2565-L328	25,00	Phased out
		Requires an OEM or ROK licensed PRIMERGY server system																												
١	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x :	< x	х	×					,	x x				х	×	x			x	х	x			S26361-F2565-L340	24,00	
١	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x :	x x	х	x				T	,	x x			T	×	×	×	T		x	x	×	T		S26361-F2565-L341	105,00	
						L	L	L	Ш			\perp			Ц				L	Ш			L	L	Ш					
1	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x :	×	x	×					,	x x				x	: x	×			×	x	×			S26361-F2565-L342	24,00	
-	Mile Comma 2000 CAL (C.L.)		Ш		_		L	L	Ц	Ц		1	1		Ц			1		Ц		1	1	L	Ц	_		Dagger Force : -		
1	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x :	×	x	×					'	x x				×	×	×			×	x	×			S26361-F2565-L343	105,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine		x	x	1	ļ.	L	Ш		\perp	4	1	x x	Ц	4	4	1	1	Ш	4	1	1	L		4	+	S26361-F2567-L20	380.00	
ľ	NIS SYSCIT VININ 2008 R2 WORKGROUDE OTT ROK	Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	×	×	×	х	×					,	x x				×	×				×	х	×			526361-F2567-L20	380,00	
Ī	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.	х	х	х	×	х	x	П		T	Ť	,	x x	П	\forall	\top	×	×	×	\top	Ť	х	х	×	\top	T	S26361-F2567-L30	115,00	
١	Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA	x	x	х	×	x	x	П					×	П	\top	\top							Г	П			S26361-F2567-L301	165,00	
		and worldwide language packs. OEM DVD, License.																												
١	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO	x	x		×	х	×					,	x x										Г	П			S26361-F2567-L306	216,00	Phased out
		NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																												
1	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating	x	х	x	×	x	x					,	x x				×	×	×			x	х	×			S26361-F2567-L31	90,00	
ī	Win Srv 2008 R2 Standard 5CAL MULI ROK	System Environment Only for Fujitsu Distributors. Win Srv 2008 R2	х	х	+	×	х	x	Н		+	+	,	x x	Н	+	+	+	×	×	+	+	+	х	×	+	+	S26361-F2567-L310	677,00	Phased out
		Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																												
١	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES	х	х	х	×	х	x	Н		+	+	+	×	Н	+	+	+	+	Н	+	+	+	H	Н	+	+	S26361-F2567-L311	510,00	
		FR IT JA and woldwide language packs. ROK DVD, License.																												
i	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating	х	х	х	×	x	x	П				,	x x	Н	\top	†	х	×	×		†	x	х	x			S26361-F2567-L32	430,00	
,	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	System Environment Only for Fujitsu distributors. Win Srv 2008 R2	x	x	+	×	x	x	H		4	+	,	x x	Н	+	+	+	×	×	+	+	\perp	x	x	+	+	S26361-F2567-L320	2.178.00	Phased out
		Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT																												
ī	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	LangPacks. ROK DVD, License. Only for Fujitsu Broadline Distributors. Win Srv	x	x	x	×	х	x	Н		+	+	+	×	Н	+	+	+	+	×	-	+	+	L	x	+	+	S26361-F2567-L321	1.695,00	
		2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs.																												
i	MS SysCtr Essntls 2010 Client ML 5-Pack	ROK DVD, License. MS System Center Essentials 2010 Managed	x	х	x	×	x	x	Н		+	+	,	x x	Н	+	+	×	×	×	+	+	x	х	x	+	+	S26361-F2567-L33	75,00	
ī	Win Srv 2008 R2 Datacenter 2CPU MUL ROK		х	х	+	×	х	x	Н		+	+	,	x x	Н	+	+	+	×	×	+	+	+	х	×	+	+	S26361-F2567-L330	2.690,00	Phased out
		Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.																												
١	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA	х	х	x	×	х	x	Н		+	+	+	x	Н	+	+	+	+	×	+	+	+		×	+	+	S26361-F2567-L331	2.690,00	
		and worldwide language packs. ROK DVD, License.																												
i	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	х	х	х	×	x	x	Н		\forall		,	x x	Н	+	+	х	×	x		$^{+}$	х	х	х	+		S26361-F2567-L34	295,00	
١	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x	х	х	x	×	П				,	x x	П		\top	×	×	×			х	х	×			S26361-F2567-L340	85,00	
,	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	х	х	x	×	×	x	П		П	T	,	x x	П	T	T	×	×	×		T	x	х	×	T	T	S26361-F2567-L341	380,00	
١	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	х	х	x	×	х	x					,	x x				x	×	×			x	х	×			S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x	x	×	x	x					,	x x				x	×	×			x	х	×			S26361-F2567-L343	380,00	
١	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License		х	x	x		x						×						×					×			S26361-F2567-L350	580,00	
١	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard	Н		x	×	+	x	Н		+	+	+	x	Н	+	+	+	+	×	+	+	+		×	+	+	S26361-F2567-L351	580,00	
	Mis CDC Charlest 2014 IFO N 5 TO	2011 with 5 CAL, ROK, German, DVD Media set, COA, License				1	L	L	Ц	Ц		1	1		Ц	4	1		L	Ц	_	1		L	Ц	1	1	Dagger Force :		
1	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License			x	x		x						×						x					x			S26361-F2567-L352	743,00	
١	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set,		+	x	×	t	×	Н	H	+	+	+	×	H	+	+			×	+	+		H	x	$^{+}$	†	S26361-F2567-L353	580,00	
	Win SBS Standard 2011 w/5CAL ROK ES	COA, License Windows Small Business Server Standard	Ц		x	x	L	×	Н	Ц		4	1	×	Ц	4	1	+	-	x	4	1	-	L	x	1	1	S26361-F2567-L354	580,00	
	WIN 555 Standard 2011 W/SCAL RON ES	2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License			^	*								, x						*								G20001-1 2007-L354	560,00	
1	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set,			х	х	T	x	П		\top	\dagger	\top	x	Н		\top		Т	×	\top	\top	T		х	\dagger		S26361-F2567-L355	580,00	
1	Win SBS Standard 2011 w/5CAL ROK PT	COA, License Windows Small Business Server Standard	Н	4	x	x	H	×	H	Н	4	+	+	x	Н	+	+	+	+	×	+	+	+	H	x	+	+	S26361-F2567-L356	580,00	
- [2011 with 5 CAL, ROK, Portuguese, DVD Media set. COA. License				'		ľ												П					П					



	ervers Accessories																													
	civers Accessories					T	T	Τ	Т				Τ		< <		Τ	Т			Т	Т		Т	T	T				
			00.81	00 82	00 83	02	ZX12052	40.81	20	50 82	50 83	50.54	50.86	PRIMER GY TX150 S7	50 SAT	00	00.52	00 84	9800	98 00	00	0083	00 S4	9800	900	TX600 S2	TX600 S3			
			PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX100 S3	PRIMER GY 1X120	PRIMER GT 1X120 SZ	PRIMER GY TX140 S1	PRIMER GY TX150	PRIMER GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S6	GY TX1	GY TX1	PRIMER GY TX200	PRIMER GY TX200 S2	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GY TX200 S6	PRIMER GY TX300	PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S5	PRIMER GY TX600	GY TX6	GY TX6	e po o		şş.
	On consisting	Details	RIMER	RIMER	RIMER	Y E	PRIMERGY	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER PIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	RIMER	PRIMERGY	PRIMER	roduct	EUP (4)	ommen
es 8	Description Services matrix Software (Continued)	Details	Δ.	Δ.	<u>a.</u> 6	Σ δ	Σ δ		Ι.Δ.	Δ.	Δ.	0. 0		Δ.	Δ.	<u>a.</u> 6	a. a		Δ.	Δ.	a a		<u> </u>	<u>a</u> c			Δ.	<u> </u>		U U
	Vin SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA License			x	Τ	х	×	Γ			T	Τ	×	П	Т	Τ	Т		x	Т	Τ		Т	×	Τ	Г	S26361-F2567-L357	580,00	
,	Vin SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media			x	t	х	×		Н	+	+	+	×	+	+		+	Н	×	+	+	Н	+	x	t		S26361-F2567-L358	580,00	
,	Vin SBS Standard 2011 w/5CAL ROK HU	set, COA, License Windows Small Business Server Standard		-	x	+	x	×		Н	4	+	+	×	4	+	+	+	Н	×	+	╀	Н	+	x	+		S26361-F2567-L359	580,00	
		2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License												Ш					Ш				Ш							
	Vin HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																							×			S26361-F2567-L360	750,00	
1	Nin SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English,			х	t	x	×						x		+		†		×		t	Н		×	t	H	S26361-F2567-L370	885,00	
	Vin SBS 2011 Prem Add-On w/5CAL ROK DE	DVD Media set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German,		\dashv	x	+	x	×	H	Н	+	+	+	×	+	+	+	+	Н	×	+	+	Н	+	x	+	H	S26361-F2567-L371	885,00	
,	Nin SBS 2011 Prem Add-On w/5CAL ROK IT	DVD Media set, COA, License Windows Small Business Server 2011			x	+	x	×	L	Н	4	4	+	x	4	4	+	+	Н	×	+	Ł	Н	+	×	+	L	S26361-F2567-L372	885.00	
		Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License												Ш									Ш							
	Vin SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License			х		x	×						x						x					×			S26361-F2567-L373	885,00	
1	Vin SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set. COA. License			х	Ť	x	×		П		\top		x		1			П	x	T		П		x	T		S26361-F2567-L374	885,00	
1	Vin SBS Essentials 2011 ROK MUL-Set1	Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA,		×	x	+	+	+	H	Н	+	+	+	Н	\dashv	+	+	+	Н	+	+	+	H	+	+	+	H	S26361-F2567-L378	270,00	
		License, Language set 1; BVB Wedia, COA, License, Language set 1: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.																												
									L					Ш									Ш							
	Vin SBS Essentials 2011 ROK MUL-Set2	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License, Language set 2: English (default		×	х	T	T					T		П	T	T	Γ							T	Γ			S26361-F2567-L379	270,00	
		language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.																												
ľ	Vin SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;			x		x	×						x						×					x			S26361-F2567-L380	45,00	
1	Vin SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User);			x	Ť	x	×	T				T	x		Ť	T	T	П	x	T	T	П	Ť	×	T	T	S26361-F2567-L381	45,00	
	Vin SBS 2011 CAL Suite (5 Device)	multi-language CAL; Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices);		+	x	$^{+}$	x	×	H	Н		+	+	×	+	+	+	+	Н	×	+	t	Н	+	×	t	H	S26361-F2567-L382	190,00	
,	Vin SBS 2011 CAL Suite (5 User)	multi-language CAL; Microsoft Windows Small Business Server		-	x	+	x	×		Н		+	+	×	\dashv	+	+	+	Н	x	+	+	Н	+	×	+	H	S26361-F2567-L383	190,00	
,	Vin SBS 2011 Prem Add-on CAL (1 Device)	2011 Client Access License Suite (5 Users); multi-language CAL; Microsoft Windows Small Business Server			x	1	x	×	L			4	_	x	_	4	1	-		x	_	L	Ш	4	×	L	L	S26361-F2567-L384	55,00	
	,	2011 Premium Add-on Client Access License (1 Device); multi-language CAL;																												
	Vin SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License		\dashv	x	+	x	×		Н	+			x	+	+	+	+	Н	×	+		Н	+	x		H	S26361-F2567-L385	55,00	
		(1 User); multi-language CAL;																												
1	Vin SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;			x		х	×						x						x			П		x			S26361-F2567-L386	235,00	
	Vin SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server			x	1	x	×				4	1	x				L	Ш	x	_		Ш		×		L	S26361-F2567-L387	235,00	
	Wil 656 2611 (Gill 756 Gill 656)	2011 Premium Add-on Client Access License (5 Users); multi-language CAL;					^	^																	^			020001120012001	200,00	
	Vin Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows	x	x	x	+	х	x x	H	Н	+	+	+	×	+	+	+	+	Н	×	+	+	Н	+	x	+	H	S26361-F2567-L390	25,00	
,	Vin Svrs 2008 R2 SP1 Service Pack DVD	Servers 2008 R2 SP1. Service Pack 1 Supplement DVD for Windows	x	×	x	+	x	x x	L	Н	4	4	+	×	_	4	+	-	Н	x	+	+	Н	4	x	+	L	S26361-F2567-L391	25,00	
	ServerView Deployment Mgr 6 Single Lic.	Servers 2008 R2. Single license for operation of one client server	Ė	×			x		L	x	х	x :	x x		х	х	x 3	c x	x		x >	x x	H	х		×	x	U15000-C302		Orderable from: 01/10/2
	ServerView Depl. Mgr. 6 Single Upgrade	(managed node) - no software! for upgrades of one 4.x single license to version	H	x					x	×				×	х	x	x 3	c x	x	x	x >	x	x	x	x >	x	x	U15000-C303	70,00	Orderable from: 01/10/2
ŀ	PRIMERGY MultiPath MPIO Upgrade to 5.01	5.0 - no software! for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO.	x		х	4	4		_	Н	+	+		x	\dashv	+	+		x		+	+	ш	x	4	+	H	S26361-F2565-L592	440,00	
	PRIMERGY MultiPath MPIO 5.01	CD-ROM and License. for Windows Server 2008 and 2003. CD-ROM	×	×	x	x	x	x x	L	Н	4	+	×	x	4	+	+	×	×	×	+	-	x	x	x	+	L	S26361-F2565-L593	875,00	
	PRIMERGY MultiPath Upgrade to 5.01	and License. for Windows Server 2008 and 2003, from a			x					Н	+	+		×	4	+	+		×		+	+		x		+	H	S26361-F2565-L594	440,00	
	DDS FDOVAN PD-11 5 04	previous version of PRIMERGY MultiPath. CD-ROM and License.								Ц		1		Ц	_	1	1		Ц				Ц	1	1			000004 500		
	PRIMERGY MultiPath 5.01 PRIMERGY ServerView Suite subscription.	for Windows Server 2008 and 2003. CD-ROM and License. Subscription for 1 year with about 10 releases.,			x	4	4		L	Ц		4		×	Y	x	¥ .		x		x >			x		1	L	S26361-F2565-L595 U15000-C176	875,00 215.00	
		The subscription is licensed only for PRIMERGY servers.											⊥^																	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x		x			x x				Ţ		Ш			4	_	Ш		x >	_						U15000-C289	25,00	
L	ServerView Deployment Manager V5	Software CD Full version, software only - no license	×		_	4	4		L			_	x x		_	_	_	×	Ш			×	×	4				U15000-C299	30,00	
L	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		×			x						x x		x		x 3		×			×	Ц	x				U15000-C300	140,00	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	4	4	4	x x		×	x	x :	x x	Ш	×	x	X 3	(X	×	x	x >	×	x	х	× ,	×	x	U15000-C301	70,00	
	SUSE Linux ES 1SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1 year subscription renewal.	x	×	x		x	x x					×	×														S26361-F2346-L601	145,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year			\dagger	Ť	Ť	T		П		\dagger		П		\dagger	\dagger	x	×	х		T	x	х	×	T	T	S26361-F2346-L611	249,00	
	SUSE Linux E 11 HAE 32SOC +1Y	subscription renewal. SUSE Linux Enterprise 11 High Availability	x	x	x	+	x	x x	\vdash	Н	+	+	x	x	\dashv	+	+	x	×	x	+	+	x	x	×	+	H	S26361-F2346-L621	499,00	
		Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.																												
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3 years			+	\dagger	\dagger	\dagger		Н	+	+	+	Н		\dagger	\dagger	+	Н	\forall		\dagger	H	х	x	\dagger	H	S26361-F2346-L669	1.023,00	
		,								Ш				Ш												L				



			П		Т	Т	Т	Т	Т	П	П	Т	Т	Т	_	Т	Т				Г			Т	Т	Г	П			
			PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX100 S3	3Y TX120	37 1 1 1 1 2 0 3 2 Y	3Y TX140S1	3Y TX150	3Y TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S5	3Y TX150 S7	3Y TX150 SATA	3Y TX200	PRIMER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 S5	3Y TX300	3Y TX300 S2	3Y TX300 S3	3Y TX300 S4	37 1 X300 S5	PRIMER GY TX600	PRIMER GY TX600 S2	3Y TX600 S3	Code		92
			MER	MER	MER	PRIMER GY	- VENTER GE	PRIMERGY	PRIMER GY	PRIMER GY	MER	MER	PRIMER GY	PRIMER GY	PRIMER GY	PRIMER GY	MERC	MER	MER	PRIMERGY	PRIMER GY	PRIMER GY	PRIMER GY	PRIMERGY	MER	MER	PRIMER GY	oduct C	©	mment
ory	Description & services matrix	Details	8	2	2	ž 8		2 2	2	2	8	£ 8	¥ ¥	8	2	2 8	2 2	8	£ 8	£ £	2	2	2	1 8	2	2	2	ž.	P.	Š
RGY-	Software (Continued) Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support																										000004 50040 1444	05.00	
	Debian-Obuntu FSE Basic Support 1Y	Subscription for x86 and x86_64 1-Server 1-	x			x	×						x >			×	X	×	×			×	х	x				S26361-F2346-L411	95,00	
	Debian-Ubuntu FSE Basic Support 3Y	Year Debian-Ubuntu FSE Basic (email) Support	x	\vdash	+	x	v	+	+	H	Н	+	x >	-	Н	x	x	x		+	H	v	x	v	+	H	Н	S26361-F2346-L412	228.00	
		Subscription for x86 and x86_64 1-Server 3- Years					^						^ /				^	^						^				02000112040 2412	220,00	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support	×	\vdash	+	х	x	+	+	H	Н	+	x >		Н	x	×	х	×	+	H	х	х	х	+	Н	Н	S26361-F2346-L415	245,00	
		Subscription for x86 and x86_64 1-Server 1- Year	Ш																											
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support	×	\Box	\top	х	х	†	†		П	\top	x >		П	х	×	х	×	\top	t	х	х	х	†	T	П	S26361-F2346-L416	588,00	
		Subscription for x86 and x86_64 1-Server 3- Years	П																											
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-	x			х	x						x >			x	х	x	х			х	х	х				S26361-F2346-L417	495,00	
	Dakina Ukushi FSF Drimits Comment 2V	Year		Н	4			+	+	L	Н	4		L	Н	_	+.		_	+	L				+	L	Ш	POPOPA FOOAP LAAD	4 400 00	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3- Years	x			×	×						x >			х	×	x	×			×	x	x				S26361-F2346-L418	1.188,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX	Н	\vdash	+	+		x x	-	H	Н	+	+	×	Н	+	+	x	×	x	X	х	х	x :	-	H	x	S26361-F2341-L300	80.00	
		4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License	Ш																											
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device	Н	Н	+	$^{+}$	х :	x x			Н	+	+	×	Н	+	+	Н	x	x	H	Н	+	х :		Н	Н	S26361-F2341-D431	60,00	
		Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)	Ш																											
	on-SW					÷	Ú	ŕ				÷	þ											÷						
	ManageNow® for NSM Base ManageNow® for NSM Remote Manager			x	х		х :	x >		H	H	#	\pm	X		#	\pm		x	x	F	H				H		U24533-C405 U24533-C406	20.000,00 12.500,00	
	ManageNow® for NSM Portal ManageNow® for NSM AglessMoni HostResMB		H	x				x x		F	H	Ŧ	Ŧ	x		Ŧ	Ŧ		x		F	H	Ŧ	1	:	F		U24533-C407 U24533-C425	9.000,00	
	ManageNow® for NSM CA Agent Integration ManageNow® for NSM HP InsightMgr Integr.		П	x	х		х :	x x			H	1	1	x		#	Ŧ		x	x			4					U24533-C421 U24533-C408	3.000,00	
	ManageNow® for NSM ETERNUS Storage Monit ManageNow® for NSM ETERNUS CS Monit.		Ħ	х	х		х :	x x			Ħ	#		x	Ħ	#			х	x		H				Ė		U24533-C404	4.500,00	
	ManageNow® for NSM NetApp Monitoring			x	х		x :	x x	:		H	#		x	H	\pm			x	x			_	- 1				U24533-C410 U24533-C411	5.000,00 4.500,00	
	ManageNow® for NSM SAN Monit up to 64p ManageNow® for NSM SAN Monit.more as 64p		Н	x				x x			H	+	\pm	x	Н	-	+		x			Н	_	- 2		H		U24533-C409 U24533-C412	3.000,00 6.250,00	
	ManageNow® for NSM VMware ManageNow® for NSM UPS		П	x	х		x :	x x	:	Е	П	Ŧ	Ŧ	x	П	Ŧ	Ŧ		x x	x	F	П	7		:	F	П	U24533-C413 U24533-C414	4.500,00 5.000,00	
	ManageNow® for NSM Microsoft Cluster ManageNow® for NSM BladeFrameMonit BF200		Ħ	х	х		х :	x x			H	#	#	×		#	Ŧ		x	x	F	Ħ	#			F		U24533-C415	4.500,00	
	ManageNow® for NSM BladeFrameMonit BF400			x	х		х :	x x				\pm	\pm	x	H				x	x			\pm	- 1				U24533-C416 U24533-C424	9.000,00 20.000,00	
	ManageNow® for NSM Connector CA eHealth ManageNow® for NSM Connector MS SCOM		H	x		£	x :	x x		F	H	f	F	x	H	f	Ŧ		x x		F	H	H			F		U24533-C417 U24533-C418	5.000,00 5.000,00	
	ManageNow® for NSM Connector HP OV NNM ManageNow® for NSM Connector Lotus Notes		П	x	х		x :	x x	:		П	Ŧ	Ŧ	x	П	Ŧ	Ŧ		x x	x	F	П	7			Е		U24533-C419 U24533-C420	5.000,00	
	ManageNow® for NSM Con. 3rd PartyManager ManageNow® for NSM Connector QoS			х	х	4	х :	x x	:		П	1		x	\Box			ш	х	x	F	П	7			F		U24533-C422 U24533-C433	5.000,00	
	ManageNow® for NSM Connector EMC CC			x	х		х :	x x						x					x	x								U24533-C434	5.000,00	
	ManageNow® for NSM Connector NetApp OM ManageNow® for NSM Data Media		Н	x				x x		H	Н	+	+	×	Н	+	+		x		H	Н	+	- 1		Н		U24533-C435 U24533-C423	5.000,00 40,00	
	ManageNow® for ITCM ManagedObjectsLicens ManageNow® for ITCM Manager License			x				x x		Н	Н	\mp	+	x	Н	\pm	+		x		F	Н	\exists	- 1		Е		U24533-C400 U24533-C401	2.000,00 5.000,00	
	ManageNow® for ITCM Win7 OS Install Lic. ManageNow® for ITCM Vista OS Install Lic		П	x	х		х :	x x	:		П	7	-	x		7			x	x		П	4					U24533-C402 U24533-C426	3.000,00	
	ManageNow® for ITCM WinXP Prof OSInstLic		П	х	х		x :	x x	:		П			x	Ħ				х	x					:			U24533-C427	3.000,00	
	ManageNow® for ITCM Win2003Svr OSInstLic ManageNow® for ITCM Win2008Svr OSInstLic			x		\pm	x :	x >	:					X	Н				x		Ė			1	:			U24533-C428 U24533-C429	3.000,00	
	ManageNow® for ITCM SUSE10.1 OS Inst Lic ManageNow® for ITCM SLES9.0 OS Inst Lic		Н	x		+	x :	x x		\vdash	Н	+	+	×	Н	+	+	Н	x		H	Н	+	- 2		Н		U24533-C432 U24533-C430	3.000,00	
wers	ManageNow® for ITCM data medium supply			х	х		x :	x >						X					x	x								U24533-C403	40,00	
	Power Supply Module 450W (hot plug) Power Supply Upgrade 450W (hot plug)	for PS redundancy for optional PS redundancy, incl. mounting kit	П	П	Ŧ	Ŧ	Ŧ	Ŧ	F	×	x	x x			П	Ŧ	Ŧ	П	\mp	\mp	F	П	\exists	Ŧ	F	F		S26113-F483-L11 S26113-F483-L6		Phased out Phased out
		cable and 1st power supply module	Ш		4		1			Ĺ					Ш			Ш			L		4			L				T HADOU OUL
	conversion kit standard to hot plug PSU Power Supply Module 450W (hot plug)	conversion standard into hot plug PSU for optional PS redundancy						\pm	+		Н	\pm		X								Н		\pm	+		П	S26113-F540-L1 S26113-F540-L11	255,00 170,00	
	Power Supply Module 800W (hot plug) Fan and PSU upgrade kit	for optional PS redundancy conversion standard into hot plug PSU and	Н	-	+	+	+	+			Н	-	-		Н	-			x	x	Н	Н	\exists	х		Н		S26113-F541-L10 S26113-F541-L11	215,00 530,00	
	1	conversion standard into redundant fans	Ш																											
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																		x								S26113-F556-L10	215,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	×				х				×	×	x >	x	×		×	x	×	××	х	x	х	х :	×	x	×	S26113-F80-L30	255,00	
	Cable powercord (D,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS TR	×	х	х	x	х :	x x	×	x	х	х	x >	×	x	х :	x x	х	×	x x	х	х	х	х :	×	Г		T26139-Y1740-L10	15,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	х	х	x	x	х :	x x	x	x	х	x	x >	x	x	x	x x	х	x	x x	х	х	х	х :	x			T26139-Y1742-L10	15,00	
	Power cord 16A IEC320 C19->C20 Cable powercord (UK, IR), 1.8m, grey	with connector IEC320 C19->C20 suitable for UK, IR	x													x				x x				х :				S26361-F3151-L300 T26139-Y1744-L10	30,00 15,00	
	Cable powercord (I), 1.8m, grey Power cord 16A IEC320 C19->CEE 7/7	suitable for I with connector IEC320 C19->CEE 7/7 (Schuko																х					х	х :	x	x		T26139-Y1745-L10 S26361-F3151-L100	15,00 30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE	Н	Ц	4	+	+	+	+	-	\sqcup	4	+	-	Н	4	+	Н	4	+	1	Н	4	+	+	Ë		S26361-F3151-L200	30,00	
		(IEC309)	Ш						L	L	Ш			L	Ш	\perp		Ш			L	Ш			L	Ľ				
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6- 20p		T	T	T	Г	Γ	Г		Π	Τ	Г		I	T		П	T		Г		T	Τ	Г	x	x	S26361-F3151-L500	60,00	
neou	us Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan				÷	÷	÷	×			÷	÷			÷	÷			÷						Ė		S26361-F2544-L83	130,00	
		redundancy	Ш	Ц	4	1	1	1	1		Ш	1	1		Ц	1	1	Ц	_	1	L	Ш	4	x :	L	L				
	LocalView Option Kit S2 LocalView Option Kit S2	LCD display with adapter LCD display with installation kit	H	H	H		+)		H	Н	-	\pm	x	Н	_	H	H	x	x		Н		x :		H		S26361-F2557-L105 S26361-F2557-L106	70,00 70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter	П		Т	T	Т	,	Τ	Г	П	T	Т	x		Т	Τ	П	x	x	Г		П	x :				S26361-F2557-L202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl.	Н	Н	+	+	+	+	†		Н	+	+	t	Н	+	+	H	x	x	t	Н	\dashv	x :	+	t	H	S26361-F2557-L205	25,00	
	Service LAN Option	mounting kit integrated in the front operating panel	Н	Н	_	\pm		x >		\vdash	Н	+	\pm		Н	-	+	H	+	+		Н	_	+	\perp	H		S26361-F2571-L27	20,00	
- 1	cable Serial port option TPM Module add-on kit	Cable for 2nd RS-232-C 9 pin interface Trusted Platform Module on motherboard, be	H	x	x	Ŧ	Ŧ.	x	F	F	H	Ŧ	Ŧ	x	H	Ŧ	F	H	x		F	Н	Ŧ	х :	F	F		S26361-F3120-L3 S26361-F3552-L1	40,00 50,00	
		aware of import restrictions!	Н	4	4	4	1	+	1		Н	4			Ц	4	1	Н	4	1	L	Ш	4	1	1	L				
	Secial and action		Н		\pm		#	+			H		x >		H	х		H	\pm	x		Н	#	+				S26361-F2571-L10 S26361-F2571-L8		Phased out
	Serial port option Parallelport Option Centronics	Cable with 9 pin D-SUB interface Cable with 25 pin Centronics interface			+	+	\pm	\pm			H	\pm)		Н	+	\pm	X	+	\pm	H		х	\pm		H		S26361-F2557-L201 S26361-F2557-L204	45,00 40,00	Phased out
					_												×	x	x	x		х	x							
	Parallelport Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label	x					x x	:				x >	×						v v				x :				D:CL-DAT160-MX-01	22,00	
	Parallelport Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label	×		Ī	x	х :	x x	×	x	х	х	x >	x	х								х	x :	×	x	х	D:CL-DAT72-MX-01	5,00	
	Parallejort Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label DAT72 cleaning cartridge no label MTC-L MEDIALTO cleaning cartridge	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label Cleaning cartridge without label from Fuji for LTO drives	x x			x	x :	x x	: x	x	x	x	x >	×	х	x :	x x	x	x	x x	x	x	x	x :	: x	x	x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01	5,00 37,00	Orderable from: 01/0
	Paralleport Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label DAT72 cleaning cartridge no label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label Cleaning cartridge without label from Fuji for	x			x	x :	x x	: x	x	x	x	x >	x	х	x :	x x	x	x	x x	x	x	x x	x :	x	x	x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01 D:CL-FJ-LTO-01L	5,00 37,00	Orderable from: 01/0
	Parallejort Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label DAT72 cleaning cartridge no label MTC-L MEDIALTO cleaning cartridge	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT22 cleaning cartridge without label Cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO cleaning cartridge without label from Fuji for LTO	x			x	x :	x x	: x	x	x	x	x >	x	х	x :	x x	x	x	x x	x	x	x x	x :	x	x	x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01	5,00 37,00	Orderable from: 01/0
	Paratelport Option Centronics ServerView Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label DAT72 cleaning cartridge no label MTC-L MEDIA LTO cleaning cartridge MTC-L MEDIA LTO cleaning cartridge MTC-L MEDIA LTO clean. cartr. with label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT172 cleaning cartridge without label from Fuji for LTO drives cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives	x			x	x :	x x x	: x	x	x	x x	x > x > x > x > x > x > x > x > x > x >	x	x	x :	x x x x	x	x x	x x x x x	x	x x	x x x	x :	: x : x	x	x x x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01 D:CL-FJ-LTO-01L	5,00 37,00 38,00	Orderable from: 01/0
	Paratelport Option Centronics Sanent/New Local Service Panel Server/New Local Service Panel Kit DAT160 cleaning cartridge no label DAT2 cleaning cartridge no label MTC-L MEDIA LTO cleaning cartridge MTC-L MEDIA LTO cleaning cartridge LTO cleaning cartridge Fuji no label LTO cleaning cartridge Fuji no label LTO cleaning cartridge Fuji with label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label Cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives Cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives	x			x	x :	x >	: x	x	x x x	x x x	x > x > x > x > x > x > x > x > x > x >	x x x	x	x :	x x x x	x x	x	x x x x x x	x	x x	x x x	x : x : x : x :	: x : x : x	x x x	x x x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01 D:CL-FJ-LTO-01L D:CL-LTO2-FJ-01	5,00 37,00 38,00 39,00 40,00	Orderable from: 01/09
	Parallelport Option Centronics Senern/Yew Local Service Panel ServerView Local Service Panel Kit DAT160 cleaning cartridge no label DAT2 cleaning cartridge no label MTC-L MEDIA TO cleaning cartridge MTC-L MEDIA LTO cleans arridge LTO cleaning cartridge Fuji no label LTO cleaning cartridge Fuji with label LTO cleaning cartridge Fuji with label LTO cleaning cartridge Fuji with label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT172 cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives Cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives	x			x	:	x x x x x x x x x x x x x x x x x x x	: x	x x x	x x x	x x x x	x > x > x > x > x > x > x > x > x > x >	x x x	x	x : x : x : x	x x x x x x x x	x x x x	x	x x x x x x x x	x x x	x x x	x x x	x : x : x : x : x : x : x : x : x : x :	: x : x : x	x x x	x x x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01 D:CL-FJ-LTO-01L D:CL-LTO2-FJ-01 D:CL-LTO2-FJ-01 D:CL-LTO2-FJ-01L	5,00 37,00 38,00 39,00 40,00 48,00	Orderable from: 01/09
	Paratelport Option Centronics Sanent/New Local Service Panel Server/New Local Service Panel Kit DAT160 cleaning cartridge no label DAT2 cleaning cartridge no label MTC-L MEDIA LTO cleaning cartridge MTC-L MEDIA LTO cleaning cartridge LTO cleaning cartridge Fuji no label LTO cleaning cartridge Fuji no label LTO cleaning cartridge Fuji with label	Cable with 25 pin Centronics interface Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) Support for Customer Self Service (CSS) DAT160 cleaning cartridge without label DAT172 cleaning cartridge without label from Fuji for LTO drives cleaning cartridge without label from Fuji for LTO drives Cleaning cartridge without label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge without label from EMI for	x			x	:	x > x > x > x > x > x > x > x > x > x >	: x	x x x	x x x	x x x x x	x > x > x > x > x > x > x > x > x > x >	x x x	x	x : x : x : x	x x x x x x x x x x x x	x x x x x	x	x x x x x x x x x x	x x x	x x x	x x x	x : x : x : x : x : x : x : x : x : x :	: x : x : x	x x x x x	x x x x x	D:CL-DAT72-MX-01 D:CL-FJ-LTO-01 D:CL-FJ-LTO-01L D:CL-LTO2-FJ-01	5,00 37,00 38,00 39,00 40,00	Orderable from: 01/06

Fujitsu Technology Solutions Listino Prezzi Ottobre 2011



		PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX100 S3	PRIMER GY TX120	PRIMER GY TX120 S2	PRIMER GY TX140S1	PRIMER GY TX150	PRIMER GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S6	PRIMER GY TX150 S7	PRIMER GY TX150 SATA	PRIMER GY TX200	PRIMER GY TX200 S2	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GY TX200 S6	PRIMER GY TX300	PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S5	PRIMER GY TX300 S6	PRIMER GY TX600	PRIMER GY TX600 S2	PRIMER GY TX600 S3	oduct Code	6) d	nments
Description & services matrix	Details	Æ	Æ	æ	쭖	£ 8	ž 8	: E	ı Æ	8	€ 8	£ 8	<u> </u>	Æ	£	ž 8	Æ	Æ	€	£ £	: <u>E</u>	E	Œ	£	£	æ	Æ	£	P.	Š
tinued) DAT160 data cartridge no label	DAT160 data cartridge without label	x			7	т	x >	ĸ	П			x >	c x			1	x	х	x		x	x	x	x				D:CR-DAT160-MX-01	21,00	
DAT72 data cartridge no label LTO1 data cartridge Fuji no label	DAT72 data cartridge without label LTO-1 data cartridge without label from Fuji,	X	F	H	х	х	x)	K X	x	x	x :	x >	(X	x	x	X 3	X	х	х	x >	< x	X	х	х	x	х		D:CR-DAT72-MX-01 D:CR-FJ-LTO1-01	14,00 21.00	Orderable from: 01/
LTO1 data cartridge Fuji with label	100 GB native capacity LTO-1 data cartridge with label from Fuji, 100	H	L	Н	4	+	+	×		x	-	x >			x	x 2	+	Н	4	x >		╀	H	Н	×		_	D:CR-FJ-LTO1-01L		Orderable from: 01/
	GB native capacity	L		Ц	4	4	4	4	Ļ	Ш	_	4	_	Ļ	4	4		Ш												Orderable from: 01/
LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity			Ш			x >			Ш	_	\perp	(X			x :				x >								D:CR-FJ-LTO2-01		
LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity						x >	K		x	x :	x >	×		x	X 3	×	x	x	x >	×	x	х	x	x	х	х	D:CR-FJ-LTO2-01L	21,00	Orderable from: 01/
LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	Г		П			x x	K	Г	П		x >	×			X 3	х	x	x	,	< x	x	х	x		х	x	D:CR-FJ-LTO3-01	21,00	Orderable from: 01/
LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity	T		П			x >	ĸ	T	П		x >	(X	П		х :	х	х	х	,	c x	х	х	x		х	х	D:CR-FJ-LTO3-01L	21,00	Orderable from: 01/
LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity	\vdash		Н			x >	K	T	H		,	(X	Н			х	х	х	†		х	х	х				D:CR-FJ-LTO4-01	23,00	Orderable from: 01/
LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800	+		Н	+	+	+	$^{+}$	H	H	х	,	c x	Н	+	+	х	Н	+	+	+	х		Н	Н	Н		D:CR-FJ-LTO4-01L	23,00	Orderable from: 01/
LTO5 data cartridge Fuji no label	GB native capacity LTO-5 data cartridge without label from Fuji,	+	H	Н	\dashv	+	x)	ĸ	⊬	H	+	+	x	Н	+	+	+	Н	x	+	+	+	Н	x	Н	-	Н	D:CR-FJ-LTO5-01	54,00	Orderable from: 01/
LTO5 data cartridge Fuji with label	1500 GB native capacity LTO-5 data cartridge with label from Fuji, 1500	H	H	Н	-	+	x >		H	Н	+	+	×	Н	+	+	╀	Н	¥	+	+	╀	H	x				D:CR-FJ-LTO5-01L	54.00	Orderable from: 01/
LTO1 data cartridge Fuji no label	GB native capacity LTO-1 data cartridge without label from Fuji,	L		Ц	4	4			×			x >			x			Ш		x >		L	L		x			D:CR-LTO1-FJ-01		Phased out
LTO1 data cartridge Fuji no label	100 GB native capacity LTO-1 data cartridge with label from Fuji, 100	L	L	Ц	4	4	1			Ш								Ц					L	Ш				D:CR-LTO1-FJ-01L		Phased out
,	GB native capacity		L	Ц			1	4	×			x >		Ш	4	x :	_	Ш		x >	\perp		L	Ш	×					rnased out
LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity			Ш				×	×	х		x >	۲	x		х 3				x >	(X		L		×			D:CR-LTO1-IB-01	32,00	
LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity			П	T	T	T	×	x	x	T	x >	•	x	x	X 3	Г		T	x >	×	Г			x		x	D:CR-LTO1-IB-01L	33,00	
LTO1 barcode label horizontal LTO1 data cartridge Maxell no label	label for LTO-1 data cartridges LTO-1 data cartridge without label from Maxell.		F	H	7	+	+	×				x >		×		x 3	_			x >		_	F	H	x	Ħ		D:CR-LTO1-LAB D:CR-LTO1-MX-01	2,00 25.00	Phased out
LTO1 data cartridge Maxell with label	100 GB native capacity LTO-1 data cartridge with label from Maxell, 100		L	Н	4	4	1	4		Ш								Ц					L	Ш	x	Ц		D:CR-LTO1-MX-01L		Phased out
	GB native capacity	_	L	Ц	_	_	1	×	×	x		x >		×	x			Ц		x >			L	Ш						r naseu out
LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity			Lĺ			x >					x >				x 3				x >		L						D:CR-LTO2-FJ-01	23,00	
LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity	Г		П	П	T	x >	K	Г	x	x :	x >	(X		x	x 3	x	x	x	x >	c x	x	x	x	x	х	x	D:CR-LTO2-FJ-01L	23,00	
LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity	T		П			T	Ť	T	х	х :	x >	(X	П	х	х :	х	П	T	x >	c x	х			x	х	х	D:CR-LTO2-IB-01	32,00	
LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity	T		П	\exists	T	x >	ĸ	T	х	х :	x >	(X	П	х	х з	х	х	х	x >	c x	х	х	х	x	х	х	D:CR-LTO2-IB-01L	32,00	
LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell,	+		Н	+	+	x)	K	H	x	х :	x >	c x	Н	х	х з	×	х	х	x >	c x	х	х	х	x	х	х	D:CR-LTO2-MX-01	22,00	
LTO2 data cartridge Maxell with label	200 GB native capacity LTO-2 data cartridge with label from Maxell, 200)	H	Н	\dashv	+	x)	ĸ	⊬	x	х :	x >	c x	Н	х	X 3	x	x	x	x >	c x	x	х	x	x	х	x	D:CR-LTO2-MX-01L	23,00	
VXA barcode label	GB native capacity Label for VXA data cartridge	╀	H	Н	+	+	+	×	X	x	x :	x	+	x	x	x 2	+	Н	+	x >	c x	╀	H	Н	×	x	x	D:CR-VXA2-LAB	2,00	
VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			П				×				х		×		x 3		П			c x	_			x	x		D:CR-VXA2-X10-01	35,00	
VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	\vdash		Н			†	х	х	х	х :	х		х	х	х з	t	Н	\forall	x >	c x				x	х	х	D:CR-VXA2-X10-01L	36,00	
VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data	+	Н	Н		+	$^{+}$	×	х	х	х :	x	+	x	х	x 3		Н	+	x >	c x	H	Н	Н	х	х	х	D:CR-VXA2-X23-01	66,00	
VXA-2/320 data cartr 80/160GB with label	capacity in VXA320 mode: 160 GB data capacity in VXA2 mode: 80 GB, data	╁	H	Н	+	+	+	×	x	x	x :	x	+	x	x	х з	+	Н	+	x >	c x	H	Н	Н	x	х	x	D:CR-VXA2-X23-01L	67,00	
RDX Cartridge 160/320GB	capacity in VXA320 mode: 160 GB RDX Cartridge 160GB uncompressed / 320GB	x	x	х	x	x	x)	ĸ	⊬	H	+	x >	c x	Н	+	,	X	x	x	+	x	x	x	x	Н	Н	x	S26361-F3857-L160	105,00	
RDX Cartridge Pack 10x 160/320GB	compressed Package 10x RDX Cartridge 160GB	×		Ш	_	x	_	4	H	Н	-	x >	c x	Н	+	,	x	x	x	+	×	x		×				S26361-F3857-L169	1.000.00	
RDX Cartridge 320/640GB	uncompressed / 320GB compressed RDX Cartridge 320GB uncompressed / 640GB	Î							L	Ш		x >	\perp	Ш	4		×			\perp		×						S26361-F3857-I 320	160.00	
	compressed			Ш					L	Ш																				
RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed		×	х	х	х	x >	K				x >	(X			,	х	x	x		x	x	x	x				S26361-F3857-L329	1.520,00	
RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GE compressed	3 x	x	x	x	х	x >	K	Г	П	1	x >	(X			3	x	x	x	Т	x	x	x	x			x	S26361-F3857-L500	205,00	
RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	x	x	х	х	х	x >	ĸ	T	П		x >	c x	П	T	,	х	х	x		х	х	х	x			x	S26361-F3857-L600	300,00	
LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	\vdash		Н	\forall	\top	x x	ĸ		Н		x >	c x	П	\top	x 2	×	х	х	,	c x	х	х	x	Н	х	х	D:CR-LTO3-FJ-01	22,00	
LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji,	+	Н	Н		+	x >	K	+	H	+	,	c x	Н	\pm	$^{+}$	х	х	х	+	+	х	х	х		Н		D:CR-LTO4-FJ-01	24,00	
LTO5 data cartridge Fuji no label	800 GB native capacity LTO-5 data cartridge without label from Fuji,	\vdash		Н	+	+	x >	K	\vdash	H	+	+	×	Н	+	+	+	H	x	+	+	+	\vdash	×	Н	H	H	D:CR-LTO5-FJ-01	55,00	
LTO3 data cartridge IBM no label	1500 GB native capacity LTO-3 data cartridge without label from IBM,	\vdash	H	H	+	4	x >		\vdash	H	-	x >		Н	+	X 2	×	x	x	,	c x	x	x	x	Н	x	x	D:CR-LTO3-IB-01	25,00	
LTO4 data cartridge IBM no label	400 GB native capacity LTO-4 data cartridge without label from IBM,	-	-	Н	4	_	x >	_	-	H	x	Ļ	×	Н	4	1		×		+	╀.		x		Ц	Ĺ		D:CR-LTO4-IB-01	26,00	
	800 GB native capacity	L	L	Ц	4	4	_	4	L	Ц	_	\perp	_	Ш	4	1		Ш	_	1	1				Ц					
LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity		L	Ш			x >	K	L	Ш	_		(X			X 2	×	×	×	,	×		x	×		х		D:CR-LTO3-FJ-01L	36,00	
LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity			LĪ	Ī	_ [LΤ	x	,	(X		_ [x	LĪ				x						D:CR-LTO4-FJ-01L	25,00	
LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity				T		x >	K		П		,	×			T			x			Т		×				D:CR-LTO5-FJ-01L	56,00	
LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity	T		П	7	\dagger	†	Ť	T	П	1	x >	c x	П	\top	X 2	×	П	\forall	,	< x	x	T	П		х	х	D:CR-LTO3-IB-01L	26,00	
LTO4 data cartridge IBM with label	LTO-4 Data cartridges with Label from IBM, Kapazity 800 GByte native	+		H	+	+	x >	K	+	H	х	+	×	Н	+	+	x	х	х	+	+	х	х	х	Н	H	H	D:CR-LTO4-IB-01L	27,00	
LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from	+		H	+	+	+	+	\vdash	H	+	x >	c x	Н	+	x 3	×	х	x	,	c x	x	х	х	Н	х	х	D:CR-LTO3-FJ-01W	26,00	
	Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																													
LTO4 WORM data cartridge Fuji no label	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data										x	,	c x				x	x	x			x	x	×				D:CR-LTO4-FJ-01W	34,00	
LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x >	c x			х з	×	x	x	,	x x	x	x	×		х	×	D:CR-LTO3-FJ-01WL	27,00	
LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries										x		×					x					x					D:CR-LTO4-FJ-01WL	34,00	
LTO cleaning label horizontal	label for LTO cleaning cartridges				_	_		_		х																		D:CL-LTO-LAB D:CR-LTO3-LAB	2,00	

Fujitsu Technology Solutions Listino Prezzi Ottobre 2011



													≰																
		PRIMER GY TX100 S1	PRIMER GY TX100 S2	PRIMER GY TX120	PRIMER GY TX120 S2	PRIMER GY TX120 S3	PRIMER GY TX140 S1	PRIMER GY TX150 S2	PRIMER GY TX150 S3	PRIMER GY TX150 S4	PRIMER GY TX150 S5	PRIMER GY TX150 S6	PRIMER GY TX150 S7 PRIMER GY TX150 SATA	PRIMER GY TX200	PRIMER GY TX200 S2	PRIMER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 S6	PRIMER GY TX300	PRIMER GY TX300 S2	PRIMER GY TX300 S3	PRIMER GY TX300 S4	PRIMER GY TX300 S6	PRIMER GY TX600	PRIMER GY TX600 S2	PRIMER GY TX600 S3	oduct Code	()	nments
Description & services matrix	Details	2	2	E E	<u> </u>	2	Œ Ē	¥ ₹	E.	2	Ē	£	¥ ₹	8	E.	2	E 8	E	Ĕ	E.	Œ.	Œ Ē	Ē Ē	1	E.	E.	ě	EUP	
ntinued) LTO5 WORM data cartridge Fuji no label	LTO-5 WORM data cartridge without label from		7	Ŧ	П		7			х		х	x	т			x >	k x				х	x >				D:CR-LTO5-FJ-01W	69,00	
	Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries																												
LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries									x		x	x				x 3	x x				x	x x				D:CR-LTO5-FJ-01WL	70,00	
LTO5 barcode label horizontal	label for LTO-5 data cartridges	Н	+	+	+	х	x	+	⊬	х	Н	+	x	╀	Н	H	x >	K X	Н	Н	+	х	x >	+	H	Н	D:CR-LTO5-LAB	2,00	
Cable powercord rack, 4m			Ť					x						x	x					x							T26139-Y1968-L10	15,00	
Software OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-	×	х :	x			Ť		x				×						х	x		Ť			x		U11081-C157	15,00	
OPENFT-FTAM-2 (WINDOWS) V8.0	ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1 openFT - openFileTransfer; Right to Use for	x	х :	x	L	Н	4	x x	x	x	Н	4	×	: x	x		+	ļ	x	x	_	4	+	×	x		U11081-C171	1.125,00	
OPENFT-FTAM-2-U (WINDOWS) V8.0	usage in automated unattended mode, für 1 system with 1 to 4 CPUs openFT-FTAM; Update Right to Use for usage in	×	x :	x	-		4	x x	×	x	Н	4	×	×	×		+	ļ	x	x		4	-	×	×		U11081-C177	562,00	
OPENFT-SW-CD (WINDOWS) V8.1	automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Datamedium CD-	x	x :	x				x x	x	x			×	×	x				x	x	4		+	×	x		U11081-C183	30,00	
OPENFT-2 (WINDOWS) V8.1	ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME openFT - openFileTransfer; Right to Use for		x :		L	Ш		x x				_		: x			1	ļ	x			4	1	×	×		U11081-C186	1.125,00	
OPENFT-2-U (WINDOWS) V8.1	usage in automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to Use					Ц		x x						×			1	1	x			1	1		x		U11081-C192	451,00	
2. In 120 (MADOWS) 10.1	from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs							*	*	^			*		^				*					, x			27,000,0102	÷ 1,00	
OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	×	x :	×		П	1	× ×	×	x	П		×	×	x			T	x	x		1	T	×	х	П	U11081-C199	15,00	
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	×	x :	x		П	\top	x x	x	x	П	\top	×	×	x	\forall	\dagger		x	x	\forall	\top	\dagger	×	x	П	U11081-C201	30,00	
OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	×	×		П		× ×	×	x			×	×	х			T	x	x	1			×	x		U11081-C202	1.225,00	
OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081- C201	x	x	+			+	x x	x	x			×	×	x				x	x		+	+	×	x		U11081-C203	1.994,00	
OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x :	x		H	1	x x	x	x			×	x	х	\top		+	x	x	1	1	t	x	x		U11081-C204	3.988,00	
OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201							x x	x	x			×	×	x				x	x	1			×	x		U11081-C207	710,00	
OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x :	x		H	1	x x	x	x			×	x	х	\top		+	x	x	1	1	t	x	x		U11081-C212	1.225,00	
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081- C203	x	x :	x			+	x x	x	x			×	×	x				x	x		+		×	x		U11081-C213	1.994,00	
OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WNDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081- C204	x	x :	x				x x	x	x			x	×	x				x	x	1			x	x		U11081-C214	3.988,00	
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081- C207	x	x :	x				x x	x	x			x	×	x				x	х				x	x		U11081-C217	710,00	
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs				x			x x								х		ĸ	х	×	x	х	х	×	x	П	U11081-C301	1.225,00	
OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x :	x >	x	х	x	x x	x	x	х	х	x x	×	x	х	х >	K	x	x	x	х	х	×	x		U11081-C311	1.225,00	
OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x >	x	х	x	x x	x	x	x	х	x x	×	x	х	x >	K	x	x	x	х	х	×	x		U11081-C321	500,00	
OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU		×	×		П		x x	x	x	П		×	×	х				x	x			>	×	x		U11081-C302	1.994,00	
OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x :	x				x x	x	x			×	×	x				х	x			,	×	x		U11081-C312	1.994,00	
OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	×	x :	x		П		× ×	x	x			×	×	x				x	x			,	×	x		U11081-C322	814,00	
OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU					П		x x	х	x	П		×	×	х				х	x				×	x		U11081-C303	3.988,00	
OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	х		П	1	x x	x	x	П		×	×	x			T	х	x		1	T	×	х	П	U11081-C313	3.988,00	
OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x :	x	T	П	1	x x	x	x			×	×	x		T	Ť	x	x		1	T	×	x		U11081-C323	1.628,00	
OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	×	x :	x >	x	x	×	x x	x	x	x	х	x x	×	x	х	x >	ĸ x	x	х	х	х	x x	×	x	x	U11081-C300	30,00	
OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x >	х	х	х	x x	х	х	х	х	x x	x	х	х	х >	K X	х	х	х	х	x x	×	x	х	U11081-C299	15,00	
OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x :	x >	х	х	x	x x	×	x	х	х	x x	×	х	х	x >	K	x	x	x	х	x	×	x	П	U10987-C501	1.225,00	
OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x :	x >	х	x	x	x x	×	x	х	х	x x	×	х	х	x >	K	x	x	x	х	x	×	х		U10987-C513	1.225,00	
OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x :	x >	х	x	x	x x	x	x	х	х	x x	×	х	х	x >	ĸ	x	х	x	х	x	×	х	П	U10987-C525	500,00	
OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for	×		v .	-		-	x x	1	1	\vdash	-		x		\rightarrow	-	-	-	х	-	-	-	-	х		U10987-C502	1.994,00	



Servers Accessories																																
		Т						T							T								Т	T								
		PRIMER GY TX100 S1	ER GY TX100 S2	PRIMER GY TX100 S3	PRIMER GY TX120	PRIMER GY TX120 S2	PRIMER GY TX120 S3	PRIMER GY TX140 S1	PRIMER GY 1X150	PRIMER GI IXI30 32	PRIMER GT 1X150 SS	PRIMER GY TX150 S4	DDIMED GY TY150 S6	PRIMER GY TX150 S7	PRIMER GY TX150 SATA	PRIMER GY TX200	PRIMER GY TX200 S2	ER GY TX200 S3	PRIMER GY TX200 S4	PRIMER GY TX200 S5	PRIMER GT 1X200 S0	PRIMER GY TX300 S2	PRIMER GY TX300 S3	ER GY TX300 S4	PRIMER GY TX300 S5	PRIMER GY TX300 S6	PRIMER GY TX600	PRIMER GY TX600 S2	PRIMER GY TX600 S3	oduct Code	•	comments
		ı	ı	ž.	ı	Ĭ	ž.	ž.						ž	ı	ı	Ĭ	ž.	Ĭ.	ž i		Ĭ	Ĭ	Ĕ	ı	ı	ı	Ĭ	ı	l b	P. S	Ē
Description	Details	2	2	2	#	#	<u>#</u>	<u>E</u>	ž 8	6 8			8	- 6	2	2	#	#	#	E	. 8	E E	E E	1 12	2	2	2	2	<u>E</u>	ı č		<u> </u>
s & services matrix Software (Continued)																																
OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	×	x	×					×	x :	x :	×	Ī		×	×	×			T		x x			Γ	×	×	×		U10987-C514	1.994,00	
OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	r x	×	x					×	x :	x :	х	T		×	x	х					x x				×	×	x		U10987-C526	814,00	
OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	×	x	х					×	x :	x :	x			×	х	х				1	х	c				x	х		U10987-C503	3.988,00	
OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	×	x	x					×	×	x :	x	Ī		×	x	х					x x	c .				×	x		U10987-C515	3.988,00	
OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	r x	×	x					x	×	x	x			×	x	x					x x					x	x		U10987-C527	1.628,00	
OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	×	×	x					x :	x :	x :	×			×	x	x				1	х					×	x		U10987-C504	4.618,00	
OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	×	×	x					×	×	x :	×	T		×	×	x					x x	c				×	x		U10987-C516	4.618,00	
OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; fo using in automated, unattended mode; system extendable up to 32 CPU	r x	×	x					×	× :	x :	×			×	x	x					x x	c				×	x		U10987-C528	1.885,00	
OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	×	x	x					×	x :	x :	×	Ì		×	x	x					x x	c				x	x		U10987-C505	5.982,00	
OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	×	x	х					×	× :	x	x	ĺ		×	x	х				-	х	c				x	х		U10987-C517	5.982,00	
OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	r x	x	х					×	× :	x	x	ĺ		×	х	х				-	х	c				x	х		U10987-C529	2.442,00	
OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT- SW V11.0	x	x	х	х	х	х	x	x	x :	x :	x 3	х :	к >	x	x	х	х	х	×		x x	х	x	х	x	x	х		U10987-C500	36,00	
OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	×	x	x	x	x	х	x	x	x :	x :	x 3	х :	x x	×	x	x	х	х	x	T	x x	х	x	х	x	×	x		U10987-C499	15,00	



Tower Servers Options

egory	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (Ą	Comments
ons mat		'	_	_	_	_			
cessor	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x	x	S26361-F3277-E200	295,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х	x	S26361-F3618-E240	515,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х	x	S26361-F3618-E253	960,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x	x	S26361-F3618-E266	995,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			х	х	S26361-F3619-E266	1.165,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			х	х	S26361-F3619-E280	1.400,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				х	S26361-F3619-E306	1.610,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, St.C: -, Tt.C: 12 MB, Turbo: 1/1/1/1/2/z, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink				х	S26361-F3619-E346	1.990,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink				x	S26361-F3620-E293	950,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink				x	S26361-F3620-E360	1.990,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink			х	х	S26361-F3621-E186	545,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink			х	х	S26361-F3622-E213	735,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink			х	х	S26361-F3622-E226	1.250,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/z, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			х	x	S26361-F3633-E240	690,00	



	Provide	Dutaile	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (Ą	Comments
ory ns mat	Description	Details	_	_	_	Δ.	<u>ā</u>	Ш	ن
	(Continued)								
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х	х	S26361-F3648-E160	280,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х	х	S26361-F3648-E213	310,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			х	х	S26361-F3649-E253	950,00	
	Intel Celeron G1101 2C 2.26 GHz 2 MB	Intel® Celeron® processor G1101 (2C, 2.26 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	х				S26361-F3589-E226	125,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	х	х			S26361-F3588-E280	170,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core? i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink	х	х			S26361-F3587-E306	215,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink	х	х			S26361-F3578-E343	365,00	
	Intel Xeon X3440 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor X3440 (4C/8T, 2.53 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink	х				S26361-F3578-E344	395,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink	х	х			S26361-F3578-E345	450,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink		х			S26361-F3578-E347	585,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink		x			S26361-F3586-E226	365,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink		х			S26361-F3586-E186	530,00	
ry									
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	х	х			S26361-F3335-E513	45,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	х	x			S26361-F3335-E514	45,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	х	х			S26361-F3335-E515	75,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM		х			S26361-F3336-E514	85,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM		х			S26361-F3336-E515	120,00	
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM		х			S26361-F3336-E516	195,00	
ry Mc	odules								
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex			х	х	S26361-F3284-E1	5,00	



rے	Servers Options								
,	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@	
nati	rix		_	_	_	_			
Μc	odules (Continued)								
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory			Х	Х	S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory			х	х	S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3	_		Х	v	S26361-F3604-E523	160,00	
	WIWI 40D 2X2 DDING 1555 WII 12 P C5-10000 Tg 5	DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			^	^	320301-1 3004-2323	100,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3			х	х	S26361-F3604-E524	230,00	
		DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			х	x	S26361-F3606-E513	45,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			х	x	S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			х	x	S26361-F3604-E525	390,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			х	х	S26361-F3604-E514	115,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode				х	S26361-F3604-E526	1.070,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			х	x	S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			х	х	S26361-F3604-E515	195,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			х	х	S26361-F3604-E534	345,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			х	х	S26361-F3605-E524	230,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode				х	S26361-F3604-E516	535,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			х	х	S26361-F3604-E535	585,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			х	х	S26361-F3605-E525	390,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode				х	S26361-F3604-E536	1.605,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			х	x	S26361-F3605-E514	115,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x	х	S26361-F3605-E534	345,00	



	Servers Options								
jory	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (Ą	Comments
ns matr	•	Details	Δ.	п.	п.	п.	<u> </u>	ш	
	odules (Continued)								
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x	x	S26361-F3605-E515	195,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x	x	S26361-F3605-E535	585,00	
nics									
	Front-VGA interface	2nd optional VGA interface front side				х	S26361-F2571-E16	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card	х	х	х	х	S26361-F2748-E537	135,00	
wahla	Media Drives								
ovable	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	х	х	x	x	S26361-F3585-E2	345,00	
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display		х	х	х	S26361-F2826-E204	30,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD				х	S26361-F2826-E103	80,00	
	MountingKit DVD(sI)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD			х		S26361-F2826-E104	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD- RAM,slimline 0.5" fitting height, black		х	х	х	S26361-F3269-E2	85,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black		х	х	х	S26361-F3531-E2	255,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	х	х	х	х	S26361-F3266-E2	30,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	х	х	х	х	S26361-F3267-E2	55,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	х	х	х	х	S26361-F3857-E4	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	х	х	х	х	S26361-F3324-E4	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	х	х	х	X	S26361-F3325-E4	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge		х	х	X	S26361-F4009-E4	1.280,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge		х	х	х	S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge		х	х	х	S26361-F3626-E1	1.950,00	Phased
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge		х	х	x	S26361-F3626-E2	1.950,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge		х	x	x	S26361-F3627-E1	2.850,00	
	Conversion Box 12x 2.5" HDD	Extension Box for 12 pc. 2.5" hotplug HDD				х	S26361-F2826-E135	350,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD			Х	Х	S26361-F2826-E114	165,00	



			X100 S2	X150 S7	TX200 S6	TX300 S6	ū.		
			PRIMERGY TX100	PRIMERGY TX150	PRIMERGY T	PRIMERGY T	Product Code	EUP (🖨	
ory	Description	Details	Ä	품	꿆	R	7	<u> </u>	
s matr	пх (Continued)								
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic		х	х	х	S26361-F3293-E250	80,00	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, economic	х				S26361-F3574-E250	80,00	
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot- plug, 3.5-inch, economic		Х			S26361-F3700-E250	80,00	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, business critical					S26361-F3334-E250	110,00	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical					S26361-F3334-E500	160,00	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-	Х	х	х	_	\$26361-F3334-E100 \$26361-F3294-E250	240,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5 BC	plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 2000 GB, 7200 rpm, non	х	^	^	_	S26361-F3294-E250 S26361-F3334-E200	395,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	hot plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-		х	х	x	S26361-F3294-E500	160,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug,		х	x	x	S26361-F3294-E100	240,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	3.5-inch, business critical HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug,		х	х	х	S26361-F3294-E200	395,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	3.5-inch, business critical SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-		х	х	х	S26361-F3298-E32	655,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	inch, enterprise HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-		х	х	х	S26361-F3297-E160	155,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	plug, 2.5-inch, economic HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic		х	х	х	S26361-F3297-E320	195,00	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot- plug, 2.5-inch, economic		х	х	х	S26361-F3297-E500	205,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot- plug, 2.5-inch, business critical		х	Х	х	S26361-F3601-E250	195,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot- plug, 2.5-inch, business critical		х	х	х	S26361-F3601-E500	205,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical		х	х	х	S26361-F3601-E100	285,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hotplug, 3.5-inch, enterprise		х	х	х	S26361-F4005-E530	325,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot- plug, 3.5-inch, enterprise		х	х	х	S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot- plug, 3.5-inch, enterprise		х	х	х	S26361-F4005-E560	485,00	
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise		х	х			210,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise		х	х		S26361-F4482-E130	245,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise		х	х		S26361-F4482-E145	485,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise		X	X	X	S26361-F4482-E160	560,00	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise		X	X	X	S26361-F4482-E190	750,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise		X	X			220,00	
AID"	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot- plug, 2.5-inch, enterprise		х	Х	×	S26361-F4482-E514	290,00	
AID/S	SAS controller RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI				х	S26361-F3257-E170	165,00	



			RIMERGY TX100 S2	RIMERGY TX150 S7	NIMERGY TX200 S6	RIMERGY TX300 S6	oduct Code	ЭР (⊕	
egory	Description Details								
	,	. •		х	х		S26361-F3257-E255	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port			х	х	х	S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	•		х	х		S26361-F3257-E8	135,00	
				Х	Х	_		-	
	SAS Ctrl 3GB/s 4int/4ext PCle	SAS Controller 3GB/s 8 port, LSI SAS3442E-R		x	Х	x	S26361-F3271-E1	210,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	MegaRAID SAS2108, PCle 2.0 x8, 8 internal	х	х	х	X	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	MegaRAID SAS2008, PCle 2.0 x8, 8 internal		x	х	x	S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	x4, 512MB Cache with ECC, 8 external ports,		х	х	x	S26361-F3593-E1	590,00	
	SAS Ctrl 6G 8ext PCle	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e		х	x	х	S26361-F3628-E1	260,00	
re Chann	iel								
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC				х	х	S26361-F3631-E1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC				x	x	S26361-F3631-E2	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC				x	х	S26361-F3961-E1	935,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC				х	х	S26361-F3961-E2	1.500,00	
nection	Blades								
inection.		fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-		x	x	X	S26361-F3986-E3	405,00	
nmunica	l tion/Network								
			х			_			
		·	_	_		_			
	·				_	_		-	
	Eth Ctrl 4x1GBit PCle x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCle x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit		x	x	x	S26361-F3611-E1	375,00	
	Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCle x8 D2755 SFP+		х	х	х	S26361-F3629-E2	500,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR				х	S26361-F4475-E102	875,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR				Х	S26361-F4475-E202	1.150,00	



TOWERS	Servers Options								
Category	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (⊜	Comments
Options matr	rix	'					_		
Communica	ation/Network (Continued) SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102				x	S26361-F3592-E108	400,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies	х				S26361-F2542-E30	3,00	
		internal parallel interface and one slot							
Rack-Infrast	tructure Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.		x	x	x	SNP:SY-F1647E301-P	130,00	
	Cable magmt. for 19" PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack		x	х	х	S26361-F2735-E7	30,00	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!		х	х	x	S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario- carrier for toolless mounting;, max. load 50 kg,, Rack installation depth (19" pillar distance) between 714mm and 785mm		x	х	х	S26361-F2735-E202	65,00	
OneBox-Key	yboards								
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	х	X	X	S26381-K341-E110	26,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	х	х	х	х	S26381-K341-E120	26,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	х	х	х	х	S26381-K341-E165	26,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	х	х	х	х	S26381-K341-E185	26,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,		х		х	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,		х			S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,		х			S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,		х			S26381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	х	х	х	X	S26381-K550-E102	10,00	



	Servers Options								
tegory	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@	Comments
ons ma	•	Details	Δ.	Δ.	Δ.	Δ.	Δ.	Ш	ပ
Вох-К	eyboards (Continued)								
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	х	х	х	х	S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	х	х	х	Х	S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	х	х	x	X	S26381-K550-E185	10,00	
/IFRG	Y-Software								
III.	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection		х	х	х	S26361-F1790-E241	300,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!		х	x	х	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!		х	х	х	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!		х	x	х	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!		х	x	х	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!		х	х	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!		х	х	х	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!		х	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!		х	х	х	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!		х	х	Х	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!		х	х	х	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!		х	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!		х	х	x	S26361-F2341-E735	19.750,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!		х	х	х	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!		х	х	x	S26361-F2341-E741	4.045,00	



wer :	Servers Options								
			PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (\$	Comments
egory	Description	Details	품	품	R	품	7. P	3	ပိ
ions mat									
MERGY	/-Software (Continued)								
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!		х	X	X	S26361-F2341-S700	10,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!		х	х	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!		х	х	x	S26361-F2341-S737	4.495,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub no Support		х	х	х	S26361-F2341-S800	446,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub no Support		х	х	х	S26361-F2341-S801	446,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	х	х	х	х	S26361-F2565-E318	25,00	Phased ou
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	х	х	х	х	S26361-F2565-E328	25,00	Phased or
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	х	х	х	х	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	х	х		x	S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	х	х	Х	х	S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	х	x			S26361-F2567-E301	165,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	х	x	x	S26361-F2567-E302	305,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	x			S26361-F2567-E306	165,00	Phased or
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	х	х	х	S26361-F2567-E310	530,00	Phased ou
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.	х	х	х	х	S26361-F2567-E311	530,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	х	х	х	S26361-F2567-E320	1.695,00	Phased or
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	х	х	х	х	S26361-F2567-E321	1.695,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	х	х	х	S26361-F2567-E330	2.690,00	Phased or
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	х	х	x	x	S26361-F2567-E331	2.690,00	



er :	Servers Options								
ry	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@	
mat	trix	12.500.5	_	_		_			
RGY	/-Software (Continued)	W					22224 5255 525		
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	х	х	X	X	S26361-F2567-E350	600,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	х	x	x	S26361-F2567-E351	600,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	х	х	x	S26361-F2567-E352	600,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	х	х	х	S26361-F2567-E353	600,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	х	х	x	х	S26361-F2567-E354	600,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	х	х	x	х	S26361-F2567-E355	600,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	х	х	x	x	S26361-F2567-E356	600,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	х	х	х	х	S26361-F2567-E357	600,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	х	х	х	х	S26361-F2567-E358	600,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	х	х	х	S26361-F2567-E359	600,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	х	х	x	x	S26361-F2567-E370	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	х	х	x	S26361-F2567-E371	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	х	х	х	х	S26361-F2567-E372	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	Х	х	х	х	S26361-F2567-E373	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	х	х	x	X	S26361-F2567-E374	885,00	
	Win SBS Essentials 2011 OEM MUL-Set1	Windows Small Business Server Essentials 2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	х				S26361-F2567-E378	270,00	
	Win SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuquese.	х				S26361-F2567-E379	270,00	



, ,	Servers Options								
ту	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@	
matr		Dotailo				-	ш.	ш	
GY-	-Software (Continued)								
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	X	S26361-F2567-E390	25,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	х	х	Х	Х	S26361-F2567-E391	25,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	х	х	х	Х	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	х	х	х	х	S26361-F2565-E595	875,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.				х	S26361-F2567-E360	750,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.				х	S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.				х	S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.				х	S26361-F2567-E363	110,00	
	SUSE Linux ES 1SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1 year subscription.	x	х			S26361-F2346-E601	145,00	
	SUSE Linux ES 1SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3 years subscription.	х	х			S26361-F2346-E602	392,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.			X	х	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.			х	х	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	х	х	х	х	S26361-F2346-E622	1.350,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	х	x	Х	х	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	х	х	х	х	S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	х	х	х	х	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	х	х	х	х	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	х	х	х	х	S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	х	х	х	х	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets)	х	Х	Х	х	S26361-F2346-S111	538,00	_



er :	Servers Options								
ry	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (4)	
ma	trix		_	_	_	_	_		
RGY	/-Software (Continued)	Ded Het Feters in a Linux Com on (4.0 and lete)					000004 F0040 0440	4 445 00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	х	х	X	X	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	х	х	x	х	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	Х	х	х	Х	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	х	х	х	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	х	х	х	х	S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	х	х	х	х	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	х	х	х	х	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux Resilient Storage (1-2		x	X	X	S26361-F2346-S131 S26361-F2346-S132	1.215,00	
	Treat hat 22 from 2000 to Support of	sockets) I3 Support 3 years	_ ^	_ ^	,	^	02000112040 0102	1.210,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	х	х	х	х	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	х	Х	Х	Х	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	X	X	X	X	S26361-F2346-S151	110,00	
		Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	х	Х	Х		S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	х	х	X	X	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	х	х	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	х	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	х	x	x	S26361-F2346-S172	380,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)		х	х	х	S26361-F2341-E431	60,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License		х			S26361-F2341-E300	80,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E601	1.525,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E602	2.185,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM, VC-STD+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E603	15.235,00	



	Servers Options								
	Receivation	Describe	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@	
ry mati	Description	Details		<u>-</u>	□	□	Ē	Ш	
	-Software (Continued)								
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.		x	x	x	S26361-F2341-E604	21.795,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E605	1.525,00	
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.		x	x	x	S26361-F2341-E606	2.185,00	
	VMware View ENT Add-On 10 CLI w7x24-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 7x24 Service+Sub.		x	x	x	S26361-F2341-E607	511,00	
	VMware View ENT Add-On 10 CLI w7x24-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 7x24 Service+Sub.		х	х	x	S26361-F2341-E608	730,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.		х	х	X	S26361-F2341-E611	1.475,00	
	VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E612	2.035,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E613	14.745,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.		x	х	х	S26361-F2341-E614	20.395,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E615	1.475,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E616	2.035,00	
	VMware View ENT Add-On 10 CLI w5x9-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 5x9 Service+Sub.		х	х	X	S26361-F2341-E617	495,00	
	VMware View ENT Add-On 10 CLI w5x9-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 5x9 Service+Sub.		x	х	х	S26361-F2341-E618	680,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.		х	x	х	S26361-F2341-E621	2.535,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.		х	х	x	S26361-F2341-E622	3.635,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.		х	х	x	S26361-F2341-E623	25.360,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.		x	х	х	S26361-F2341-E624	36.350,00	



	Servers Options								
			PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	(Commente
gory	Description	Details	ΣN	₹	Š	Σĕ	rod	EUP (4)	į
ns mat		12.000.0		_	_				
ERGY	'-Software (Continued)							, , , , , , , , , , , , , , , , , , , ,	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.		х	х	x	S26361-F2341-E625	2.535,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.		х	х	x	S26361-F2341-E626	3.635,00	
	VMware View PRE Add-On 10 CLI w7x24-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E627	1.524,00	
	VMware View PRE Add-On 10 CLI w7x24-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E628	2.185,00	
	VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.		х	x	x	S26361-F2341-E631	2.455,00	
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E632	3.395,00	
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM, VC-STD+ESX ENT-PL, COMP, TA, - Inc. 1 year VMware 5x9 Service+Sub.		х	х	x	S26361-F2341-E633	24.550,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.		x	х	x	S26361-F2341-E634	33.950,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E635	2.455,00	
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E636	3.395,00	
	VMware View PRE Add-On 10 CLI w5x9-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.		x	х	x	S26361-F2341-E637	1.475,00	
	VMware View PRE Add-On 10 CLI w5x9-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E638	2.035,00	
	VMware SRM 25 VM Pack w/7x24-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E647	11.489,00	
	VMware SRM 25 VM Pack w/7x24-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.		х	х	х	S26361-F2341-E648	16.500,00	
	VMware SRM 25 VM Pack w/5x9-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 1 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E657	11.122,00	
	VMware SRM 25 VM Pack w/5x9-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 3 year VMware 5x9 Service+Sub.		х	х	х	S26361-F2341-E658	15.390,00	
ower	r supply	<u> </u>							
	Power Supply Module 450W (hot plug)	for PS redundancy		х			S26113-F540-E11	170,00	



egory	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (\$	ommont.
ons mat	trix		_	_	_	_	<u> </u>		
/Power	supply (Continued)	5 0					T		
	No powercord as order option	For Countries without specific cable orderable like e.g. China	х	х	х		T26139-Y3850-E10	2,00	
	Cable powercord (D,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	х	х	Х	Х	T26139-Y1740-E10	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	Х	Х	Х	_	T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	Х	Х	Х	_	T26139-Y1744-E10	10,00	
е	Cable powercord (lt), 1.8m, grey	suitable for I	Х	Х	Х	Х	T26139-Y1745-E10	10,00	
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	х	x	x	х	S26381-K431-E100	6,00	
	Mouse M480 grey	optical mouse with 3 keys, marble grey, 1000 dpi, usb cable 1,8m	х	х	х	х	S26381-K431-E101	6,00	
llane	ous								
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order		х			S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter		Х	Х	Х	S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit			Х	Х	S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter		х	х	х	S26361-F2557-E202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit			х	х	S26361-F2557-E205	25,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface			Х		S26361-F3120-E3	40,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only		х			S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only		х			S26361-F3301-E152	3,00	
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0			х		S26361-F3301-E201	3,00	
	TX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units				х	S26361-F3301-E301	3,00	
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x				S26361-F3301-E5	2,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	х	х	х	х	S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface		х			S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90		х	х	х	S26361-F2735-E111	5,00	
ata Ce	enter Products								
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	х		х	х	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x		х	х	S26361-F2341-E914	5.210,00	



	Servers Options								
ory	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (4)	
s mat	· ·	150000					ш.	ш	
ata Ce	enter Products (Continued)								
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x		X	X	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	х		х	х	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x		х	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x		x	х	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	х		х	х	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	х		x	х	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	х		х	х	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x		x	х	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E965	34.580,00	



r	Servers Options								
y	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (4)	
nat	trix	1 TO 1 TO 1 TO 1 TO 1 TO 1 TO 1 TO 1 TO	_	_	_	_			
C	enter Products (Continued)	0": VD 55 D5 40 UD 0 04 VD					000001 50011 5000		
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x		х	х	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	х		х	х	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x		x	x	S26361-F2341-E968	22.080,00	
	SVRORDVD V23 (WIN/LINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows		х	х	x	U11420-C939	50,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	х		х	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	х		х	х	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x		х	х	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x		x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x		х	х	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x		х	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x		x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x		x	х	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW	х		х	x	S26361-F2341-S935	29.170,00	



	ervers Options								
	Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (6)	
natrix	•	Details	п.	п.	п.	п.	<u> </u>	ш	
	ter Products (Continued)								
(Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	х		х	x	S26361-F2341-S960	1.580,00	
(Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S961	7.920,00	
(Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S962	15.830,00	
(Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S963	2.630,00	
(Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S964	13.130,00	
(Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S965	26.250,00	
(Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S966	1.380,00	
(Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S967	6.880,00	
(Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	х		х	х	S26361-F2341-S968	13.750,00	
5	SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2		х	х	х	U11420-C910	50,00	
5	SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2		х	х	х	U11420-C911	50,00	
Ş	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2		х	х	x	U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2		х	х	х	U11420-C922	2.363,00	
5	SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2		х	х	х	U11420-C903	517,00	
\$	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2		х	х	х	U11420-C904	4.033,00	
5	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2		х	х	х	U11420-C905	7.869,00	
5	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2		х	х	х	U11420-C906	100,00	




Servers Options							
Description	Details	PRIMERGY TX100 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (@
ix	<u>'</u>				_	_	
nter Products (Continued) SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2		x	х	х	U11420-C936	100,00
SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2		х	х	х	U11420-C907	0,01
SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2		х	х	х	U11420-C935	0,0
XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version		х	х		U11420-C775	50,00
SVRORSVR V23 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2		х	х		U11420-C940	1.331,00
XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)		х	х	X	U11420-C877	1.400,00
XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)		х	х	х	U11420-C773-U	1,00
XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included		х	х	х	U11420-C878	1.100,0
SVRORSVR V23 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2		х	х	х	U11420-C942	12.376,0
XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)		х	х	х	U11420-C774-U	1,00
XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version		х		х	U11420-C776	50,0
SVRORSVR V23 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2		х	х	х	U11420-C943	22.277,0
XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)		x		х	U11420-C879	2.500,00
SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2		х	х	х	U11420-C946	814,0
SVRORSVR V23 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2		х	х	х	U11420-C948	8.343,0
SVRORSVR V23 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2		х	х	х	U11420-C949	14.408,0



Positioning PRIMERGY Rack Servers




PRIMERGY RX100 S6






PRIMERGY RX200 S5





PRIMERGY RX300 S5





PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and



PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent "best-in-class" efficiency.



PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

	Description	Details	Product Code	EUP (4)
	configurations			
ERG	GY RX100 S7	D. I.I. J. ANI/ALIV DIL SIL A		
	PY RX100S7/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V101	525,00
	PY RX100S7/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V201	565,00
	PY RX100S7/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V301	535,00
	PY RX100S7/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; IRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V401	575,00



PRIMERGY RX300 S6

The PRIMERGY RX300 S6 is a 2 U rack server which has been optimized for virtualization purposes. It provides high, scalable I/O performance, extensive memory options, support for major hypervisor products and top performance with latest CPU technology. More precisely: 7xPCle Gen2 prevent I/O bottlenecks, up to 384 GB of memory allow for optimal sizing of virtual environments and latest Intel® Xeon® 5600 series CPUs deliver best-in class performance. With its Cool-safe design elements like optimized cooling of the system and highly efficient power supplies the PRIMERGY RX300 S6 is the right system to face Green IT challenges. This 2U powerhouse is also an excellent choice processes.

Model	Description	Details	Product Code	EUP (每)	Comments
	Description d products	Details	<u> </u>	Ш	O
	RGY RX300 S6				
	Rack based server 19" (2U), BU without processor and Xeon DP processor and 18 slots for unbuffered or regist	RAM, incl. 1 hot plug power supply module, 5 hot plug far tered DDR3 ECC RAM as Standard- or Low Voltage; iRM0 ernet LAN onboard, Modular 8-Port RAID Controller option	2 onboard server mana	gement in	cl. graphics
	PY RX300S6 6X3.5 /XEON E5640/3x4 GB/ (Promo)	PY RX300S6 6X3.5 /XEON E5640/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK-F1_1-2U SERVER/CABLE A.3RDPART/ ,	LKN:R3006S0002IT		Phased out
	PY RX300S6 6X3.5 /XEON E5645/ (Promo)	PY RX300S6 6X3.5 /XEON E5645/ 3x2 GB RG S/DVD-RW SM SLIM/ RAID 6G 5/6 512MB/CABLE MGMT PCR2/ RMK-F1_1-2U SERVER/,	LKN:R3006S0007IT		Phased out
	PY RX300S6 6X3.5 /XEON E5649/3x4 GB/ (Promo)	PY RX300S6 6X3.5 /XEON E5649/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ CABLE MGMT PCR2/RMK-F1_1-2U SERVER/ ,	LKN:R3006S0008IT		Phased out
	PY RX300S6 8X2.5 /XEON E5640/3x4 GB/ (Promo)	SM SLIM/RAID 6G 5/6 512MB/ RMK-F1_1-2U	LKN:R3006S0003IT		Phased out
	PY RX300S6 8X2.5 /XEON E5640/3x4 GB/ (Promo)		LKN:R3006S0003IT		Phased out
	PY RX300S6 8X2.5 /XEON E5645/ (Promo)	PY RX300S6 8X2.5 /XEON E5645/ 3x2 GB RG S/DVD-RW SM SLIM/ RAID 6G 5/6 512MB/CABLE MGMT PCR2/ RMK-F1_1-2U SERVER/,	LKN:R3006S0009IT		Phased out
	PY RX300S6 8X2.5 /XEON E5649/3x4 GB/ (Promo)	PY RX300S6 8X2.5 /XEON E5649/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ CABLE MGMT PCR2/RMK-F1_1-2U SERVER/ ,	LKN:R3006S0010IT		Phased out
			Product Code	EUP (每)	Comments
Model	Description	Details		Ш	ŭ
	it configurations				
PRIMER	RGY RX300 S6 PY RX300S6 6x3.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low	S26361-K1344-V101	1.425,00	0



IIVI	ERGY RX300 S6				
el	Description	Details	Product Code	EUP (4)	
	t configurations		_	_	
ER	GY RX300 S6 (Continued)		000004 1/40 44 1/004	4 405 00	
	PY RX300S6 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		1.425,00	
	PY RX300S6 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		1.475,00	
	PY RX300S6 carrier grade	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 10 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		1.925,00	



PRIMECENTER

PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fújitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMEĆENTER Racks for each purpose. Élexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here; this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.

New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Product Code	EUP (4)	Comments
	t configurations				_
PRIMER	GY PRIMECENTER Rack	lean december and the second second	000004 14000 14000	. ======	.
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x ZU vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253	4.795,00	Phased out
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. preassembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104	2.345,00	Phased out
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).		1.895,00	Phased out
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. preassembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214	2.495,00	Phased out



PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center expirience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (\$	Comments
	it configurations				
PRIMEC	ENTER M1 Rack PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	\$26361-K827-V310	1.645,00	
Model	Description	Details	Product Code	EUP (4)	Comments
	it configurations EENTER M1 Rack (Continued) PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.745,00	

PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WXDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	1.995,00	
PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U)., Asymmetrical large basic cabinet with 740mm post distance., WXDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V120	1.805,00	
PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U)., Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.055,00	



PRIMECENTER SME Rack

IIndustry Standard Rack

19-inch PRIMECENTER SME in Height of 42 and 24 units
The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- Asymmetrical design for ideal cable routing and best air flow
- Capacity 24 or 42 height units, no extra vertical height units
- Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.
 Full serviceability of servers thanks to telescopic rails for servers with hot-replace components
 All released components for PRIMECENTER rack family can be used as well
- All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be
- installed under the same conditions and restrictions (specially for servers with higher weight)
- No anti tilt protection as standard, rack has to be fixed at the ground floor
- Options available on demand at supplier
- Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code	EUP (每	Comments
Peripherals					
Rack-Infras					
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures es factory	S26361-F2735-L300	195,00	Phased out
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L24	775,00	Phased out
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L42	875,00	Phased out



ENTRY (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL (0.5)

FILL PRIMERGY R PRIMERGY R PRIMERGY R 9) dn: Category Description
Accessories & services ms
Processor Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inc Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No. 4.8 GT/s, Mem bus: 800 MHz, 80 W) incheat sink Intel Xeon E5503 2C/2T 2.00 GHz 4 MB S26361-F3277-L200 295,00 Intel® Xeon® E5504 4C/4T 2.00 GHz 4 ME 455,00 Intel Xeon E5506 4C/4T 2.13 GHz 4 MB Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) included the strink Intel Xeon E5507 4C/4T 2.26 GHz 4 MB Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® E5520 4C/8T 2.26 GHz 8 ME Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® F5530 4C/8T 2 40 GHz 8 MB S26361-F3279-I 240 1 030 00 Phased out Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, St.C: 4 x 256 KB, Tt.C: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB S26361-F3279-L253 1.430.00 Phased out Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB 1.850,00 Phased out S26361-F3280-L267 Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink 1.030,00 S26361-F3281-L226 Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) in heat sink ntel Xeon E5503 2C/2T 2.00 GHz 4 MB Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB S26361-F3288-L226 740 00 Phased out Intel® Xeon® processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz Xeon MP E7430 2.13GHz 12MB 1066MHz S26361-F3487-L430 2.595.00 Intel® Xeon® processor E7450 (6C, 2.40 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink Xeon MP E7450 2.40GHz 12MB 1066MHz 4 170 00 | Intel® Xeon® processor E5620 (4C/8T, 2.40 | GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 | W) incl. heat sink Intel Xeon E5620 4C/8T 2.40 GHz 12 MB Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon F5630 4C/8T 2 53 GHz 12 MR \$26361-F3618-L253 960.00 Intel® Xeon® processor E5840 (4C/8T, 2.66 GHz, St.C: 4 x 256 KB, Tt.C: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5640 4C/8T 2.66 GHz 12 MB S26361-F3618-L266 Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/33, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5650 6C/12T 2.66 GHz 12 MB S26361-F3619-L266 1.165,00 Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5660 6C/12T 2.80 GHz 12 MB S26361-F3619-L280 Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 22/22/23/6, 64 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink ntel Xeon X5670 6C/12T 2.93 GHz 12 MB Intel® Xeon® processor X5675 (6C/12T, 3.08 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5675 6C/12T 3.06 GHz 12 MB 1 610 00 Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5680 6C/12T 3.33 GHz 12 MB 2.560,00 Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5690 6C/12T 3.46 GHz 12 MB S26361-F3619-L346 1.990.00 Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl heat sink Intel Xeon X5647 4C/8T 2.93 GHz 12 MB S26361-F3620-L293 950,00 Intel Xeon X5687 4C/8T 3.60 GHz 12 ME sink

Intel® Xeon® processor L5630 (4C/8T, 2.13
GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo:
1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40
W) incl. heat sink Intel Xeon L5630 4C/8T 2.13 GHz 12 MB ntel Xeon L5640 6C/12T 2.26 GHz 12 MB Intel® Xeon® processor L5840 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5645 6C/12T 2.40 GHz 12 ME Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink 690 O Intel Xeon F5603 4C/4T 1 60 GHz 4 MR Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/ Mem bus: 1066 MHz, 80 W) incl. heat sink S26361-F3648-I 160 280.00 Intel Xeon E5606 4C/4T 2.13 GHz 8 MB 418,00 S26361-F3648-L213 Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5649 6C/12T 2.53 GHz 12 MB S26361-F3649-L253 Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB Intel® Xeon® processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink 1.165,0

Fujitsu Technology Solutions Listino Prezzi Ottobre 2011

Intel® Xeon® processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 01/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel® Xeon® processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink

Intel Xeon E7-4850 10C/20T 2.00GHz 24MB



PROMERCY RATIOS

PROMERCY RATIOS SEPARATE OF SEPARATE OF SATIOS SEPARA RX900 S1 RX1300 RX1300 Intel® Xeon® processor E7-4860 (10C/20T 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7520 4C/8T 1.86 GHz 18 MB Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink 1 220 00 Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 WI incl. heat eink Intel Xeon E7530 6C/12T 1.86 GHz 12 MB 1.940,00 Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel Xeon E7540 6C/12T 2.00 GHz 18 MB 2 750 00 Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: Q/1/1/1, 5.86 GT/s, 130 W) incl. heat sink Intel Xeon X7542 6C/6T 2.66 GHz 18 MB 2.750.00 Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 96 W) incl. heat sink Intel Xeon L7545 6C/12T 1.86 GHz 18 MB Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon X7550 8C/16T 2.00 GHz 18 MB G1/s, 130 W) inct. heat sink

Intel® Xeon® processor L7555 (8C/16T, 1.86
GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5,
5.86 GT/s, 95 W) inct. heat sink Intel Xeon L7555 8C/16T 1.86 GHz 24 MB 4.400,00 Intel Xeon X7560 8C/16T 2.26 GHz 24 MB Intel® Xeon® processor E7-8837 (8C/8T, 2.6: GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB 2.575,00 Intel Xeon X5650 6C/12T 2.66 GHz 12 MB Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink 1.165,00 Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/33, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink ntel Xeon X5660 6C/12T 2.80 GHz 12 MB S26361-F4419-L240 Intel Xeon E5620 4C/8T 2.40 GHz 12 MB 515.00 Intel® Xeon® processor E5640 (4C/8T, 2.66 6Hz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink Intel Xeon E5640 4C/8T 2.66 GHz 12 MB 995.00 Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink Intel Xeon L5630 4C/8T 2.13 GHz 12 MB S26361-F4421-L213 735.00 Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon L5640 6C/12T 2.26 GHz 12 MB S26361-F4421-L240 1.250,00 CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3 CPU MEMORY Riser Board Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) without heat sink Intel Xeon F7540 6C/12T 2 00 GHz 18 MB S26361-F4471-I 540 2 750 00 Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) without heat sink Intel Xeon X7542 6C/6T 2.66 GHz 12 MB S26361-F4471-L542 2.750,00 Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink Intel Xeon X7550 8C/16T 2.00 GHz 18 MB 3.800,00 S26361-F4471-L550 Intel Xeon X7560 8C/16T 2.26 GHz 24 MB 5.100,00 Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB Intel® Xeon® processor E7-8837 (8C/8T, 2.6; GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink Intel® Xeon® processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel Xeon E7-8850 10C/20T 2.00GHz 24MB intel Xeon E7-8860 10C/20T 2.26GHz 24MB Intel® Xeon® processor E7-8860 (10C/20T 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink 4.885,00 Intel Xeon E7-8870 10C/20T 2.40GHz 30ME Intel® Xeon® processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink 5 580 00 Intel Xeon E5506 4C/4T 2.13 GHz 4 MB Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) included sink S26361-F4479-L213 425,00 Intel Xeon E5603 4C/4T 1.60 GHz 4 MB 280,00 S26361-F4483-L160 Intel Xeon E5606 4C/4T 2.13 GHz 8 MB Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/ Mem bus: 1066 MHz, 80 W) incl. heat sink 418,00 S26361-F4484-L213 Intel® Xeon® processor E5645 (8C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel Xeon E5645 6C/12T 2.40 GHz 12 MB Intel Xeon E5649 6C/12T 2.53 GHz 12 MB 950.00 Intel Xeon X5675 6C/12T 3.06 GHz 12 MB S26361-F4487-L306 1.610,00 Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink Intel Xeon X5690 6C/12T 3.46 GHz 12 MB S26361-F4488-L346 1.990.00 Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl heat sink Intel Xeon X5647 4C/8T 2.93 GHz 12 MB 950.00 Intel Xeon X5687 4C/8T 3.60 GHz 12 MB Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat S26361-F4490-L360 1.990,00 MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)
MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)
4GB 2x2GB DDR2-400 PC2-3200 ra ECC
Memory Board Kit RX600 S4 x x x x



		X100	X100 S3	X100 S4	X100 S5	X100 S7	X200	X200 S2	X200 S4	X200 S5	X200 S6 X220	X300	X300 S2	X300 S4	X300 S5	X330 S1	RX600	X600 S	s 009x	38 009X	RX800	X 800 S	S 006X	X900 S	RXI600	_		
		PRIMERGY RX100	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 SS PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX 200	PRIMERGY RX200 S2 PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6 PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2 PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	RIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY R.	PRIMERGY RX800 S2 PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	RIMERGYR	uct Code	· ·	ments
Description services matrix	Details	M N N	N N	N L	N N	E L	N N	N N	M.	N N	N N	MR.	M M	P.B.	M M M	P.B.	M M	N N	NP d	M M	PR	M M	PR	M N	PRIM	Prod	5	Com
tinued) MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2		T		Т		Ŧ	×	۲		T		×			П		Т		T		T	П	T	T	S26361-F3230-L524	570,00	Phased out
GB DDR3 1333 MHz PC3-10600 ub s ECC	667MHz with SDDC 1 GB (1 module(s) 1 GB) DDR3, unbuffered,	+		Н	×	Н	+	+	+	Н	+	\forall	+	Н		Н		+	Н	+	Н	+	Н	+	+	S26361-F3335-L513	45,00	
GB DDR3 1333 MHz PC3-10600 ub s/d ECC	ECC, 1333 MHz, PC3-10600, DIMM 2 GB (1 module(s) 2 GB) DDR3, unbuffered.	Ц	1	Ц		Ш	4	4	L	Ш	1	Ш	4	Ш	4	Ш		1	Ш	4	Ш	4	Ш	4	L	S26361-F3335-L514	45.00	
GB DDR3 1333 MHZ PC3-10600 00 8/0 ECC	ECC, 1333 MHz, PC3-10600, DIMM																									520301-F3335-L514	45,00	,
GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	Т	T	П	×	П		Т	Т	П	T	П		П		П		T	П	T		T	П	T	T	S26361-F3335-L515	75,00	
GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered,	+	+	Н	+	х	+	+	+	Н	+	+	+	Н	+	Н	+	+	Н	+	Н	+	Н	+	+	S26361-F3335-L524	45,00	
	ECC, 1333 MHz, PC3-10600, DIMM			Ш								Ш		Ш		Ш			Ш				Ш					
GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM					×																				S26361-F3335-L525	75,00	
GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	+		Н	$^{+}$	х	+	$^{+}$	†	Н	$^{+}$	H	+	Н		Н		$^{+}$	Н	$^{+}$	Н	+	Н	+	†	S26361-F3335-L526	720,00	0
GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with	4	+	Н	+	Н	+	+	+	Н	+	Н	+	Н	_	x		+	Н	+	Н	+	Н	+	+	S26361-F3550-L512	265.00	Phased out
GB 2x4GB DDR2-800 PC2-6400 rg d ECC	SDDC 2 modules, registered DDR2 800MHz with	+	+	Н	+	Н	+	+	+	Н	+	Н	+	Н	+	х	+	+	Н	+	Н	+	Н	+	+	S26361-F3550-L513		Phased out
GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	SDDC 1 modul, unbuffered DDR2 800MHz	\pm	Ł	Н	x	Н	1	\pm	\pm	Н	\pm	Ш	\pm	Н		Н		\pm	Н	\pm		\pm	Н	\pm	Ł	S26361-F3870-L514	65,00	Phased out
GB DDR2-800 PC2-6400 ub d ECC 1 MODUL Memory Board RX600 S5	1 modul, unbuffered DDR2 800MHz Memory board for up to two set's of DDR3	+	$^{+}$	Н	x	Н	+	$^{+}$	$^{+}$	Н	$^{+}$	\forall	+	Н	+	Н		$^{+}$	Н	х	Н	$^{+}$	Н	+	$^{+}$	S26361-F3870-L515 S26361-F3990-L100	105,00 300,00	Phased out
Memory Board RX600 S6	memory (with 4 DIMMs each) Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)	$^{+}$	†	Н	†	Н	$^{+}$	$^{+}$	†	Н	†	Ħ	$^{+}$	Н	$^{+}$	Н		†	Н	,		†	Н	†	†	S26361-F3990-L600	240,00	
6GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600,		T	П	Ť	П	T	Ť	T	П	Ť	П	\top	П	Т	П		Ť	П	Ť	П	Ť	х	T	T	S26361-F4472-L644	460,00	
12GB (4x8) DDR3 1333 MHz PC3-10600 rg d	DIMM 32 GB (4 module(s) 8 GB) DDR3 LV,	+	+	Н	+	Н	+	+	+	Н	+	+	+	Н	+	Н	H	+	Н	+	Н	+	x	+	+	S26361-F4472-L645	780,00	
	registered, ECC, 1333 MHz, PC3-10600, DIMM					Ш																						
4GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM	T	Т	П	T		T	T	Т		T	П	T	П	T	П		T	П	T	П	T	×	T	Γ	S26361-F4472-L646	2.140,00	
6GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV,	+	+	H	+	H	+	+	+	H	+	H	+	Н	+	Н	+	+	Н	+	H	+	Н	x	+	S26361-F4523-L942	460,00	
000 4-0 DDD0 IV 4000 ····	registered, ECC, 1333 MHz, PC3-10600, DIMM	Ц	1	Ц	1	Ш	4	1	1	Ш	1	Ц	_	Ш		Ш	Ц	1	Ш	4	Ш	1	Ш	1	L	B00004 E4		
12GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																							x		S26361-F4523-L943	780,00	
4GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM	\top	†	Н	†	П	\top	†	\dagger	П	\dagger	Ħ	\top	П	\top	П	\vdash	†	П	\dagger	П	\dagger	П	x	Ť	S26361-F4523-L945	2.140,00	
GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2	4	+	Н	+	Н	+	+	+	Н	+	Н	+	Н	4	Н	H	+	x	+	Н	+	Н	+	+	S26361-F3263-L623	390.00	Phased out
GB 2x2GB FBD667 PC2-5300F d ECC	667MHz with SDDC 2 modules, Fully Buffered DIMM DDR2	+	+	Н	+	Н	+	+	×	Н	+	Н	+	×	+	Н	+	+	-	+	Н	+	Н	+	+	S26361-F3263-L523		Phased out
GB 2x4GB FBD667 PC2-5300F d ECC	667MHz with SDDC 2 modules, Fully Buffered DIMM DDR2	+	+	Н	+	Н	+	+	+	Н	+	+	+	Н	+	Н	+	+	x	+	+	+	Н	+	+	S26361-F3263-L624	570,00	Phased out
GB DDR3 1333 MHz PC3-10600 rg d ECC	667MHz with SDDC 4 GB (1 module(s) 4 GB) DDR3, registered,	+	+	Н	×	Н	+	+	+	Н	+	+	+	Н	+	Н		+	Н	+	Н	+	Н	+	+	S26361-F3336-L515	120,00	
	ECC, 1333 MHz, PC3-10600, DIMM			Ц	1	Ш	4	1	L	Ш	1	Ш	\perp	Ш		Ш		1	Ш	4	Ш	1	Ш		L			
6GB 2x8GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC 2 modules, Fully Buffered DIMM DDR2			Ц	1	Ш	4	1		Ш	1	Ш	4		\perp	Ш		1	×	4	Ш	_	Ш		1	S26361-F3263-L625 S26361-F3263-L524		Phased out
IGB 2x4GB FBD867 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC 8 GB (1 module(s) 8 GB) DDR3, registered,	4	_	Ц		Ш	4	4	1	Ш	1	Ш	_	×	_	Ш		1	Ш	4	Ш	4	Ш	4	L	S26361-F3263-L524 S26361-F3336-L516	195,00	Phased out
1 GB DDK3 1000 WHZ PC3-0000 19 4 ECC	ECC, 1066 MHz, PC3-8500, DIMM				^																					320301-F3330-E310	150,00	,
GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM	Т	T	П	T	П		Т	Т	П	T	П		П		П		T	П	х		T	П	T	T	S26361-F4003-L643	320,00	
6GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered,	+	+	Н	+	Н	+	+	+	Н	+	+	+	Н	+	Н	H	+	Н	x	Н	+	Н	+	+	S26361-F4003-L642	460,00	
	ECC, 1333 MHz, PC3-10600, DIMM																											
6GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																			x						S26361-F4003-L644	825,00	Phased out
I2GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM	+	+	Н	+	Н	+	+	+	Н	+	\forall	+	Н	+	Н		+	Н	х	+	+	Н	+	+	S26361-F4003-L645	780,00	
MOD (4-40) DDD0 4000 MIL- DO0 0000		4	_	Ц	1	Ш	4	4	1	Ш	1	Ш	_	Ш	_	Ш		1	Ш		Ш	4	Ш	4	L	D00004 F4000 L040	0.440.00	
4GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																			×						S26361-F4003-L646	2.140,00	,
Front-VGA interface	2nd optional VGA interface front side		÷		÷			÷			÷				x >			÷		÷		÷			÷	S26361-F2571-L16	20,00	
PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCle-x1 graphic card			П							x	П														S26361-F2748-L537	135,00	
PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile				×	x)			I							I	S26361-F2748-L637	135,00	
ledia Drives Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write:		Т		Т	x	T	Т	Т		Т			П		П		Т			(Т	П	Т	Т	S26361-F3641-L2	165,00	Deliverable from: 01/11/2011,Orderable from: 3
	6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height																											
DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD- RAM,slimline 0.5" fitting height, black	+		Н	×	х	+	+	+	х	х	\forall	+	Н	х э	Н		$^{+}$	Н	х э		$^{+}$	х	х	t	S26361-F3269-L2	85,00	0
Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5° fitting height,	$^{+}$	t	Н	×	х	†	$^{+}$	†	х	х	\Box	+	Н	х э			t	Н	х э	(†	х	х	t	S26361-F3531-L2	255,00	
DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,	4	+	H	x	H	+	+	×	H	+	H	+	×	4	H	\vdash	+	×	+	\mathbb{H}	+	H	+	+	S26361-F3269-L1	115.00	Phased out
RDX Drive USB 25MB/s 5.25" internal	slimline 0.5" fitting height, anthracite RDX Drive 25MB/s 5.25" intern, , USB 2.0	+	+	H	+	H	+	+	ļ"	H	+	H	+	H	+	Н	H	+	H	x >		+	Н	+	+	S26361-F3857-L4	160,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description																											
RDX Drive USB 25MB/s 3.5* internal	(G/US) RDX Drive 25MB/s 3.5" intern, , USB 2.0	+	+	H	+	Н	+	+	+	Н	+	H	+	Н	х э	Н	+	+	Н	+	H	+	Н	+	+	S26361-F3857-L5	160,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)		L	Ш		Ш		\perp	L	Ш		Ц		Ш		Ш			Ш		Ш		Ш	\perp	L			
RDX Drive USB 25MB/s 3.5* internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable														х э											S26361-F3857-L7	210,00	
ape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150,	†	†	H	†	H	+	†	\dagger	H	†	Ħ	$^{+}$	Н	+	Н	\forall	†	Н	х э	(†	Н	\dagger	t	S26361-F3324-L4	500,00	
	TX200 and TX300, with description (G/US) and cleaning cartridge											П																
ape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US)	\top	†	Н	†	П	\top	†	\dagger	П	\dagger	Ħ	\top	П	х 3	П	\vdash	†	П	\dagger	П	\dagger	П	\dagger	Ť	S26361-F3324-L5	500,00	
ape Kit DDS Gen5 36GB USB 3.5" int.	and cleaning cartridge data transfer: 3MB/s, USB 2.0, 1.6" black,	+	+	H	+	Н	+	+	+	Н	+	H	+	Н	x 3	Н	+	+	Н	+	\mathbb{H}	+	Н	+	+	S26361-F3324-L7	550,00	
	within tape cage 2 x 3.5", with specific USB cable, with description (G/US, with cleaning											П																
ape Kit DDS Gen6 80GB USB 5.25* int.	DDS Gen6 80GB 6MB/s 5.25* intern, USB 2.0	+	+	H	+	Н	+	+	+	Н	x	H	+	Н	+	Н	+	+	Н)		+	Н	+	+	S26361-F3325-L4	685,00	
	Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning																											
ape Kit LTO2HH Ultr 200GB 24MB/s SAS	cartridge SAS 3GB Interface, mini-SAS connector, 1.6"	+	+	H	+	H	+	+	+	H	+	H	+	Н	+	Н	+	+	Н	x	H	+	Н	+	+	S26361-F4009-L4	1.280,00	
	fitting height, black, with SAS cable, with cleaning cartridge		L	Ш		Ш		\perp	L	Ш		Ц		Ш		Ш			Ш		Ш		Ш	\perp	L			
ape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			П																x 3	1					S26361-F3561-L4	1.395,00	
ape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning	+	+	H	$^{+}$	H	+	+	+	H	+	H	+	Н	+	Н	+	$^{+}$	×	x	\forall	$^{+}$	Н	+	$^{+}$	S26361-F3626-L1	1.950,00	Phased out
ape Kit LTO4HH 800GB 120MB/s SAS V2	itting height, , with SAS cable, with cleaning cartridge SAS 6GB Interface, mini-SAS connector, 1.6"	4	+	\sqcup	+	\sqcup	4	+	1	Н	+	\sqcup	+	Н	4	Н	\perp	+	×	x >		+	Н	4	+	S26361-F3626-L2	1.950,00	
apa Elominiologia (zumb/8 SAS VZ	fitting height, , with SAS cable, with cleaning cartridge																			, ,								
ape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning	\top	T	П	\top	П	\top	T	T	П	\top	П		П	\top	П	\Box	\top	П	х э		\top	П	\top	Ť	S26361-F3627-L1	2.850,00	
	cartridge		1									1.1							1 1					- [1			



		PRIMERGY RX100 PRIMERGY RX100 S2	PRIMERGY RX100 S3 PRIMERGY RX100 S4	PRIMERGY RX100 S5 PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S5	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2 PRIMERGY RX600 S3	RIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX900 S1	PRIMERGY RX1300	RIMERGY RX1600	duct Code	©	ments
Description a services matrix	Details	8 8	2 2	2 2	E.	2 2	E E	2 0	2 2	2 2	2	2 2	2 2	2 2	E E	2 2	E E	2 2	<u>R</u>	2 2	2	2 2	2	g.	and a	Com
AS controller (Continued) RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP													×		x x	x							S26361-F3215-L10	220,0	Phased out
RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Cirl, LSI MegaRAID SAS8344ELP, PCle x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, ">>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>											x x												S26361-F3215-L201	765,0	Phased out
RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB				Н		Н	×		+	\parallel	×	H	×					Н					S26361-F3257-L10	235,0	Phased out
AID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm			×					x x				x	×				x x	П		×	х		S26361-F3257-L110	165,0	
AID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm				×		П			\perp	Ш	I		I		I	П		П					S26361-F3257-L210	165,0	
Port SAS cable for ports 5 and 6 AID 0/1 SAS based on LSI MegaRAID 4Port	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4,		_	×	×	Н-	Н	x	x x	+	+	\perp	Н	\perp	Н	+	×	x x	Н		4	\perp		S26361-F3257-L250 S26361-F3257-L4	25,00	
AID 5/6 SAS based on LSI MegaRAID 512MB	4 internal ports RAID-Ctrl, LSI MegaRAID SAS1078, PCle x4,		+	H	H	H	Н	×	х	+	++	×	x	+	Н	+	H	-	Н	+	+	+	Н	S26361-F3257-L512		Phased out
	512MB Cache, 8 internal ports, optional BBU			Ш	Ш	Ш	Ш		Ш		Ш	1	Ш	1	Ц	1	Ш		Ш		Ц	Ш		S26361-F3257-L8		
AID 0/1 SAS based on LSI MegaRAID 8Port CSI Ctrl U320 1ch int/ext PCIe	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports Adaptec 29320LPE, 1x U320 SCSI		+	\vdash	Н	Н-	Н	- 1	×	+	+	×	x	×	Н	+	×	x x	Н	+	4	+		S26361-F3257-L8 S26361-F3270-L1	135,0	
iCSI Ctrl U320 1ch int/ext PCle lp	Adaptec 29320LPE, 1x U320 SCSI, low profile			x x	×			x	x x			×	x	×										S26361-F3270-L201	195,0	
AS Ctrl 3GB/s 4int/4ext PCle AS Ctrl 3GB/s 8 port PCle FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-R SAS Controller 3GB/s 8 port, based on chip		_	Ш	Ш	Ш	Ш	4		4	Ш	+	Ш	4	Ш	4	×	x x	Н		x	x		S26361-F3271-L1 S26361-F3271-L2	210,00	
AS Ctrl 3GB/s 4int/4ext PCle lp	LSI SAS1068 full height UEFI RX900 SAS Controller 3GB/s 8 port, based on chip		+	x x	×	H	Н	x	x x	+	++	×	x	x x	Н	+	Н	+	Н	+	_	-		S26361-F3271-L201	210,0	
AID Ctrl SAS 6G 5/6 512MB (D2616)	LSI SAS1068 Low Profile SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal port			x	×		Н		×				×	×				x x	Н		x	х		S26361-F3554-L512	385,0	0
'AID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCle 2.0 x8, 8 internal			×	×		П		×				x	×	П	T	П	x x	П		П	П		S26361-F3554-L8	165,0	
AID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	ports RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCle x4, 512MB Cache with ECC, 8 external ports, without iBBU		+	×	×	\parallel	Н		x x	\dagger	\parallel	\dagger	×	x			×	x x	H		x	x		S26361-F3593-L501	590,00	3
AS Ctrl 6G 8ext PCle FH/LP	SAS Controller 6GB/s 8 port, based on chip		+	×	×	\vdash	Н	+	x	+	+	+	Н	×	Н	+	Н	x x	Н	+	H	x	Н	S26361-F3628-L501	260,0	
AID Ctrl SAS 8Port opt remote BBU LSI	LSI SAS2008 optional BBU for LSI MegaRAID SAS8880E	+	+	+	Н	+	Н	×	+	+	+	×	H	+	Н	+	H	+	H	+	+	+	H	S26361-F3890-L11	220,0	Phased out
AID Cirl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E				П		П	T	П	T	\Box	Ť	П	Ť	П	Ť	x	T	П	T	Т	П		S26361-F3890-L12	175,0	
AID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCle x4, 512MB Cache, 8 external ports, without iBBU					П		x	x			×	×		П		×		П					S26361-F3890-L501	740,0	Phased out
AID Upgrade Kit RX100 S6 AID Upgrade Kit RX100 S7	consisting of SAS Cable and bracket consisting of SAS Cable			×	×		Н								Н									S26361-F4414-L1 S26361-F4414-L2	45,0	
I C Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCle x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified		T							T				×		×	×	x						S26361-F3483-L1	1.230,00	Phased out
C Ctrl 2x4GBit/s QLE2462 MMF LC	for Microsoft Cluster. QLE2462, 4GBit/s, 2 channel FC controller, PCle x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified				Н		Н							×		x	×	×						S26361-F3483-L2	1.895,0	Phased out
C Ctrl 4GBit/s QLE2460 MMF LC LP	for Microsoft Cluster. QLE2460 , 4GBit/s, 1 channel FC controller, PCle x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified		+		Н	H	x	x	x x	+	H	x x	×	x x		+	H		H	+		+		S26361-F3483-L201	1.230,0	Phased out
C Ctrl 2x4GBit/s QLE2462 MMF LC LP	for Microsoft Cluster. QLE2462 . 4GBit/s. 2 channel FC controller.		+	H	Н	\vdash	×	x	x x	+	+	x x	x	x x	Н	+	Н	+	Н	+	4	+	Н	S26361-F3483-L202	1.895.0	Phased out
C Ctrl 8GB/s 1 channel QLE2560 MMF LC	PCle x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																	× ×			×			S26361-F3631-L1	935,0	
	or PCIe x8 SFF Interface for 50um Fiber																					^				
C Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber																	× ×			x	x		S26361-F3631-L2	1.500,0	
C Ctrl 8GB/s 1 channel QLE2560 MMF LCLP	1 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber								×					×										\$26361-F3631-L201 \$26361-F3631-L202	935,0	
C Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber								×					×	П		П							S26361-F3631-L202	1.500,0	
C Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCle x4, MMF LC inferface									х				×		х	x	x						S26361-F3306-L1		Phased out
C Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCle x4, MMF LC inferface LPe1150 , 4GBit/s, 1-channel FC controller.		_	Ш	Ш	Ш		×	v v	x	Ш	x x	x	x x	Ш	x x	×	×	Н		Ц	Ш		S26361-F3306-L2 S26361-F3306-L201		Phased out
	PCle x4, low profile, MMF LC inferface																									
C Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCle x4, low profile, MMF LC inferface						×	x :	x x			x x	x	××			П							S26361-F3306-L202	1.795,0	Phased out
C CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber				П		П	T	П	T	\Box	Ť	П	Ť	П	Ť	x	х х	П	T	х	x		S26361-F3961-L1	935,0	
C Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 SFF Interface for 50um Fiber	+	+	+	Н	+	Н	+	+	+	+	+	H	+	Н	+	×	x x	H	+	х	x	H	S26361-F3961-L2	1.500,00	0
C CTRL 8GBIT/S LPE1250 MMF LC LP	1 channel 8GB/sec FC controller PCle 2.0 x 4		+	\vdash	H	4	Н	×	x x	+	H	×	×	x	Н	+	H	+	H	+	\perp	\mathbb{H}	Ц	S26361-F3961-L201	935,0	
	or PCle x8 Low Profile SFF Interface for 50um Fiber				Ш	Ш	Ш				Ш		Ш		Ш		Ш		Ш							
C Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 Low Profile SFF Interface for 50um Fiber							×	x x			×	×	×	П		П							S26361-F3961-L202	1.500,0	
on/Network th Ctrl 1x1GBit PCl32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter		Ť			×				x		x		×		Ť		Ť		×				S26361-F3142-L2	75,0	Phased out
th Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp th Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI Intel Pro 1000PT 2 Port Server Adapter	Щ	x x	\perp	Н	×	×	4	\perp	x	x	x x	\sqcup	×	Н	x x	H	+	H	\perp	4	\perp		\$26361-F3227-L202 \$26361-F3228-L1		Phased out Phased out
th Ctrl 2x1GBit PCle PRO/1000PT Cu lp th Ctrl 1x1GBit PCle Pro/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter Intel® Pro 1000PT 1 Port Server Adapter			x x				x		x			x	X			x							S26361-F3228-L201 S26361-F3241-L1	175,0	Phased out
th Ctrl 1x1GBit PCle Pro/1000PT Cu lp th Ctrl 1x1GBit PCle Pro/1000PF LC th Ctrl 1x1GBit PCle Pro/1000PF LC lo	Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter			x x	ш	H			x x	х		_	x	X		×	x	x x			х	х		S26361-F3241-L201 S26361-F3242-L1 S26361-F3242-L201	90,00 240,00 240,00	
th Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu th Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket Intel Pro 1000PT Quad Port Server Adapter with low profile bracket			x	H	H	H	×		+		x x		×		×	×		H	F		H		S26361-F3462-L1 S26361-F3462-L201		Phased out Phased out
th Ctil 1x1GBit PCle CT Desktop Cu th Ctil 1x1GBit PCle CT Desktop Cu lp th Ctil 2x1GBit PCle x4 D2735-2 Cu	with low profile bracket Intel® GBR CT 1 Port Desktop Adapter Intel® GBR CT 1 Port Desktop Adapter I Intel® GBR CT 1 Port Desktop Adapter Ip Ethernet Server Adapter Eth Crit 2x1GBit PCle x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		Ŧ	x x	x		H	x	x x			×	x	x x x				x x			x	x		S26361-F3516-L1 S26361-F3516-L201 S26361-F3610-L502	45,00 45,00 155,00	
th Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCle x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit			×	x	T			×		H		\parallel	x			П	x x	H		х	x		S26361-F3611-L501	375,0	3
th Ctrl 2x10GBit PCle x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCle x8 D2755 SFP+		+	×	х	+	Н	+	×	+	$\dagger\dagger$		H	x	H	+	H	× ×	H	\dagger	х	×	H	S26361-F3629-L502	500,00	0
3 HCA 40GB 1 Kanal QDR 3 HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR InfiniBand HCA 40GB/s, 2-port, QDR				Н		H		x		H			×	H			x x				x x		S26361-F4475-L102 S26361-F4475-L202	875,00 1.150,00	
CoE Ctrl 10GB/s 2 channel OCe10102 MMF CoE Ctrl 10GB/s 2 channel OCe10102 MMF	Channel 10GB/sec FCoE Controller, PCle 0.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable Channel 10GB/sec FCoE Controller, PCle	\perp		×	\sqcup	4	\sqcup		x x	+	\parallel	+	x	×	H	+	x	x x	\sqcup	+	4	x		\$26361-F3592-L202 \$26361-F3592-L2	1.180,0	
	2.0 x 8, SFP+ for opt. module or Twinax cable			Ш	Ш	Ш	Ш				Ш		Ш		Ш		Ш		Ш			Ш				
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102			×		1.1		1.3	x x	- 10	100	11.7	x	v I	1 1	100	x	x x	1 0	1 7	х	x		S26361-F3592-L108	400,00)



		PRIMERGY RX100	PRIMERGY RX100 S2 PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5 PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S5	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2 PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300	RIMERGY RX1600	duct Code	9	monts
Description is services matrix	Details	E I	Z Z	2	F E	E I	E E	P.E.	E E	E E		<u> </u>	E E	B	2 2	PR S	F E	12 0	Z Z	E E	E E	2 0	e E	EŽ	Ž.	ä	Com
ion/Network (Continued) Eth Ctrl 2x10GBit PCle x8 XF SR LC lp	Intel 10 Gigabit XF SR Dual Port Server	П	Т	П	Т		Т	П	×	×	Т		×	×	×		Т		Т				П	S26	361-F3505-L201	4.625,0	Phased out
Eth Ctrl 2x10GBit PCle x8 X520-DA2 SFP+	Adapter Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables	Н		Н	×	Н	+	Н		x	+	+	+	\vdash	x	\vdash	+	Н	×	H	Н	х	+	S26	361-F3555-L501	810,0	Phased out
ntel SFP+ Module MMF 10GBE LC	Intel Ethernet SFP+ Optics - SR, SFP+	Ш		Ш		Ш		Ш		Ш	1	Ш	_	Ш	×	Ш	\perp	Н		Ш	Ш		Ш	000	361-F3555-L900	735.0	
Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Module Multi Mode Fiber 10GBE LC Intel Pro 1000MT 2 Port Server Adapter	¥	+	Н		Н		Н	+	×	v .		v .	Н	× ×	Ļ	, ,	Ш	*	x x	ı v	x	-		361-F3005-L900		Phased out
icture RMK-F1 1-2U Server	telescopic rail. full extraction with vario-carrier.	×			× ×		×		x x	×	X)	X	X	×	x x	×	X X			X X			×		361-F3011-L1		Phased out
	pre-assembled with centre screw, , Rack installation depth (19" pillar distance) between					Ш							"	"		Ш											
RMK-F1_RX600 S4	714mm and 785mm full extraction with vario-carrier, pre-assembled	Н	+	Н	+	Н	+	Н	+	Н	+	+	+	Н	+	Н	+	×	+	1	Н	4	-	S26	361-F2735-L106	95.0	Phased out
Rack Mount Kit for RX900	with centre screw	Н	+	Н	+	Н	-	Н	+	Н	+	Н	+	Н	+	Н	+		+	1	Н	x :	x		361-F2735-L109	180.0	
MK-P_1-2U servers	telescopic rail, partial extraction with vario- carrier, pre-assembled with centre screw,	П		П	××	П		П	x x	×	Т		×	×	x x	П					П			S26	361-F2735-L110	55,0	
	Rack installation depth (197 pillar distance) between 714mm and 785mm					П										Ш											
RMK-F1_DI_CMA	Loose delivery: Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled	П		П	Т	П		П		×	T	П	Τ	П	×	П	Т	П		П	П			S26	361-F2735-L140	55,0	
	with centre screw; with cable management adapter for tool less mountable cable management arm., Rack installation depth															Ш											
	(19" pillar distance) between 714mm and 785mm					П										Ш											
RMK-F1_DI_CMA_QRL		Н		Н	\pm	x		Н		Ш	\pm	Н	\pm	Н	±	Н	\pm			Н	Н	\pm		S26	361-F2735-L145	95,0)
able magmt. for 19" PC- Rack able carrying plate DC-/PC-racks	additional tray for sidewise routing and filing of	Н		Н	+	Н		Н		\vdash	+	+	+	\vdash	×	Н	+	Н	+	H	Н	x	x	S26	361-F2735-L17 361-F2735-L20	30,00 40,00	
MK-F2_3-xU-Servers_13mm-Drop-in Rails	cable bulks for DC-, PC- racks Telescopic full extract, drop-in mount.; vario-	Н		Н	+	Н		Н		+	+	+	+	Н	+	Н	+		x	H	Н	+	+	S26	361-F2735-L202	65,0)
	carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm					П										Ш											
MIK ED DI ODI (c		Ц	1	Ц	\perp	Ц	1	Ц	4	Ш	1	Ш	1	Ш	1	Ц	\perp	Ш	1	Ц	Ш	Ц	Ш	1.	004 50		
MK-F2_DI_QRL (new)	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes					$ \cdot $		П											×					S26	361-F2735-L245	115,00	
	(9.5mm) or round holes (7.1mm); max. load 50 kg;, Rack installation depth (19" pillar					П		П																			
	distance) between 714mm and 785mm					$ \cdot $		П																			
dapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg	H	+	H	+	H		H	+	H		\forall		\forall	+	\forall	+			Ħ		х	x	S26	361-F2735-L31	30,0	
age nut set, M5, t=2,5mm able magmt. for 19" PC- Rack	Content: 50 pieces cable management for adding a server or storage subsystem from a 3rd party rack into	Ħ	X	×	х х	х	\dagger	x	x	\forall	х	\forall	X	х	x x	\forall	X	x	x x	х		x	×	S26	361-F2735-L500 361-F2735-L7	30,0	
U cable arm, dragged	the PRIMECENTER rack 2 cable arm for PRIMERGY server, dragged for	\vdash	н	Y .	x x	\sqcup	+	H	¥ -	×	¥	\sqcup	¥	\vdash	×	\sqcup	×	\vdash	\perp		Н	4	\dashv	636	361-F2735-L8	40.0	Phased out
ack Cable Management Arm 1U	PRIMECENTER- and 3rd-party racks Loose delivery: Cable arm for PRIMERGY	Н	<u> </u>	Ĥ			+	Ŷ	1	Ĥ	^	Н	^	Н	^	Н	<u> </u>	Н	+	H	Н	4	-		361-F2735-L81	20,00	
aux cause management rum 10	Server with RMK-F1 Drop-in Rails, dragged for PRIMECENTER- and other racks															Ш								020	50112150201	20,0	
able management arm for 3rd party racks	all-purpose for PY server in 3rd party and	×	+	Н	+	x	,	Н	_		4					Ļ	+				Н	х :	×	v 526	361-F2201-L20	50,0	
ftware	classic racks	Ĺ	4	Ш	_	^		Ш	4	1^1	1	`		1	_		_				Ш		^	× 020	50112201220	50,0	
RMC advanced pack	integrated remote management controller activation key for graphical console redirection	П	Т	×	Т	П	Т	x	Т	П	Т	П	х	П	×	П	Т	П	Т	П	П	П	П	S26	361-F1790-L240	300,00	
RMC S2 advanced pack	activation key for graphical console redirection and remote media redirection integrated remote management controller	Н	+	Н	x x	Н	-	Н	x x	×	+	Н	×	×	x	Н	+	x	x x	1	Н	x :	x	S26	361-F1790-L241	300,00	
	activation key for graphical console redirection and remote media redirection					П										Ш											
RMC S3 advanced pack Mware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB	Н	+	Н	×	x	-	Н	-	×		\Box	+	x	x	Н	+		x x	H	Н	x	x		361-F1790-L242 361-F2341-L707	300,00	
	vRAM/CPU) - Mandatory 1 year Service Pack needed!					П										Ш											
Mware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack	П		П	×	x		П		×	Т			x	×	П			x x		П	x	×	S26	361-F2341-L708	895,0	
Mware vSphere ENT w/o SP-1yr	needed! VMware vSphere Enterprise for 1 CPU (64GB	Н	+	Н	×	x	+	Н	+	x	+	+	+	x	x	Н	+	Н	x x	\vdash	Н	x	x	S26	361-F2341-L709	2.585,0)
	vRAM/CPU) - Mandatory 1 year Service Pack needed!																										
Mware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack				×	x				×				x	×				x x			х :	x	S26	361-F2341-L710	2.585,0	
Mware vSphere ENT-PL w/o SP-1yr	needed! VMware vSphere Enterprise-Plus for 1 CPU	Н		Н	×	x	+	Н	+	×	+	+	+	x	x	Н	+		x x	Н	Н	x :	x	S26	361-F2341-L711	3.145,0	
	(96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							Ш																			
Mware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!				×	×				×				×	×	Ш			××			x	×	S26	361-F2341-L712	3.145,0	
Mware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8	Н		Н	×	х	+	Н	+	×	+	+	+	х	x	Н	+		x x	Н	Н	х :	x	S26	361-F2341-L730	8.995,0	0
	CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!					П										Ш											
Mware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8	Н	+	Н	×	x	+	Н	+	×	+	+	+	x	x	Н	+	Н	x x	H	Н	x :	x	S26	361-F2341-L731	8.995,0))
	CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!					П		П																			
Mware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6	H	+	H	×	x	+	Н	+	x	+	H	+	x	x	\mathbb{H}	+	H	x x	H	Н	х :	×	S26	361-F2341-L732	15.750,0)
	CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							П																			
Mware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6	Н	+	Н	×	x	+	Н	+	×	+	+	+	x	x	Н	+	Н	x x	H	Н	x :	x	S26	361-F2341-L733	15.750,0))
	CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!					П										Ш											
Mware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for	Н	+	Н	×	x	+	Н	+	×	+	+	+	x	x	Н	+		x x	Н	Н	х :	x	S26	361-F2341-L734	19.750,00)
	6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!					П										Ш											
Mware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for	Н	+	Н	×	x	+	Н	+	x	+	+	+	x	x	Н	+	Н	x x	\vdash	Н	x	x	S26	361-F2341-L735	19.750,0)
	6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!					П										Ш											
Mware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB	Н	+	Н	×	x	+	Н	+	×	+	+	+	x	x	Н	+	Н	x x	H	Н	x :	x	S26	361-F2341-L740	4.045,0)
	vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!					П										Ш											
Mware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year	.		П	×	×		П		×	Τ	П	Т	x	×	П	Т		x x	П	П	x	x	S26	361-F2341-L741	4.045,00	
Mware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU	H	+	H	×	x	+	Н	+	x	+	H	+	x	x	\mathbb{H}	+	H	x x	H	Н	x	x	S26	361-F2341-S702	895,0	<u> </u>
	(32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	Ц		Ц		Ш		Ш		Ш		Ш		Ш		Ш		Ц	\perp	Ш			Ш				
Mware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESX to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year	П	Г	П	×	х		П	Г	x	T		Τ	×	×	ΙT		П	x x	П	П	x	×	S26	361-F2341-S703	2.585,0	
Mware Upgrade ESXi to ENT w/o SP-3yr	Service Pack needed! VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year	H	+	H	×	x	+	Н	+	×	+	+	+	x	×	\forall	+	H	x x	\vdash	Н	х :	x	S26	361-F2341-S704	2.585,0	
	Service Pack needed!	Ц		Ц		Ш		Ш		Ш		Ш		Ш		Ш		Ц	\perp	Ш			Ш				
Mware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year	П	T	П	×	x	T	П	T	×	T	П	T	x	×	П	T		×	П	П	x :	×	S26	361-F2341-S705	3.145,0	
Mware Upgrade ESXi to ENT-PL w/o SP-3yr	Service Pack needed! VMware Upgrade ESX to ENT-Plus for 1 CPU	\forall	+	\forall	×	x	+	Н	+	x	+	+	+	×	x	\mathbb{H}	+	H	x x	+	Н	x :	×	S26	361-F2341-S706	3.145,0	<u> </u>
	(96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	Ц		Ц		Ц		Ц		Ш		Ш		Ш		Ш		Ц		Ш			Ш				
Mware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year	П		П	x x	Π		П	Γ	×	T	П	Τ	x	×	ΙT		П	××	Π	П	x :	×	S26	361-F2341-S716	1.855,0	
Mware Upgrade STD to ENT w/o SP-3yr	Service Pack needed! VMware Upgrade vSphere STD to ENT for 1	H	+	H	×	x	+	H	+	x	+	\forall	+	x	×	\forall	+	H	x x	+	Н	x	x	S26	361-F2341-S717	1.855,0	
	CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	Ш		Ш		П		Ш																			
Mware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year	П	Т	П	×	x	T	П	T	×	T	П	T	×	×	П	T		×	Т	П	х :	×	S26	361-F2341-S718	2.475,0	
Mware Upgrade STD to ENT-PL w/o SP-3yr	Service Pack needed! VMware Upgrade vSphere STD to ENT-PL for	H	+	H	×	x	+	Н	+	×	+	\dashv	+	x	x	\vdash	+	+	x x	\vdash	Н	x :	×	S26	361-F2341-S719	2.475,0)
	1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	ı I		1	- 1	1 I		r 1	- 1	1 1	- 1	1 1	- 1	1. 1.	- 1	1		 1.7 	-1			1.	1 1	11.7		1	The second secon



		0 82	0 84	0.86	0 32	0 83	989	98 .		0 82	0.84	980	181		0 \$2	0.84	986	0 82	0.83	522	ء ۾				
		PRIMERGY RX100 PRIMERGY RX100 S2 PRIMERGY RX100 S3	PRIMERGY RX100 S4 PRIMERGY RX100 S5	PRIMERGY RX100 S6 PRIMERGY RX100 S7	PRIMERGY RX200 PRIMERGY RX200 S2	PRIMERGY RX200 S3 PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6 PRIMERGY RX220	WERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX330 S1	MERGY RX600	PRIMERGY RX600 S2 PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300		duct Code	9	ments
Description & services matrix	Details	8 8 8 8 8 8	N N	P. B.	P R	P. B.	N N		N N	P 8	P.B.	N N	N N	P. C.	P. B.	P 2	2 2	P N	P. S.	2 2	P 8		Prod	ä	Com
Software (Continued) VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for	T	П	x x		T		x		T		x D	(х			x >		S26361-	F2341-S720	614,00	
VMware Upgrade ENT to ENT-PL w/o SP-3yr	CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed! VMware Upgrade vSphere ENT to ENT-PL for			x x		_	Н	x	Н	+	Н	x >		Ш	_		x x	H		x >		S26361-	F2341-S721	614,00	
VMware Upgrade VCS FND to STD w/o SP-1yr	CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed! VMware Uograde vCenter FND to STD for 1			x x			Н	×	Н		Н	x 2		Ш		Н	x x		Ц	x >			F2341-S728	3,465.00	
	Instance of vCenter - Mandatory 1 year Service Pack needed!				Ш		Ш		Ц		Ш			Ш		Ш		Ш	Ш						
VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!			x x				×				x)	'				x x			x >		S26361-	F2341-S729	3.465,00	
Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system		×	x x			×	×			×	x >	×			x	x x			х		S26361-	F2565-L318	25,00	Phased out
Win Srv 2008 SP2 Enterprise DVD Media On	Windows Sener 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system		×	x x			x	x			x	х э	×	П		x	x x			x >	1	S26361-	F2565-L328	25,00	Phased out
Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Sener 2008 Standard, Enterprise, Datacenter, multilingual		×	x x		×	×	×	П		×	x >	×	П		x :	x x		×	x >	1	S26361-	F2565-L340	24,00	
Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Sener 2008 Standard, Enterprise, Datacenter, multilingual		×	x x		×	×	×		+	×	x >	×	Н		×	x x	H	×	x >	1	S26361-	F2565-L341	105,00	
Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Sener 2008 Standard, Enterprise, Datacenter, multilingual		×	x x		×	x	×	Н	+	x	x)	×	Н		х	x x		×	x >		S26361-	F2565-L342	24,00	
Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft		×	x x		×	×	x	Н	+	×	X 3	ı x	Н	+	×	x x	H	×	x >		S26361-	F2565-L343	105,00	
	Windows Server 2008 Standard, Enterprise, Datacenter, multillingual																								
SCSI SW Target 3.2 (64-bit) EMB MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	including update 1 Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition.,	T	×	x x	F	×	x	x	П	Ŧ		x 3	c x	П	Ŧ	x	x x	Ŧ	П	х		S26361- S26361-	F2565-L564 F2567-L20	10,00 380,00	
MS SysCtr Essntis 2010 ROK	English. ROK DVD, License. MS System Center Essentials 2010. English. ROK DVD, License.	+	×	x x	H	×	х	x	H	+	x	х э	(X	H	+	x	x x	+	H	х >	+	S26361-	F2567-L30	115,00	
Vin Svr 2008 R2 SP1 Foundation 1CPU ROK	ROK DVD, License. Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	$\dagger \dagger$		x			П	T	П		П	\dagger		П		Ħ		\dagger	П	1	\parallel	S26361-	F2567-L301	165,00	
Vin Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD. License.	$\dagger \dagger$	×	x		\dagger	Ħ	+	Ħ		H	\dagger				H		\dagger	Ħ	+	\parallel	S26361-	F2567-L306	216,00	Phased out
IS SysCtr Essntls 2010 Server ML 1-OSE	DVD, License. MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment	+	×	x x	H	×	×	x	H	+	x	х э	×	Н		x :	x x	\dagger	H	x >		S26361-	F2567-L31	90,00	
/in Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		×	x x		×	x	x			П	x 3	×	П		x :	x x		П	×		S26361-	F2567-L310	677,00	Phased out
Vin Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License.			x x				×			H	3					x x			,	1	S26361-	F2567-L311	510,00	
MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment		×	x x		×	×	×	П		×	x >	×	П		x	x x		H	x >	1	S26361-	F2567-L32	430,00	
Vin Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		×	x x		×	x	x				X 3	×			x :	x x			x		S26361-	F2567-L320	2.178,00	Phased out
Nin Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.			x x				×			П	3					x x		П	x >		S26361-	F2567-L321	1.695,00	
MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.		×	x x		×	×	×	П		×	x >	×			×	××			х >			F2567-L33	75,00	
Vin Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x x		×	x	×				x 3	×			x						S26361-	F2567-L330	2.690,00	Phased out
Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.			x x				×				3					x x			x >	1	S26361-	F2567-L331	2.690,00	
Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								П		П			П		T	×			x >	1	S26361-	F2567-L333	5.380,00	
MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.		×	хх		×	х	x	Н	+	х	х з	×	Н		x :	хх	\vdash	Н	x >	1	S26361-	F2567-L34	295,00	
Vin Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.		×	хх		×	х	x	Н	+	×	х э	к	Н	+	x	x x	H	Н	x >	1	S26361-	F2567-L340	85,00	
Vin Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.		×	хх		×	×	×	Н		×	х з	к	Н		×	x x	Н	П	x >	1	S26361-	F2567-L341	380,00	
Vin Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.		x	хх		х	х	x	П		×	х з	к	П		x :	хх	П	П	х		S26361-	F2567-L342	85,00	
Vin Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.		×	х х		×	х	х	П		x	x)	х	П		x	хх		П	x >		S26361-	F2567-L343	380,00	
Vin SBS Standard 2011 w/SCAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License			x x			П	×	П			x 3				П						S26361-	F2567-L350	580,00	
Vin SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License			x x			П	×	П			x)				П						S26361-	F2567-L351	580,00	
Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License	\top		x x	П		П	x	П		П	х э	(П		T		Т	П		\parallel	S26361-	F2567-L352	743,00	
Win SBS Standard 2011 w/SCAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License		\Box	x x	П		П	x	Ħ		H	x)	(П	\top	H		\dagger	Ħ	1	\parallel	S26361-	F2567-L353	580,00	
Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License	\parallel		x x				×				x 3		П		Ħ	T	H	П		\parallel		F2567-L354	580,00	
Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License			x x				×				x >											F2567-L355	580,00	
Vin SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License			x x				×				x >											F2567-L356	580,00	
Vin SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License			x x			П	x	П		П	X 3	1	П			П		П	T			F2567-L357	580,00	
Vin SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License	\sqcap		x x			П	x	П		П	x 3		П					П	T	П	S26361-	F2567-L358	580,00	
Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License	$\dagger \dagger$	\parallel	x x			П	×	П		П	x 3		П		П			П	T	\parallel	S26361-	F2567-L359	580,00	
Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License						П	×	П			,		П					П		П	S26361-	F2567-L360	750,00	
Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License			x x				×				x >											F2567-L370	885,00	
Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German,	1.1	1.1	x x		- 1	r f	x	1 E	1.7	1 [x)	(10.7	1.0	1 1	1.1	ı f	- 10	1.17	S26361-	F2567-L371	885,00	



ervers Accessories			2 0		n 40			~ ~	Ja	10	m					10	_			Ja	10	m	01							
		X100	RX100 S2 RX100 S3	RX100 S4	RX100 S5 RX100 S6	RX100 S7	RX200	PRIMERGY RX200 S2 PRIMERGY RX200 S3	PRIMERGY RX200 S4	RX200 S5	PRIMERGY RX200 S6 PRIMERGY RX220	X300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S6	RIMERGY RX330 S1	PRIMERGY RX600	8 009 X	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800 S2	RX800 S3	RX900 S1	X 300 S	009IX			
		PRIMERGY RX100	3GY R3	3GY RU	RGY KO	3GY R)	3GY R)	3GY RO	3GY R)	3GY R)	PRIMERGY RX200	PRIMERGY RX300	3GY R)	3GY R)	367 8	3GY R)	SGY R)	PRIMERGY RX600	367 83	3GY R)	3GY R)	PRIMERGY RX600	3GY R)	3GY R)	3GY R)		RIMERGY RX1600	t Code		nts
Description	Details	RIME	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	PRIMERGY	RIME	RIME	PRIMERGY	RIME	RIME	RIME	RIME	RIMERGY	RIME	RIME	RIME	RIME	RIME	RIME	RIME	RIME	RIMERGY	PRIMERGY	RIME	RIME	roduci	(e) dn	omme:
& services matrix Software (Continued)	Details			10.10	1 6						۵ ۵	10		٠			a 10					۵. ۱۵			a 1	1 1				
Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian,	П	Т	П	×	×	П	Т	Т	П	x	Т	П	Т	×	x	Т	Т	Т	Т	П	Т	Т		Т	Т	П	S26361-F2567-L372	885,00	
	DVD Media set, COA, License Windows Small Business Server 2011	4	+	4	×	×	Н	+	╀	Н	x	╀	Н	+		¥	+	+	+	╀	Н	+	+	Н	+	+	Н	S26361-F2567-L373	885,00	
	Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License				"										"												Ш			
	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish,	П	Т	П	×	×	П			П	x		П		×	х		T	T		П				T		П	S26361-F2567-L374	885,00	
Win SBS 2011 CAL Suite (1 Device)	DVD Media set, COA, License Microsoft Windows Small Business Server	+	+	+		×	Н	+	+	Н	×	╀	Н	+	- ×	×	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L380	45,00	
	2011 Client Access License Suite (1 Device); multi-language CAL;				"										"												П			
	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User);	П	Т	П	×	×	П		T	П	x	Т	П	Ť	×	x	T	T	T	T	П	T	T	П	T	Т	П	S26361-F2567-L381	45,00	
	multi-language CAL; Microsoft Windows Small Business Server	+	+	+	- 3	×	Н	+	+	Н	x	╀	Н	+	×	x	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L382	190,00	
	2011 Client Access License Suite (5 Devices); multi-language CAL;	c														П											П			
	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users);	П	Т	П	×	×	П	Т	Т	П	x	Г	П	Т	×	x	Т	Τ	Τ	Т	П	Т	Т		Т	Τ	П	S26361-F2567-L383	190,00	
Win SBS 2011 Prem Add-on CAL (1 Device)	multi-language CAL; Microsoft Windows Small Business Server	+	+	+		×	Н	+	+	Н	x	⊬	Н	+	×	x	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L384	55,00	
	2011 Premium Add-on Client Access License (1 Device); multi-language CAL;						П									П											П			
	Microsoft Windows Small Business Server	+	+	+		×	Н	+	+	Н	x	+	Н	+	×	x	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L385	55,00	
	2011 Premium Add-on Client Access License (1 User); multi-language CAL;															П											П			
	Microsoft Windows Small Business Server	+	+	+	- x	×	Н	+	+	Н	x	+	Н	+	×	x	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L386	235,00	
	2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;															П											Ш			
Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server	+	+	+	- x	×	Н	+	+	Н	x	+	Н	+	×	x	+	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2567-L387	235,00	
	2011 Premium Add-on Client Access License (5 Users); multi-language CAL;						П																							
Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34	++	+	++	-	×	Н	+	+	H	x	+	Н	+	+	×	+	+	+	+	×	x	+	Н	x	x	Н	S26361-F2567-L390	25,00	
	worldwide language packs for Windows Servers 2008 R2 SP1.				1	"	П									"														
Win Sws 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	,	Т	П	×	×	П		T	П	x	Т	П	Ť	T	x	T	T	T	T	х	×	T	П	х	х	П	S26361-F2567-L391	25,00	
USB Flash Module 16GB intern ServerView Deployment Mgr 6 Single Lic.	USB Flash Module 16GB intern Single license for operation of one client server	er x	x x	x	x >	×	×	x x	×	x	x x	×	x	x	x x	×	x	x >	x x	×	x	x 3	x x	×	7	x x		S26361-F3299-L16 U15000-C302	345,00 140,00	Orderable from: 01/10/2011
ServerView Depl. Mgr. 6 Single Upgrade	(managed node) - no software! for upgrades of one 4.x single license to	-	x x	×	x x	×	x	x x	. x	×	x x	x	×	x	x x	×	×	_			×	X 1	x x	×	+	x x		U15000-C303		Orderable from: 01/10/2011
FF40-RE-AN Mono Server 2-Core	version 5.0 - no software! FF40 RE ApplicationNode RTU for server with		+	+	+	Н	Н	+	×	Н	+	+	H	4	x	Н	+	+	+	×	Н	4	+	Н	x	x		U26004-C401	2.000,00	
FF4O-RE-AN Mono Server 4-Core	one 2-core CPU FF4O RE ApplicationNode RTU for server with	1	+	+	+	Н	Н	+	×	Н	+	+	Н	x	x	Н	+	+	+	×	x	x	+	Н	x	x	Н	U26004-C402	4.000,00	
FF4O-RE-AN Dual Server 2-Core	one 4-core CPU FF4O RE ApplicationNode RTU for Server with	h	+	+	+	Н	Н	+	×	Н	+	+	Н	x	x	Н	+	+	+	×	x	x	+	Н	x	x	Н	U26004-C403	4.000,00	
FF4O-RE-AN Dual Server 4-Core	two 2-core CPU FF40 RE ApplicationNode RTU for Server with		+	+	+	Н	Н	+	×	Н	+	+	Н	x	x	Н	+	+	+	×	x	x	+	Н	x	x	Н	U26004-C404	7.000,00	
FF4O-RE Spare Mono Server 2-Core	two 4-core CPU FF40 RE RTU for spare server with one 2-core		+	+	+	Н	Н	+	×	Н	+	+	Н	x	x	Н	+	+	+	×	x	4	+	Н	x	x	Н	U26004-C405	1.000,00	
FF4O-RE Spare Mono Server 4-Core	CPU FF4O RE RTU for spare server with one 4-core	e	+	+	+	Н	Н	+	x	Н	+	+	Н	x	x	Н	+	+	+	x	x	x	+	Н	х	x	Н	U26004-C406	2.000,00	
	CPU FF4O RE RTU for spare server with two 2-core	e	+	+	+	Н	Н	+	x	Н	+	+	Н	x	x	Н	+	+	+	x	x	x	+	Н	х	x	Н	U26004-C407	2.000,00	
FF40-RE Spare Dual Server 4-Core	CPU FF4O RE RTU for spare server with two 4-core		+	+	+	Н	Н	+	×	Н	+	+	Н	x	x	Н	+	+	+	×	x	x	+	Н	x	x	Н	U26004-C408	3.500,00	
PRIMERGY MultiPath MPIO Upgrade to 5.01	CPU for Windows Server 2008 and 2003, from a	+	+	+	x x	×	Н	+	×	х	x	+	Н	+	x x	x	х	+	+	×	x	x	+	Н	х	x	Н	S26361-F2565-L592	440,00	
	previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	Ш		Ш			Ш			Ш						Ш					Ш						Ш			
	for Windows Server 2008 and 2003. CD-ROM and License.	Ш			× ×	×	Ц		×	ш	×		Ш		x x	×	x			×	Ш	×			x	x		S26361-F2565-L593	875,00	
	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD- ROM and License.	is .			x x	×			×	x	x				x x	x	х			×	x	×			х	×	Ш	S26361-F2565-L594	440,00	
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM	\forall	+	\forall	x x	×	Н		х	х	x	t	Н	+	х	х	х	†	†	х	х	х	t	Н	х	x	Н	S26361-F2565-L595	875,00	
PRIMERGY ServerView Suite subscription.	and License. Subscription for 1 year with about 10 releases., The subscription is licensed only for	×	x x	×	x x	×	х	x x	x	x	x x	х	x	x	x x	х	х	†	†	x	х	x	t	Н	x	х	Н	U15000-C176	215,00	
	PRIMERGY servers.		4	Щ	4	Ш	Ц	_	L	Ц	4	L	Ц	4	1	Ш	4	4	1	L	Ц	4	L	Ш	4	1	Ш			
	Latest ServerView Suite Edition - including Installation Manager	\perp		×	_	Ш	ш		_	ш	_		Ш	4	x x	Ш	4		1	L	×	4	L	Ш	4	x		U15000-C289	25,00	
	Software CD Full version, software only - no license	\perp		×	_	Ш	ш		_	ш	_		Ш	_	_	ш	_	_	_	_	ш	4						U15000-C299	30,00	
	Single license for operation of one client server (managed node) - no software!		_				ш			ш			ш	4	4	ш	4	4	_	_	ш	4	_					U15000-C300	140,00	
	for upgrades of one 4.x single license to version 5.0 - no software!		× ×		× ×		×	x x	×	×	x x	×	×	x	x x	×	×	x ,	××	×	×	× :	x x	×	4	x x		U15000-C301 S26361-F2346-L601	70,00	
	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1 year subscription renewal.	1			* *	×										П											Ш	526361-F2346-L601	145,00	
SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year	4	\top	\forall	\top	П	Н		×	х	×	T	П	1	х	х	х	Ť	T	×	х	x	Ť	П	х	×	П	S26361-F2346-L611	249,00	
	subscription renewal. SUSE Linux Enterprise 11 High Availability	Н	+	Н	x x	: x	Ц	_		×		L	Ш	4	x x	×		4	4	×	×		L	Ш			Ш	S26361-F2346-L621	499,00	
	Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription	د			* *				×	×	*				* *	×	*			×	×	*			*	×	П	520301-F2340-L021	499,00	
	renewal. SUSE Linux Enterprise Server for SAP	Н	4	Н	4		Ц	_	L	Ц	4	L	Ш	4	+	Ш	4	4	4	L	Ш		L	Ш			Ш	\$26361-F2346-I 661	1,101.00	
	Applications per Server up to 32-CPU sockets 1 year subscription renewal.	4				×	П			П			П			П					×	1			х	"	П		1.101,00	
SUSE Linux ES4SAP APPS +3y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets	#	$^{+}$	\dagger	†	×	H	†	T	H	†	\perp	H	†	†	H	$^{+}$	+	t	T	×	×	†	Н	×	x	Н	S26361-F2346-L662	2.958,00	
	3 years subscription renewal. SUSE Linux Enterprise Server for SAP	#	+	#	+	H	H	\perp	\perp	H	+	\perp	Н	4	x	Н	4	+	+	\perp	Н	4	+	Н	4	+	Н	S26361-F2346-L669	1.023.00	
	Business All-in-One Basic Subscription 3 years						П			П			П			П											П	20-0-1009	1.023,00	
Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-	\sqcap	\top	х	×	П	П	x	×	x	Ť	Т	П	х	x x	П	×	Ť	T	T	П	\top	T	П	T	T	П	S26361-F2346-L411	95,00	
Dehian-Uhuntu ESE Basic Sunnort 3Y	Year Dehian-Uhuntu ESE Basic (email) Sunnort	+	+	×	×	H	Н	-	×	×	+	+	Н	y .	x x	H	x	+	+	+	Н	4	+	Н	4	+	Н	S26361-F2346-L412	228.00	
	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3- Years			^	^			, ×		^			П	^	^ *		1											000172940°L412	228,00	
	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-	\forall	\top	х	×	П	П	x	×	х	\top	T	П	х	x x	П	х	†	Ť	T	П	\top	Ť	П	1	T	П	S26361-F2346-L415	245,00	
Debian-Ubuntu FSE Standard Support 3Y	Year Debian-Ubuntu FSE Standard (5x9) Support	+	+	x	×	Н	H	-	×	×	+	+	H	x	x x	Н	x	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2346-L416	588,00	
	Subscription for x86 and x86_64 1-Server 3- Years							^	1				П		^	П														
	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-	\sqcap	Т	×	×	П	П	x	×	×	T		П	x	x x	П	×	T	T		П	7	T	П	T	T	П	S26361-F2346-L417	495,00	
Debian-Ubuntu FSE Priority Support 3Y	Year Debian-Ubuntu FSE Priority (7x24) Support	+	+	x	×	Н	H	-	×	×	+	+	H	x	x x	Н	x	+	+	+	Н	+	+	Н	+	+	Н	S26361-F2346-L418	1.188,00	
	Subscription for x86 and x86_64 1-Server 3- Years			"	1		П	^	1	"					1		-													
	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX	\Box	\top	\Box	×	×	H	x	×	×	×	T	×	х	x x	×	х	†	×	×	×	×	×	×	х	х	П	S26361-F2341-L300	80,00	
	3.5,vCenter 2.5 - No License VMware vSphere Embedded UFM Device	#	+	#	4.	Ļ	Н	\perp	\perp	×	×	\perp	Н	+	-	v	4	+	+	\perp	Н	4	+	Н	4	+	Н	S26361-F2341-D431	60,00	
	Embedded UFM Storage Device , inc. ESX Singel SRV Lic. (w/o SP)				*	^	П				-		П		*	^											П	1204110431	30,00	
		#	÷	#	÷.	×		÷	Ħ	H	×	Ė		÷	÷	×		÷	÷	Ħ	x	×	Ť		x	x		U24533-C405	20.000,00	
tion-SW		Ħ	#	Ħ	×	×	П	Ŧ		\Box	x x		Ħ		+	×		Ŧ		Н	x	x			x	х		U24533-C406 U24533-C407	12.500,00	
tion-SW ManageNow® for NSM Base ManageNow® for NSM Remote Manager ManageNow® for NSM Portal		\Box	Ŧ	\blacksquare	×	×	Н	T	E	Н	x x	F	П	7	T	x	_	Ŧ	T	_	х	х	F		x x	x	Н	U24533-C425 U24533-C421	9.000,00	
ition-SW ManageNow® for NSM Base ManageNow® for NSM Remote Manager ManageNow® for NSM Portal ManageNow® for NSM AglessMoni HostResMIB ManageNow® for NSM CApent Integration		+										_	-	_	-			_	-	-	х	х.	_							
Bion-SW ManageNow® for NSM Base ManageNow® for NSM Remote Manager ManageNow® for NSM Potal ManageNow® for NSM AdeasMoni HostResMIB ManageNow® for NSM AG A Agent Internation ManageNow® for NSM This Resident Internation ManageNow® for NSM HIP InsightMay Integ.		\pm	Ξ	\pm	×	X	ш		F	ш	x					x	4				x	x			x x	х		U24533-C408 U24533-C404	5.000,00 4.500,00	
Idon-SW ManageNow® for NSM Base ManageNow® for NSM Remote Manager ManageNow® for NSM Remote Manager ManageNow® for NSM AglessMoni HostResMIB ManageNow® for NSM AGLESSMoni HostResMIB ManageNow® for NSM File Principal ManageNow® for NSM File Prin		Ħ	Ŧ	Ħ	×	X X X					x x x x					x					x	x x x			х	x x		U24533-C408		



		PRIMERGY RX100	RX 100	PRIMERGY RX100 S4 PRIMERGY RX100 S5 PRIMERGY RX100 S6	PRIMERGY RX200		PRIMERGY RX200 S4	RX200	PRIMERGY RX220		PRIMERGY RX300 S3 PRIMERGY RX300 S4	PRIMERGY RX300 S5 PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800 S2 PRIMERGY RX800 S3	PRIMERGY RX900 S1 PRIMERGY RX900 S2	PRIMERGY RXI300	sduct Code	(a)	nments
& services matrix	Details	12 2	ž ž	N N N N N N N N N N	PR	F F	E E	1	E E	Z Ž	E E	E E	2	F 8	<u> </u>	E.	<u> </u>	F F	R R	E S	P P P P P P P P P P P P P P P P P P P	ä	Com
ManageNow® for NSM UPS ManageNow® for NSM Microsoft Cluster			Ŧ	X 1				x				,				x			x x		U24533-C414 U24533-C415	5.000,00	
ManageNow® for NSM BladeFrameMonit BF200 ManageNow® for NSM BladeFrameMonit BF400		H	Ŧ	X 2	(x				2	\Box			x	x	_	x x x x x x		U24533-C416 U24533-C424	9.000,00	0
ManageNow® for NSM Connector CA eHealth ManageNow® for NSM Connector MS SCOM		H		X 2	(-	×	-	\blacksquare	-	3		\blacksquare	-	x	x		x x		U24533-C417 U24533-C418	5.000,00	0
ManageNow® for NSM Connector HP OV NNM ManageNow® for NSM Connector Lotus Notes			Η	X 3	(\pm	x					\Box			x	x x		x x x x		U24533-C419 U24533-C420	5.000,00	0
ManageNow® for NSM Con. 3rd PartyManager ManageNow® for NSM Connector QoS				X 1	(x				3	\perp			x	x		x x		U24533-C422 U24533-C433	5.000,00	0
ManageNow® for NSM Connector EMC CC ManageNow® for NSM Connector NetApp OM		Н		X 1	(x				3				x	x	$\overline{}$	x x		U24533-C434 U24533-C435	5.000,00	0
ManageNow® for NSM Data Media ManageNow® for ITCM ManagedObjectsLicens				X 2	(x				x 3				x	x		x x		U24533-C423 U24533-C400	40,00 2.000,00	0
ManageNow® for ITCM Manager License ManageNow® for ITCM Win7 OS Install Lic.			ŧ	X 1	(x				3				x	x		x x		U24533-C401 U24533-C402 U24533-C426	5.000,00 3.000,00	0
ManageNow® for ITCM Vista OS Install Lic ManageNow® for ITCM WinXP Prof OSInstLic ManageNow® for ITCM Win2003Swr OSInstl in:				X 2	(x x				3	ш			x	x	\rightarrow	x x	_	U24533-C426 U24533-C427 U24533-C428	3.000,00 3.000,00 3.000.00	0
ManageNow® for ITCM WIN2008Svr OSInstLic ManageNow® for ITCM SUSE10.1 OS Inst Lic		H	Ŧ	X 2	(x	=			2				x x	x		x x x x	_	U24533-C428 U24533-C429 U24533-C432	3.000,00	0
ManageNow® for ITCM SLES9.0 OS Inst Lic ManageNow® for ITCM data medium		H	Ŧ	X 1	(x		\Box		3		\blacksquare	-	x	x		x x		U24533-C430 U24533-C403	3.000,00	0
supply	for optional PS redundancy incl. mounting kit		Ť				,	c x	Ť												S26113-F539-L1	210,00	
	2nd PS hp for redundancy	Н	+	++++	+	\square	+	+	+	+	+	x	Н	+	+	Н	+	+	+	+	S26113-F543-L10	190,00	D Phased out
RX100 S7 conversion kit to hot-plug PSU Power Supply Module 800W gold hp	platinum PSU hp for redundancy 2nd gold PS hp for redundancy		Η		(\pm		\pm			x >									S26113-F547-L10 S26113-F555-L10	190,00 230,00	0
	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)												Ш			×					S26113-F561-L10		D Phased out
	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)																×				S26113-F561-L20	350,00	
	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU	П		ЩП		Ш	J	×	J			Ш	IJ				П			J	S26113-F570-L1	160,00	
Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)						T	П	T	П			П	П		П	П		x	T	S26113-F573-L10	880,00	0
Modular PSU 450W platinum hp Power Supply Module DC -48V 800W gold hp	platinum PSU hp for redundancy DC -48V gold PS hp for redundancy		Ŧ				\pm	\blacksquare	\pm		Ŧ	,			\pm					\pm	S26113-F575-L10 S26113-F576-L50	160,00 650,00	0
Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)	LT			Г	ШП	J		J			П	П						×	J	S26113-F608-L10	880,00	
	10 / 100 Mbit autosence AP9630 for APC- USV, use one smart slot		x x		Γ	x x		c x	J	×	x x			×	х	Ш		x x		J	S26113-F80-L30	255,00	
	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR			x x 2	•			¢ x		\Box	×		x			х					T26139-Y1740-L10	15,00	
Cable powercord (UK, IR), 1.8m, grey	suitable for USA, Cnd suitable for UK, IR	х	x x	x x x 1		x x	x >	c x	x >	x x	×	X X	x	x			x x	x x		X 3	T26139-Y1742-L10 T26139-Y1744-L10	15,00 15,00	0
Cable powercord (I), 1.8m, grey	suitable for I		Ţ	X X X				C X				x >	x		×	x	x				T26139-Y1745-L10	15,00	0
Customer Self Service Module RX Server	LCD display with installation kit Support for Customer Self Service (CSS), incl.	Н	+		Н			Н		\Box		X X	Н	\blacksquare	\pm	Н		+	+		S26361-F2557-L106 S26361-F2557-L205	70,00 25,00	
Opt. Front VGA + Service LAN	mounting kit VGA and Senice LAN connector, instead of	Н	+	1	(Н	+	+	+	+			Н	+	+	Н	+	+	+	+	S26361-F2571-L37	50,00	0
	Local Service Panel Redundant hot plug fans option, incl. 5 fans	H	+		+		+	+	+	+	+	x	Н	+	+	Н	+	+	+	+	S26361-F2621-L5	115,00	D Phased out
cable Serial port option	Cable for 2nd RS-232-C 9 pin interface	Н					\pm	Н	\pm	x	x x	Н	Н	+	+	Н	+	+		\pm	S26361-F3120-L3	40,00	0
	Trusted Platform Module on motherboard, be aware of import restrictions!	П		X 1	(,	< x				x >	П			×	×		х х		S26361-F3552-L1	50,00	0
Opt. Front VGA + add. USB	VGA and USB connector, instead of Local Service Panel	П	T	×	Τ			П		П			П			П		П		П	S26361-F3577-L1	35,00	0
	Redundant hot plug fans option, incl. 4 fans,	Н	Ŧ		\top		\mp		\mp	×	x x		Н	\blacksquare	+	Н		\blacksquare		\blacksquare	S26361-F4000-L1 S26361-F2621-L4	20,00 95,00	D Phased out
Parallelport Option Centronics	cage and electronics Cable with 25 pin Centronics interface				±				,	x			Н								S26361-F2571-L8	25,00	D Phased out
	Support for Customer Self Service (CSS)			x 1	(x				×										S26361-F2557-L204	40,00	
DAT72 cleaning cartridge no label	DAT160 cleaning cartridge without label DAT72 cleaning cartridge without label	Н							,	x x	x x	x >	×	x x	x x	x			x x		D:CL-DAT160-MX-01 D:CL-DAT72-MX-01	22,00 5,00	0
	Cleaning cartridge without label from Fuji for LTO drives	Ш				Ш		Ш		Ш		Ш	Ш	Ш		×	×		х		D:CL-FJ-LTO-01		0 Orderable from: 01/09/2011
	cleaning cartridge with label from Fuji for LTO drives	Ш						Ш		Ш		Ш	Ш	Ш		×			х		D:CL-FJ-LTO-01L		0 Orderable from: 01/09/2011
	Cleaning cartridge without label from Fuji for LTO drives												Ш		x x	×	×		х		D:CL-LTO2-FJ-01	39,00	
	cleaning cartridge with label from Fuji for LTO drives														x x	×	×		х		D:CL-LTO2-FJ-01L	40,00	
	Cleaning cartridge without label from IBM for LTO drives	П	T		Τ			П		П			П		x x	×	×	П	х	П	D:CL-LTO2-IB-01	48,00	0
	cleaning cartridge with label from IBM for LTO - drives	П			Т			П		П			П		x x	×	×	П	х	Т	D:CL-LTO2-IB-01L	49,00	0
VXA cleaning cartridge	Label for VXA cleaning cartridge VXA cleaning cartridge	Н	Н										x	×		Н		\blacksquare			D:CL-VXA2-LAB D:CL-VXA2-X-01	2,00 31,00	
DAT160 data cartridge no label	VXA cleaning cartridge DAT160 data cartridge without label		\pm										x	×	×	x	x		хх		D:CL-VXA2-X-01L D:CR-DAT160-MX-01	32,00 21,00	0
LTO2 data cartridge Fuji no label	DAT72 data cartridge without label LTO-2 data cartridge without label from Fuji,	Н	+		Н			Н	- >	x x	x x	X >	x	x x	x x	×	x	+	x x	\pm	D:CR-DAT72-MX-01 D:CR-FJ-LTO2-01	14,00 21,00	0 Orderable from: 01/10/2011
	200 GB native capacity LTO-2 data cartridge with label from Fuji, 200	H	+		+		+	+	+	+	+	Н	Н	+	x	Н	+	+	+	+	D:CR-FJ-LTO2-01L	21,00	0 Orderable from: 01/10/2011
	GB native capacity LTO-3 data cartridge without label from Fuji,	Н	+	+++	+		+	+	+	+	x	Н	Н	+	×	×	×	+	x x	+	D:CR-FJ-LTO3-01	21,00	0 Orderable from: 01/10/2011
LTO3 data cartridge with label	400 GB native capacity LTO-3 data cartridge with label from Fuji, 400	Н	+		+		+	+	+	+	+	Н	Н	+	_	х	×	+	x x	+	D:CR-FJ-LTO3-01L	21.00	0 Orderable from: 01/10/2011
	GB native capacity LTO-4 data cartridge without label from Fuji,	H	+		+	\square	+	+	+	+	+	Н	Н	+	_	x	×		x x	+	D:CR-FJ-LTO4-01		0 Orderable from: 01/10/2011
	800 GB native capacity LTO-4 data cartridge with label from Fuji, 800	Н	+		+	Ш	١,	c x	+	+	-	x >	Н	+	_	x	\rightarrow	\perp	x x	+	D:CR-FJ-LTO4-01L		0 Orderable from: 01/10/2011
	GB native capacity LTO-5 data cartridge without label from Fuji,	H	+	+++	+	H	+	H	+	+	+	H	H	+	+	×		+	-	+	D:CR-FJ-LTO5-01		0 Orderable from: 01/10/2011
	1500 GB native capacity LTO-5 data cartridge with label from Fuji, 1500	H	+	+++	\perp	$\sqcup \sqcup$	+	\sqcup	+	+	+	\vdash	H	+	+	x	\perp	+	+	+	D:CR-FJ-LTO5-01L		0 Orderable from: 01/10/2011
	GB native capacity LTO-2 data cartridge without label from Fuji,	\vdash	+	+++	+	$\sqcup \sqcup$	\perp	\sqcup	\perp	\dashv	+	\vdash	H	+	Y	Ĥ	-	\dashv	+	+	D:CR-FJ-E108-01E	23,00	
	LTO-2 data cartridge without label from Fuji, 200 GB native capacity LTO-2 data cartridge with label from Fuji, 200	\vdash	+	+++	+	ш	4	\sqcup	4	\dashv	+	\vdash	\sqcup	+	^ x	Н	4	\dashv	\perp	\perp	D:CR-LTO2-FJ-01L	23,00	
	LTO-2 data cartridge with label from Fuji, 200 GB native capacity LTO-2 data cartridge without label from IBM.	Н	4	$\sqcup \sqcup \sqcup$	1	ш	4	Ш	4	\sqcup	_		\sqcup	Ш	x	Н	$\perp \!\!\! \perp$	Ш	\perp	4	D:CR-LTO2-FJ-01L D:CR-LTO2-IB-01	23,00	
	LTO-2 data cartridge without label from IBM, 200 GB native capacity LTO 2 data cartridge with label from IBM, 200	Н	1	\coprod	1	Ш	Τ,	(X	4	$\perp \! \! \perp$	_	× >	\sqcup	Ш	x	Н	$\perp \!\!\! \perp$	Ш	\perp	4			
_	GB native capacity	Ц	1	$\sqcup \sqcup$	1	Ш	4	\sqcup	4	$\perp \! \! \perp$	_	Ш	П	Ш	x	Ш	$\perp \! \! \perp$	Ш	\perp	4	D:CR-LTO2-IB-01L	32,00	
	LTO-2 data cartridge without label from Maxell, 200 GB native capacity	Ц	1	\Box	Ļ	Ш		Ш		Ш		Ш	П	Ш	x	Ш	Ш	Ш	\perp	_	D:CR-LTO2-MX-01	22,00	
	LTO-2 data cartridge with label from Maxell, 200 GB native capacity	Ц		\Box	L	Ш	1	Ш	1	Ш		Ш	Ш	Ш	х	Ш	Ш	Ш	\perp		D:CR-LTO2-MX-01L	23,00	
VXA-2/320 data cartridge 40/80GB	Label for VXA data cartridge data capacity in VXA2 mode: 40 GB, data	\forall	+		+	HH	+	H	+	\forall	+	+	H	×		\forall	+	+	+	+	D:CR-VXA2-LAB D:CR-VXA2-X10-01	2,00 35,00	
VXA-2/320 data cartr. 40/80GB with label	capacity in VXA320 mode: 80 GB data capacity in VXA2 mode: 40 GB, data	H	+	+++	+	H	+	\forall	+	+	+	+	х	×	х	Н	+	+	+	+	D:CR-VXA2-X10-01L	36,00	0
VXA-2/320 data cartridge 80/160GB	capacity in VXA320 mode: 80 GB data capacity in VXA2 mode: 80 GB, data	H	+	+++	+	HH	+	H	+	+	+	+	x	×	х	Н	+	+	+	+	D:CR-VXA2-X23-01	66,00	0
VXA-2/320 data cartr 80/160GB with label	capacity in VXA320 mode: 160 GB data capacity in VXA2 mode: 80 GB, data	H	+	+++	+	H	+	H	+	+	+	+	x	×	_	Н	+	+	+	+	D:CR-VXA2-X23-01L	67,00	
	capacity in VXA320 mode: 160 GB RDX Cartridge 160GB uncompressed / 320GB	H	+	+++	+	H	+	\mathbb{H}	+	+	x x	x >	H	+	_	x	x	+	x	+	S26361-F3857-L160	105,00	
-	compressed Package 10x RDX Cartridge 160GB	H	+	+++	+	H	+	\mathbb{H}	+	\dashv	_	x >	H	+	_	x		\perp	x	+	S26361-F3857-L169	1.000,00	
	uncompressed / 320GB compressed RDX Cartridge 320GB uncompressed / 640GB	H	+	+++	+	H	+	\mathbb{H}	+	+		x >	Ш	+	_	×			×	+	S26361-F3857-L109	160,00	
	compressed Package 10x RDX Cartridge 320GB	H	+	+++	-	\square	+	\sqcup	+	\dashv		X X	ш	+		x			x	+	S26361-F3857-L320 S26361-F3857-L329	1.520,00	
	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed RDX Cartridge 500GB uncompressed /	\sqcup	+	+++	+	$\sqcup \sqcup$	4	\sqcup	4	\perp	_		ш	\perp	_	\vdash	\rightarrow	\perp	x	4	S26361-F3857-L329 S26361-F3857-L500	205,00	
	RDX Cartridge 500GB uncompressed / 1000GB compressed RDX Cartridge 1TB uncompressed / 2TB	\vdash	+	+++	+	ш	4	\sqcup	4	\dashv		x x	\sqcup	+	_	x		\perp	x	\perp	S26361-F3857-L600 S26361-F3857-L600	300,00	
	compressed	\sqcup	+	+++	1	Ш	4	\sqcup	4	\sqcup	^ ×	Ι,	\sqcup	\perp	_	Ш		\perp		4			
	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	Н	4	$\sqcup \sqcup \sqcup$	1	Ш	4	\sqcup	4	\sqcup	×	Ш	\sqcup	Ш	_	x		\perp	x x	4	D:CR-LTO3-FJ-01	22,00	
LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity	Ц	1	\Box		Ш	4	Ш		Ш		Ш	Ш		×	x	x	Ш	x x	4	D:CR-LTO4-FJ-01	24,00 55,00	
	LTO-5 data cartridge without label from Fuji,		10.0																10.7	100			



		X 100	RX100 S2	RX100 S3	RX100 S5	RX100 S6	RX200	X200 S2	RX200 S3	X200 S4	X200 S6	X220	RX300 S2	RX300 S3	X300 S4	X300 St	X330 S1	RX600 RX600 S2	X600 S	S 009X	RX600 S6	RX800	X 800 S	S 006X	X 300 S	RXI600	_		
		PRIMERGY RX100	PRIMERGY R)	PRIMERGY RY	MERGY RO	PRIMERGY R)	PRIMERGY RX 100 S/	PRIMERGY RX200 S2	MERGY R)	PRIMERGY RX200 S4	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RO PRIMERGY RO	PRIMERGY RX	PRIMERGY RX300 S4	PRIMERGY RX300 SS PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RY	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S6	PRIMERGY R)	RIMERGY RX800 S2 RIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	RIMERGY RY		©.	ments
Description & services matrix	Details	E	Ē		E	Ē	2 2	2	Ē	2 8	Ē	2	2 2	Ē	E .	2 2	Ē	2 2	Ē	2 2	2 2	E C	2 2	Ē	2	2 2	P.	5	Co
inued) LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM,	П		Т	П		T	T		T	Т		T			Т		Т		x	x x		Т	x	х	T	D:CR-LTO4-IB-01	26,00	
LTO3 data cartridge with label	800 GB native capacity LTO-3 data cartridge with label from Fuji, 400	Н	\dashv	+	H	Н	+	+	H	+	+	\vdash	+	Н	Н	+	Н	+	x	x	x x	Н	+	х	x	+	D:CR-LTO3-FJ-01L	36,00	
LTO4 data cartridge Fuji with label	GB native capacity LTO-4 data cartridge with label from Fuji, 800	Н	Н	+	⊬	Н	+	⊬	Н	+	(X	Н	+	Н	Н	x x	Н	+	Н	x	x x	Н	+	х	х	+	D:CR-LTO4-FJ-01L	25,00	
LTO5 data cartridge Fuji with label	GB native capacity LTO-5 data cartridge with label from Fuji, 1500	Н	Н	+	⊬	Н	+	+	Н	+	+	Н	+	Н	Н	+	Н	+	Н	+	x x	Н	+	Н	+	+	D:CR-LTO5-FJ-01L	56,00	
LTO3 data cartridge IBM with label	GB native capacity LTO-3 data cartridge with label from IBM, 400	Н	Н	+	H	Н	+	+	Н	+	¢ X	Н	+	Н	Н	x x	Н	+	х	х	x x	Н	+	х	х	+	D:CR-LTO3-IB-01L	26,00	
LTO4 data cartridge IBM with label	GB native capacity LTO-4 Data cartridges with Label from IBM,	Н	Н	+	╁	Н	+	+	Н	+	+	Н	+	Н	Н	+	Н	+	Н	x	x x	Н	+	х	х	+	D:CR-LTO4-IB-01L	27,00	
LTO3 WORM data cartridge Fuji no label	Kapazity 800 GByte native LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or										c x					x x			x	x	x x		t	x	x		D:CR-LTO3-FJ-01W	26,00	
LTO4 WORM data cartridge Fuji no label	overwrite the data LTC-4 WORM data cartridge without label from Full, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data										x x									x	x x			x	x		D:CR-LTO4-FJ-01W	34,00	
LTO3 WORM data cartridge Fuji with label	overwrite the data LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data										x x					x x				x	x x			x	x		D:CR-LTO3-FJ-01WL	27,00	
LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries										K X					x x				x	x x			х	х		D:CR-LTO4-FJ-01WL	34,00	
LTO cleaning label horizontal LTO3 barcode label horizontal	label for LTO cleaning cartridges	H	Ħ	Ŧ	F	Ħ	Ŧ	H	Ħ	7	F	H	Ŧ	Н	Ħ	F	H	Ŧ	x	x	x x	H	F	x	x x	Ŧ	D:CL-LTO-LAB D:CR-LTO3-LAB	2.00 2,00	
LTO4 barcode label horizontal LTO5 WORM data cartridge Fuji no label	label for LTO-4 data cartridges LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries	f			Ī	Ħ	T				K X	Ī	T		Ħ	x x		T		х	x x		Ī	x		T	D:CR-LTO4-LAB D:CR-LTO5-FJ-01W	2,00 69,00	
LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries						ļ				x x		ļ			x x				x	x x			x	x	İ	D:CR-LTO5-FJ-01WL	70,00	
LTO5 barcode label horizontal	label for LTO-5 data cartridoes						Ţ						Ţ								××			×			D:CR-LTOS-LAB	2.00	
Cable powercord rack, 4m oftware ORENET OR AMINDOMES VS 0	with Euro socket connector openFT - openFileTransfer; Datamedium CD-					H	x			ų.	÷	x	x		H	÷			Н	1	÷						T26139-Y1968-L10	15,00	
OPENFT-CR (WINDOWS) V8.0 OPENFT-FTAM-2 (WINDOWS) V8.0	ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1 openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1	x		x	L		×	×		+	+	x	x x			+		x x		+	+	x	x	H			U11081-C157	1.125,00	
OPENFT-FTAM-2-U (WINDOWS) V8.0	system with 1 to 4 CPUs openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	H	\dashv	×	×	H	+	+	x	x x	+	\dashv	+	H	x x		+	+	x	×	Н	+	x x	U11081-C177	562,00	
OPENFT-SW-CD (WINDOWS) V8.1	with 1 to 4 CPUs openFT- openFileTransfer; Datamedium CD- ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	×	×	x	İ	H	×	×	H	\dagger	T	×	x x	T	H	T	Ħ	x x			\dagger	x	×	H	\dagger	x x	U11081-C183	30,00	
OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer: Right to Use for	х	×	х	T	П	х	×	П	Ť	T	х	х		П	Ť	П	x x	П		T	х	х	П	T	x x	U11081-C186	1.125,00	
OPENFT-2-U (WINDOWS) V8.1	usage in automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x	r		x	×			ŀ	x	x x					x x				x	x		+	x x	U11081-C192	451,00	
OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	×			×	×				×	x x					x x				x	×				U11081-C199	15,00	
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	×	x	х	Г	П	×	×	П	Т	Τ	х	x x		П	x x	П	x x	П	Т	Τ	х	x	П	Т	x x	U11081-C201	30,00	
OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	×	x			×	×				x	××					x x				x	×			××	U11081-C202	1.225,00	
OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081- C201	x	x	х	Ī		x	×				×	x x				П	x x				x	×			x x	U11081-C203	1.994,00	
OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081- C201	×	×	×		П	×	×				×	××		П		П	x x				x	×			××	U11081-C204	3.988,00	
OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081- C201	×	x	х	Ī		x	×			T	×	x x			T	П	x x				x	×		Ī	x x	U11081-C207	710,00	
OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081- C202	×	×	×	Ī	П	×	×				×	x x		П	T	П	x x				×	×			××	U11081-C212	1.225,00	
OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	х	İ	Ħ	x	×	H		T	x	х	T	Ħ	T	П	x x		†	T	x	×			x x	U11081-C213	1.994,00	
OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	×	x		Ħ	x	×	H			x	x x		Ħ		Ħ	x x		1		x	x	П		x x	U11081-C214	3.988,00	
OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	х			x	×				×	x x				П	x x				x	×			x x	U11081-C217	710,00	
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	Ш				Ш	x x			×		Ш		×	Ш		Ш	x x				×	×				U11081-C301	1.225,00	
OPENFT-FTAM-1 (WINDOWS) V11.0 OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs License openFT-FTP (WINDOWS) V11.0; for						x x					Ц		×	Ц		x	x x		1	ļ	x	x				U11081-C311	1.225,00	
OPENFT-2 (WINDOWS) V11.0	using in automated, unattended mode; system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for using	П			ľ	Ĥ	×××			-		×			Ĥ	×	Ш	x x	Ш	_	+	x		H			U11081-C302	1.994,00	
OPENFT-FTAM-2 (WINDOWS) V11.0	in automated, unattended mode; system extendable up to 8 CPU License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode;		x		H	\dashv	×	×	H	+	×	×	x x	H	\dashv	×	H	x x		+	+	x	×	H	+	x x	U11081-C312	1.994,00	
OPENFT-FTP-2 (WINDOWS) V11.0	system extendable up to 8 CPU License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	×	×	x	t	H	×	×	H	\dagger	×	×	x x	t	H	×	H	x x		+	\dagger	x	×	H	\dagger	x x	U11081-C322	814,00	
OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	×	×	х		Ħ	×	×		j		×	x x		Ħ		Ħ	x x		×	x x	х	x				U11081-C303	3.988,00	
OPENFT-FTAM-3 (WINDOWS) V11.0 OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTP (WINDOWS) V11.0; for	x	×	x			×	×		1	I	x	x x			I		x x		x	x x	x	x	×	x		U11081-C313	3.988,00 1.628,00	
OPENF1-F1P-3 (WINDOWS) V11.0 OPENFT-SW-CD (WINDOWS) V11.0	License openn I-F IP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU Medium for Windows systems, CD-ROM			x	×	x			x	x	(¥	x			x	x v	x	x x	×	x	x	Ш	×	×			U11081-C323	1.628,00	
OPENFT-SW-CD (WINDOWS) V11.0	openFT-SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic	ш	ш	_		ш	x x	_	Ш	4		ш	4	ш	ш	x x	ш	x x	ш	_		x		Ш	4	_	U11081-C300	15,00	
OPENFT-1 (UNIX systems) V11.0	module, Attention export restrictions License openFT (UNIX systems) V11.0; for						x x							×				x x		+		x		H			U10987-C501	1.225,00	
	using in automated, unattended mode; system with 1 to 4 CPUs	Ш													Ш		Ш					Ш							
OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode;	х	х	хх	x	x	x x	×	х	x		х	x x	x	x	¥	v	x x				х				x x	U10987-C513	1,225,00	



	The state of the s																																
Ser	vers Accessories																																
v D	escription	Details	PRIMERGY RX100	PRIMERGY RX 100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S5	PRIMERGY RX 100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6		PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX 900 S2	PRIMERGY RXI600		Product Code	EUP (6)	Comments
	services matrix																																
	tware (Continued) PENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	×	x >	K X	×	×	x	x :	x x	×	Ī	x x	×	×	×	x)	x x	×		Ī		×	x		Ī	x ×	U1096	7-C525	500,	00,
O	PENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	×	×	х		П	П	x	×			х	х	×		П		×	×	×		T	П	х	x	П		x x	U1096	7-C502	1.994,	,00
	PENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU						Ш	×				x						×		×				x					U1096		1.994,	
	PENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU		×					x				x					1	×		×				×					U1098		814,	
O	PENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	×	x	x				×	x				x x	×					x	x		x x	x	х	x	х	x	x x	U1098	7-C503	3.988,	000
O	PENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	×	×				x	×				x x	×					×	×		××	×	x	×	x	x	x x	U1098	7-C515	3.988,	,00
O	PENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	×	x	х			П	×	×				x x	×		П			×	×		x x	x	x	x	х	x	x >	U1096	7-C527	1.628,	00,
O	PENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	×	x	х			П	×	×				x x	×		П			×	×				x	x			x >	U1096	7-C504	4.618,	00,
O	PENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	×	x	х			П	×	×				x x	×		П			×	×				x	x			x >	U1096	7-C516	4.618,	00,
O	PENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	×	x	x				×	×				x x	×					×	×				х	x			x x	U1096	7-C528	1.885,	00,
O	PENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	×	x	х				×	×				х	×					×	×				х	x			x x	U1096	7-C506	5.982,	.00
0	PENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	×	x	x		П		×	×				x x	×					x	x				х	x			x >	U1096	7-C517	5.982,	00,
O	PENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	×	x	x		П		×	×				x x	×					x	x				х	x			x >	U1096	7-C529	2.442,	00,
	PENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT- SW V11.0	×	×	x >	¢ x	×	x	x	x :	x x	x	×	x x	×	x	×	х :	x >	×	×		x x	×	х	x				U1098		36,	
O	PENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	×	x >	K X	×	x	x	x :	x x	×	x	x	×	x	×	× :	x >	×	×		××	×	x	×	х	x	x x	U1098	7-C499	15,	,00



Rack Servers Options

	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
y matri		Details	Δ.	Δ	Δ.	Δ	Δ.	Δ.	<u> </u>	Ш	0
or	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x				S26361-F3277-E200	295,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		х					S26361-F3286-E200	295,00	
	Intel Celeron G530T 2C/2T 2.00 GHz 2 MB	Intel Celeron processor G530T (2C/2T, 2.00 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 35 W) without heat sink	х						S26361-F3579-E252	75,00	Orderable from: 04/10/20
	Intel Xeon E3-1220L 2C/4T 2.20 GHz 3 MB	Intel® Xeon® processor E3-1220L (2C/4T, 2.20 GHz, TLC: 3 MB, Turbo: 3.40 GHz, 1333 MHz, 20 W) without heat sink	х						S26361-F3579-E312	325,00	
	Intel Xeon E3-1220 4C/4T 3.10 GHz 8 MB	Intel® Xeon® processor E3-1220 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: 3.40 GHz, 1333 MHz, 80 W) without heat sink	х						S26361-F3579-E322	330,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х				S26361-F3618-E240	515,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х				S26361-F3618-E253	960,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х				S26361-F3618-E266	995,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			х				S26361-F3619-E266	1.165,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			х				S26361-F3619-E280	1.400,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			х				S26361-F3619-E306	1.610,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			х				S26361-F3619-E346	1.990,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink			х				S26361-F3620-E293	950,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			х				S26361-F3620-E360	1.990,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink			х				S26361-F3621-E186	545,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink			х				S26361-F3622-E213	735,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink			х				S26361-F3622-E226	1.250,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			х				S26361-F3633-E240	690,00	



XX.	- PAGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG										
Se	ervers Options										1
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1		Product Code	EUP (€)	Comments
ry matr	Description ix	Details	4	4	4	E.	<u> </u>	<u> </u>	<u>.</u>	<u> </u>	l ö
	Continued)										
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х				S26361-F3648-E160	280,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			х				S26361-F3648-E213	310,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			х				S26361-F3649-E253	950,00	
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB	Intel® Xeon® processor E7-2803 (6C/12T, 1.73 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink				х			S26361-F3999-E280	840,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-2850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink				х			S26361-F3999-E285	2.850,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink				х			S26361-F3999-E480	1.165,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink				х			S26361-F3999-E482	1.680,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel® Xeon® processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink				x			S26361-F3999-E483	2.240,00	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink				х			S26361-F3999-E485	2.965,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel® Xeon® processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink				х			S26361-F3999-E486	3.915,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel® Xeon® processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink				х			S26361-F3999-E487	4.810,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel® Xeon® processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink				x			S26361-F3999-E837	2.575,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x					S26361-F4417-E266	1.165,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		х					S26361-F4417-E280	1.400,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x					S26361-F4419-E240	515,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		х					S26361-F4419-E266	995,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink		х					S26361-F4420-E186	545,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink		х					S26361-F4421-E213	735,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		х					S26361-F4421-E240	1.250,00	



Rack Servers Options MERGY RX100 S7 MERGY RX200 S6 MERGY RX300 S6 MERGY RX600 S6 MERGY RX900 S1 uct Code ments Options m

у	Description	Details	PRIMER	PRIMER	PRIMER	PRIMER	PRIMER	PRIMER	Produci	EUP (4)	Соште
matr											
or (Continued) CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor					х		S26361-F4470-E100	1 995 00	Phased out
	OF O MEMORY RISOF Board	and 16 DIMM modules DDR3					^		02000114470 2100	1.550,00	i nasca sat
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) without heat sink					х		S26361-F4471-E540	2.750,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) without heat sink					х		S26361-F4471-E542	2.750,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink					х		S26361-F4471-E550	3.800,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink					х		S26361-F4471-E560	5.100,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel® Xeon® processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						х	S26361-F4471-E837	2.575,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel® Xeon® processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x	S26361-F4471-E883	2.725,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x	S26361-F4471-E885	3.690,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel® Xeon® processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						х	S26361-F4471-E886	4.885,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel® Xeon® processor E7-8870 (10C/20T, 2.40 GHz, SLC:-, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						х	S26361-F4471-E887	5.560,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		х					S26361-F4483-E160	280,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		х					S26361-F4484-E213	310,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink		х					S26361-F4485-E240	690,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink		х					S26361-F4486-E253	950,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		х					S26361-F4487-E306	1.610,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		х					S26361-F4488-E346	1.990,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink		х					S26361-F4489-E293	950,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		х					S26361-F4490-E360	1.990,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3						X	S26361-F4524-E100	1.995,00	

Memory



Se	ervers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	8	EUP (€)	Comments
	Description	Details	<u>~</u>	<u>~</u>	<u>R</u>	<u>R</u>	쭚	8	Pro	III	Ö
Cc	ntinued)										
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	х						S26361-F3335-E525	75,00	
	Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)				х			S26361-F3990-E600	240,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory					х	×	S26361-F4472-E3	5,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					х		S26361-F4472-E644	460,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					х		S26361-F4472-E645	780,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM					х		S26361-F4472-E646	2.140,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM				х			S26361-F4523-E642	460,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM				х			S26361-F4523-E643	780,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM				х			S26361-F4523-E645	2.140,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM						×	S26361-F4523-E942	460,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM						X	S26361-F4523-E943	780,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM						X	S26361-F4523-E945	2.140,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory				х			S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory				Х			S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory				х			S26361-F4003-E3	5,00	
ИO	dules Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex		х	х			T	S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	factory BIOS setup for mirrored mode, preinstallation		v	х			+	S26361-F3284-E3	5,00	
	Will ored Charifer Mode Installation	ex factory		х	*				320301-F3204-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory		х	х				S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode		х	х				S26361-F3604-E523	160,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		х	х			T	S26361-F3604-E524	230,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х				S26361-F3606-E513	45,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х			T	S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		х	х			T	S26361-F3604-E525	390,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х				S26361-F3604-E514	115,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode		х	х				S26361-F3604-E526	1.070,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode		х	х				S26361-F3604-E533	240,00	



	ervers Options						-		<u> </u>		
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (@)	Comments
egory	Description	Details	R	R	P.R.	F.	몺	쭚	P. O.	EUP	Con
ons mat											
nory Mo	dules (Continued) 8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3		х	х				S26361-F3604-E515	195,00	
		DIMM with SDDC = Chipkill, Single modules for Independent Mode									
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		х	х				S26361-F3604-E534	345,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		х	х				S26361-F3605-E524	230,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х				S26361-F3604-E516	535,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		х	х				S26361-F3604-E535	585,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		х	х				S26361-F3605-E525	390,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode		х	х				S26361-F3604-E536	1.605,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х				S26361-F3605-E514	115,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		х	х				S26361-F3605-E534	345,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		х	х				S26361-F3605-E515	195,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		х	х				S26361-F3605-E535	585,00	
hics											
	Front-VGA interface PY VGA Card 512MB PCI-e x1	2nd optional VGA interface front side NVIDIA NVS 300 512MB PCIe-x1 graphic		х	Х				S26361-F2571-E16 S26361-F2748-E537	20,00 135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile	х		х				S26361-F2748-E637	135,00	
vable	Media Drives										
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD- RAM,slimline 0.5" fitting height, black	х	х	х	x	х	х		85,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black	х	х	х	х	х	X	S26361-F3531-E2	255,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)				х			S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			х				S26361-F3857-E5	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable			х				S26361-F3857-E7	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge				x			S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge			х				S26361-F3324-E5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge			х				S26361-F3324-E7	550,00	



HIDA	BE SOURCE FOR										
Rack Se	ervers Options										
			0 S7	98 0	980	98 0	0.81	0 \$2			
			X10	X20	X30	09X	RX900 S1	RX900	•		
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	GY F	GY F	Product Code		uts.
			MER	MER	MER	MER	PRIMERGY	PRIMERGY	duct	EUP (€)	Comments
Category	Description	Details	8	8	8	8	8	8	Pre	EU	Ö
Options mate	Media Drives (Continued)										
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6"				х			S26361-F3325-E4	685,00	
		fitting height, black bezel, with cleaning cartridge									
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6"				х			S26361-F3561-E4	1.395,00	
	T. IGH TO HILL SOOD ASSAULT, OLD VO	fitting height, black, with SAS cable, with cleaning cartridge							000004 50000 50	1.050.00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				X			S26361-F3626-E2	1.950,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				х			S26361-F3627-E1	2.850,00	
Hard Disks		carriage									
Hara Dioko	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic			х				S26361-F3293-E250	80,00	
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	х						S26361-F3700-E250	80,00	
	PCIe-SSD 320GB MLC PCIe-SSD 640GB MLC	PCIe SSD, 320 GB, MLC, Flash drive PCIe SSD, 640 GB, MLC, Flash drive				X	X	X	S26361-F4522-E321 S26361-F4522-E641	6.350,00 9.750,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-	х		х	^	^	^	S26361-F3294-E250	110,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-	х		х				S26361-F3294-E500	160,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	plug, 3.5-inch, business critical HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug,	x		x				S26361-F3294-E100	240,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	3.5-inch, business critical							226264 F2204 F200	20E 00	
	HD SATA 3G 21B 7.2K HOT PLUG 3.5 BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	х		Х				S26361-F3294-E200	395,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F3298-E32	655,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot- plug, 2.5-inch, business critical	х	х	х				S26361-F3601-E250	195,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot- plug, 2.5-inch, business critical	х	х	х				S26361-F3601-E500	205,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	х	х	х				S26361-F3601-E100	285,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	х		х				S26361-F4005-E530	325,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	х		х				S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot- plug, 3.5-inch, enterprise	х		х				S26361-F4005-E560	485,00	
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E114	210,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E130	245,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot- plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E145	485,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E160	560,00	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	х	х	х	x	х	x	S26361-F4482-E190	750,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot- plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E573	220,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	х	х	х	х	х	х	S26361-F4482-E514	290,00	
SCSI/RAID/	SAS controller RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI			х				S26361-F3257-E116	165,00	
	To the Continue to Charles for IVAID 5/0 V To	SAS2108			, x				0200012F3207-E110	105,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108		х	х				S26361-F3257-E155	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108				Х	х	Х	S26361-F3257-E170	165,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs		х					S26361-F3257-E250	25,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for LSI SAS1078 and LSI SAS2108	х						S26361-F3257-E255	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	х	х		х			S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports			х				S26361-F3257-E8	135,00	
	SCSI Ctrl U320 1ch int/ext PCle	Adaptec 29320LPE, 1x U320 SCSI				х			S26361-F3270-E1	195,00	



			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
egory ions mat	Description trix	Details	ѫ	₫		□	₫	₫	<u> </u>	ш	<u> </u>
	/SAS controller (Continued)										
	SCSI Ctrl U320 1ch int/ext PCle lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	х	х	х				S26361-F3270-E201	195,00	
	SAS Ctrl 3GB/s 4int/4ext PCle	SAS Controller 3GB/s 8 port, LSI SAS3442E-		_		х		-	S26361-F3271-E1	210,00	
	SAS CIT SGD/S 4ITI/4ext PCIE	R				×			526361-F3271-E1	210,00	
	SAS Ctrl 3GB/s 8 port PCle FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-					х	х	S26361-F3271-E2	210,00	
		R full height UEFI RX900									
	SAS Ctrl 3GB/s 4int/4ext PCle lp	SAS Controller 3GB/s 8 port, LSI SAS3442E- R Low Profile	Х	х	Х				S26361-F3271-E201	210,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI	х	х	х	х	х	X	S26361-F3554-E512	385,00	
	, , ,	MegaRAID SAS2108, PCIe 2.0 x8, 8 internal									
		ports									
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal	х	х	х	х			S26361-F3554-E8	165,00	
		ports									
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe				х	х	х	S26361-F3593-E1	590,00	
		x4, 512MB Cache with ECC, 8 external ports,								,	
		without iBBU									
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCle	х	х	х				S26361-F3593-E201	590,00	
		x4, 512MB Cache with ECC, 8 external ports, without iBBU									
	SAS Ctrl 6G 8ext PCle	SAS Controller 6GB/s 8 port, LSI SAS 9200-				х		х	S26361-F3628-E1	260,00	
		8e									
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200- 8e LP	х	х	х				S26361-F3628-E201	260,00	
e Chan	anel	oe Li									
e Cital	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4				х	х	х	S26361-F3631-E1	935,00	
		or PCIe x8 SFF Interface for 50um Fiber									
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber				Х	X	X	S26361-F3631-E2	1.500,00	
		or the second minerage for each fire									
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4		х	х				S26361-F3631-E201	935,00	
		or PCle x8 SFF Interface for 50um Fiber									
	50 01 100 P/ 0 1 101 50 500 MM 51 01 P	0 1 1000/ 50 1 1 001 00 1							000004 50004 5000	1 500 00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		Х	Х				S26361-F3631-E202	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4				х	х	х	S26361-F3961-E1	935,00	
		or PCle x8 SFF Interface for 50um Fiber									
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4		_			Х		S26361-F3961-E2	1.500,00	
	PC CIT 6GB/S 2 CHAILEPE 12002 MMF EC	or PCIe x8 SFF Interface for 50um Fiber				X	, x	×	320301-F3901-E2	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4		х	х				S26361-F3961-E201	935,00	
		or PCIe x8 Low Profile SFF Interface for 50um Fiber									
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4		х	Х				S26361-F3961-E202	1.500,00	
	PC CHIOGE/S 2 CHAILEFE 12002 MINIF EC EF	or PCIe x8 Low Profile SFF Interface for 50um		^	^				320301-13901-1202	1.500,00	
		Fiber									
nectio	n Blades										
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu	Х	х	Х	Х	Х	×	S26361-F3986-E3	405,00	
		PRIMERGY BX400/BX900 10GB LAN									
		connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu									
		10GBE Server Adapter D2755., For multi-									
		mode short-range fiber optic cables up to									
		300m.									
munic	ation/Network										
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter		х	х				S26361-F3241-E201	90,00	
	Eth Ctrl 1x1GBit PCle Pro/1000PF LC Eth Ctrl 1x1GBit PCle Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter	v	х	х	Х	Х	Х	S26361-F3242-E1 S26361-F3242-E201	240,00 240,00	
	Eth Ctrl 1x1GBit PCle Pro/1000PF LC lp	Intel® GBit CT 1 Port Desktop Adapter lp	X		X				S26361-F3242-E201 S26361-F3516-E201	45,00	
	Eth Ctrl 2x1GBit PCle x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe				х	х	х	S26361-F3610-E2	155,00	
		x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original									
		Intel® driver kit									
	Eth Ctrl 2x1GBit PCle x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCle	v	_	х	-		-	S26361-F3610-E202	155,00	
	Lui Gui ZX I GDIL FOIG X4 DZ/ 35-2 CU IP	x4 D2735-2 Cu lp, Based on Intel® LAN	X	×	, x				020301-F3010-E202	100,00	
		controller chip 82576NS, Usable with original									
	The second secon	Intel® driver kit				1		1	T. Control of the Con		



901	HE TOURSE AND THE										
Rack Se	ervers Options										
2-4	Proprieties	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	<u> </u>	EUP (@)	Comments
Category Options mate	Description rix	Details	Δ.	Δ.	Δ.	Δ.	Δ.		<u> </u>	ш	O
Communica	ation/Network (Continued)	51							000004 50044 54	075.00	
	Eth Ctrl 4x1 GBit PCle x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCle x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit				X	х	×	S26361-F3611-E1	375,00	
	Eth Ctrl 4x1GBit PCle x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit	x	х	х				S26361-F3611-E20	1 375,00	
	Eth Ctrl 2x10GBit PCle x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCle x8 D2755 SFP+				х	х	X	S26361-F3629-E2	500,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+ lp	Ethernet Server Adapter Eth Ctrl 2x10GBit PCle x8 D2755 SFP+ lp	х		х				S26361-F3629-E20		
	IB HCA 40GB 1 port QDR IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR InfiniBand HCA 40GB/s, 2-port, QDR		X	X				S26361-F4475-E103 S26361-F4475-E203		
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable		X	X	^			S26361-F3592-E20		
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable				х		х	S26361-F3592-E2	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102		х	х	х	x	x	S26361-F3592-E10	3 400,00	
Rack-Infras	structure RMK-F1_DI_CMA	Telescopic drop-in rails, full extraction with		х	х				S26361-F2735-E14	55,00	I
		vario-carrier, pre-assembled with centre screw, with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm		•	,				02000 1 2 00 2 1 1	3 33,00	
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw, Rack installation depth (19" pillar distance) between 714mm and 785mm	x						S26361-F2735-E14	5 95,00	
	RMK-F2_DI_QRL	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes (9.5mm) or round holes (7.1mm); max. load 50 kg;, Rack installation depth (19" pillar distance) between 714mm and 785mm				x			S26361-F2735-E24	5 115,00	
	Rack Cable Arm 1U	Cable management arm for PRIMERGY Server with RMK-F1 Drop-in Rails and CMA adapter, dragged for PRIMECENTER- and other racks	x	х					S26361-F2735-E81	20,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	х			х		x	S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	х						S26361-F4530-E11	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket				х		х		5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	х	x					S26361-F1647-E30:	2 65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			х	X	x	x	SNP:SY-F1647E301	-P 130,00	
	Cable magmt. for 19" PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack			х	х			S26361-F2735-E7	30,00	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks		х					S26361-F2735-E8	30,00	Phased out



	ervers Options	<u> </u>									
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
ory	Description	Details	폾	품	R.	품	품	뿚	, ž		ပိ
s mati	rix structure (Continued)										
mras	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!			х	x	x	x	S26361-F2201-E20	50,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200kg					х		S26361-F2735-E31	30,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack						х	S26361-F2735-E17	30,00	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm		x	х				S26361-F2735-E101		Phased out
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario- carrier, pre-assembled with centre screw, Rack installation depth (19? pillar distance) between 714mm and 785mm		х	х				S26361-F2735-E110	55,00	
	Rack Mount Kit for RX900						Х	х	S26361-F2735-E109	180,00	
ry kit	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India	х			х		v	S26361-F1452-E100	10,00	
RGY-	-Software	. region int / ii / ro/ America/LIVIEA/ IIIula	^			^		^	02000111140Z*E100	10,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection		х	х	х	х	х	S26361-F1790-E241	300,00	
	iRMC S3 advanced pack VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB	X	х	х	Х	Х		S26361-F1790-E242 S26361-F2341-E707	300,00 895,00	
		vRAM/CPU) - Mandatory 1 year Service Pack needed!									
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	х	х	х		x		S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	Х	х	х	x	х	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	х	х	х	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	Х	х	х	х	х	х	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	х	х	х	x	x	х	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	х	х	х	х	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	х	х	х	х	х	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	х	x	x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	х	х	х	х	х	х	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAWCPU) inc VC-STD - Mandatory 1 year Service Pack needed!	х	х	х	х	х	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAWCPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	х	x	х	х	х	S26361-F2341-E735	19.750,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!	х	х	х	x	х	х	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!	х	х	х	х	х	х	S26361-F2341-E741	4.045,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	х	х	х	х	х	x	S26361-F2341-S700	10,00	



7	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
	Description	Details	쮼	쭚	쮼	품	쭚	품	Pro	E. E.	Co
	ix Software (Continued)										
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	х	х	х	х	х	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	х	х	x	x	х	x	S26361-F2341-S737	4.495,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub no Support	х	х	х	х	х	х	S26361-F2341-S800	446,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub no Support	х	х	х	х	х	х	S26361-F2341-S801	446,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	х	х	х		x	x	S26361-F2565-E318		Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	х	х	х		x	x	S26361-F2565-E328	25,00	Phased out
	Windows Storage Server 2008 64-bit EMB PRIMERGY DuplexDataManager 5.01	Standard, SP2, update 2 for Windows Server 2008 and 2003. CD-ROM and License.	х	x	x	x	x	x	S26361-F2565-E560 S26361-F2565-L596	735,00 2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	х	х	х	x			S26361-F2567-E20	380,00	
ľ	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	х	х	х	х	х	х	S26361-F2567-E30	115,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	х	х	х		x		S26361-F2567-E302	305,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		х	х	х	х		S26361-F2567-E310	530,00	Phased out
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.	х	х	х	х		х	S26361-F2567-E311	530,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		х	х	х	x		S26361-F2567-E320	1.695,00	Phased out
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	х	х	х	х	х	х	S26361-F2567-E321	1.695,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		х	х				S26361-F2567-E330	2.690,00	Phased out
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	х	х	х	х	х	х	S26361-F2567-E331	2.690,00	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.				х	х		S26361-F2567-E332	5.380,00	Phased out
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.				х	х	х	S26361-F2567-E333	5.380,00	
	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					х	х	S26361-F2567-E335	10.760,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	х	х	х				S26361-F2567-E350	600,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	х	х	х				S26361-F2567-E351	600,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	х	х	х				S26361-F2567-E352	600,00	
ŀ	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	х	х	х				S26361-F2567-E353	600,00	



(H	E POUDO DE LA										
Se	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900.S2	Product Code	EUP (€)	Comments
	Description	Details	쮼	쮼	쮼	쭚	8	2	2	l ii	Con
matri											
GT-	Software (Continued) Win SBS Standard 2011 w5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	х	х	x				S26361-F2567-E354	600,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	х	х	х				S26361-F2567-E355	600,00	
	Win SBS Standard 2011 w5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	х	х	х				S26361-F2567-E356	600,00	
	Win SBS Standard 2011 w5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	х	х	х				S26361-F2567-E357	600,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	х				S26361-F2567-E358	600,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	х	х	х				S26361-F2567-E359	600,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	х				S26361-F2567-E370	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	х	х	х				S26361-F2567-E371	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	х	х	х				S26361-F2567-E372	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	х	х	х				S26361-F2567-E373	885,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	х	х	х				S26361-F2567-E374	885,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	х	х	х	х	X	: >	S26361-F2567-E390	25,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD USB Flash Module 16GB intern	Service Pack 1 Supplement DVD for Windows Servers 2008 R2. USB Flash Module 16GB intern	х	х	x		X	. >	S26361-F2567-E391 S26361-F3299-E16	25,00 345,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1- Year		х					S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01 PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License. for Windows Server 2008 and 2003. CD-ROM		x	X	x				875,00 875,00	
		and License.	''	''	"	"	"				
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		х	х				S26361-F2346-C951	157,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1- Year.		х	х				S26361-F2346-S951	2,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		х	x				S26361-F2346-C961	233,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			х				D:FF4SAP-ID-V041	0,01	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		х	х				S26361-F2346-S961	2,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1- Year		х	x				S26361-F2346-C852	145,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			Х	F	F	Ŧ	U21348-C101	5.451,65	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		х	х				S26361-F2346-C952	470,00	
	FF4S V5.0A Media-Set PCM Fujitsu Basic Services 3Y	FlexFrame V5.0A media set Platform Cluster Manager Fujitsu Basic		х	X	-	+	+	U21348-C5000 S26361-F2346-S952	80,00 2,00	
		Services entitlement per HPC configuration 3 years.		Î	^				220002040 0002	2,50	



Servers Options										
		PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	(e)	Comments
Description	Details	P.R.	P.R.	R	R ≅	R ≅	8	Prod	EUP (€)	Com
natrix	,	_	_	_	_	_	_			
PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise		х	х				S26361-F2346-C962	697,00	
	Edition per node (head and compute node) 5x9 level3 support 3 years.									
PCM Fujitsu Enterprise Services 3Y	, Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		х	x				S26361-F2346-S962	2,00	
Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		х	х				S26361-F2567-E360	750,00	
FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			х				U21348-C101-W1	1.470,00	
FF-Staging-Identifier	FlexFrame staging identifier. Has to be oredered one time per configuration for preinstall and test of the configuration in the factory			х				U21348-C105	0,01	
Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		х	x				S26361-F2567-E361	375,00	
Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		х	x				S26361-F2567-E362	25,00	
Win HPC Pack 2008 R2 Workstation MUL OE	M Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	х				S26361-F2567-E363	110,00	
FF-CN back level support 3 years	year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			х				U21348-C101-W3	4.415,84	
FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			х				U21348-C108	1.099,00	
FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			х				U21348-C108-W1	272,00	
FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			х				U21348-C108-W3	742,00	
FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			х				U21348-C109	5.500,00	
FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			х				U21348-C109-W1	1.362,00	
FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			х				U21348-C110	11.000,00	
FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			х				U21348-C109-W3	3.713,00	
FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			х				U21348-C110-W1	2.723,00	
FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			х				U21348-C110-W3	7.425,00	
FF-AN RTU for RX600 S5/S6	FF4SAP RTU				Х			U21348-C231	10.520,00	
FF RTU RX30085/86, BX62085, BX92081/S2				х	_			U21348-C291	4.785,00	
FF-AN SAN RTU RX600 and BX960	FF4SAP SAN Connectivity RTU				х			U21348-C232	5.260,00	
FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			х				U21348-C291-W1	1.357,00	



Se	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
	Description	Details	쮼	쮼	쮼	쮼	<u>~</u>	쭚	о. С	EG.	Š
atri:	x Software (Continued)										
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database			x				U21348-C292	2.393,00	
ŀ	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU				х			U21348-C233	5.260,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			х				U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.			x				U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU				х			U21348-C234	5.260,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			х				U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2			x				U21348-C294	2.393,00	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.			х				U21348-C292-W3	1.938,00	
-	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x				U21348-C293-W1	678,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x				U21348-C293-W3	1.938,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x				U21348-C294-W1	678,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support			х				U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			х				U21348-C294-W3	1.938,00	
-	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			х				U21348-C490-W1	132,00	
-	SUSE Linux ES 1SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1 year subscription.	х						S26361-F2346-E601	145,00	
	SUSE Linux ES 1SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3 years subscription.	х						S26361-F2346-E602	392,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.		х	х	х	х	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.		х	х	х	х	х	S26361-F2346-E612	670,00	



Sa	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
/ natri:	Description x	Details	ā	<u>-</u>	7	ā	7	7	<u> </u>	Ш	ŭ
3Y-9	Software (Continued) SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	SUSE Linux ES4SAP APPS 3Y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 3 years subscription.	х			x	х	х	S26361-F2346-E662	2.958,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x				U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	х	х	х				S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	х	х	x				S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	х	x	х				S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	х	х	x				S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	х	х	х				S26361-F2346-S105	830,00	
-	Red Hat ELS 1-2SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	х	х	х				S26361-F2346-S106	2.224,00	
-	Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	х	х	х				S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	х	х	х				S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	х	х	х				S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	х	х	x				S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	х	х	х				S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	х				S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux High Availability (1-2		x					S26361-F2346-S121 S26361-F2346-S122	220,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	sockets) I3 Support 3 years Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year		x					S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) l3 Support 3 years		х	х				S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year Red Hat Enterprise Linux Scalable File System		x	x				S26361-F2346-S141 S26361-F2346-S142	110,00 303,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y Red Hat EL LB 1-2SOC I3 Support 1Y	(1-2 sockets) I3 Support 3 years Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x					S26361-F2346-S142 S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	sockets) I3 Support 1 year Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	х	x	x				S26361-F2346-S152	303,00	
-	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	х	х	х				S26361-F2346-S161	110,00	
-	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	х	Х	х				S26361-F2346-S162	303,00	
-	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	х	х	х				S26361-F2346-S171	138,00	



rvers Options										
		PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (每)	Comments
Description	Details	품	<u>R</u>	몺	쭚	쮼	몺	ē.	E	Con
ix Software (Continued)										
Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	х	х				S26361-F2346-S172	380,00	
Red Hat ELS 4SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year				х			S26361-F2346-S201	663,00	
Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years				х			S26361-F2346-S202	1.778,00	
Red Hat ELS 4SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year				x			S26361-F2346-S203	994,00	
Red Hat ELS 4SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years				x			S26361-F2346-S204	2.668,00	
Red Hat ELS 4SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year				х			S26361-F2346-S205	1.657,00	
Red Hat ELS 4SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years				х			S26361-F2346-S206	4.449,00	
Red Hat ELS 8SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year					х	x	S26361-F2346-S301	1.325,00	
Red Hat ELS 8SOC 1G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years					x	x	S26361-F2346-S302	3.556,00	
Red Hat ELS 8SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year					x	x	S26361-F2346-S303	1.988,00	
Red Hat ELS 8SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years					x	x	S26361-F2346-S304	5.338,00	
Red Hat ELS 8SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year					x	x	S26361-F2346-S305	3.315,00	
Red Hat ELS 8SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years					Х	х	S26361-F2346-S306	8.897,00	
Red Hat ELS 4SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year				х			S26361-F2346-S211	1.077,00	
Red Hat ELS 4SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years				x			S26361-F2346-S212	2.891,00	
Red Hat ELS 4SOC 4G 7x24 /3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year				x			S26361-F2346-S213	1.616,00	
Red Hat ELS 4SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years				x			S26361-F2346-S214	4.338,00	
Red Hat ELS 4SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year				x			S26361-F2346-S215	2.694,00	
Red Hat ELS 4SOC uG 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years				х			S26361-F2346-S216	7.231,00	
Red Hat ELS 8SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year					х		S26361-F2346-S311	2.155,00	
Red Hat ELS 8SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years					х		S26361-F2346-S312	5.782,00	
Red Hat ELS 8SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year					х		S26361-F2346-S313	3.232,00	
Red Hat ELS 8SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years					х	X	S26361-F2346-S314	8.675,00	
Red Hat ELS 8SOC uG 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year					х	х	S26361-F2346-S315	5.388,00	



901	No occupant										
ck Se	rvers Options			40	40	40					
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
gory ns matri	Description	Details	품	쮼	<u>R</u>	품	<u>R</u>	2	Pro	l li	Co
ERGY-	x S oftware (Continued) Red Hat ELS 8SOC uG 7x24 3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years					x	x	S26361-F2346-S316	14.461,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year				х			S26361-F2346-S221	441,00	
-	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) i3 Support 3 years				х			S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC /3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year					х	х	S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC /3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years					х	х	S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year				х			S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) l3 Support 3 years				х			S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) l3 Support 1 year					х	х	S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC l3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years					х	х	S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year				х			S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) l3 Support 3 years				х			S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) l3 Support 1 year					х	х	S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) l3 Support 3 years					х	х	S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) l3 Support 1 year				х			S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years				х			S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) l3 Support 1 year					х	х	S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) l3 Support 3 years					х	х	S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) l3 Support 1 year				х			S26361-F2346-S261	220,00	
-	Red Hat EL HPN 4SOC 13 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years				х			S26361-F2346-S262	605,00	
-	Red Hat EL HPN 8SOC l3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year					х	х	S26361-F2346-S361	440,00	
-	Red Hat EL HPN 8SOC 13 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years					х	х	S26361-F2346-S362	1.211,00	
-	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) l3 Support 1 year				х			S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC 3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) l3 Support 3 years				х			S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC l3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) l3 Support 1 year					х	x	S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC l3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) l3 Support 3 years					х	x	S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S981	2.630,00	
-	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S982	5.290,00	



			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	(a)	Comments
	Description	Details	PR	PR.	PRI	A N	PRIM	P.R.	Prod	EUP (€)	Com
atri V-9	x Software (Continued)										
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		х	x	х	x	×	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		х	х	x	х		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key per Download		х	х	х	х		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download		х	х	х	х		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		х	х	х	х		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		х	х	x	х		S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizence key per Download		x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)	х	х	х	x	х	×	S26361-F2341-E431	60,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore, ESX 3.5,vCenter 2.5 - No License	х	х	х	х	х	x	S26361-F2341-E300	80,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	x	х	×	S26361-F2341-E601	1.525,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.	х	х	х	x	х	×	S26361-F2341-E602	2.185,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	х	х	X	S26361-F2341-E603	15.235,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.	х	х	х	х	х	X	S26361-F2341-E604	21.795,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	х	х	×	S26361-F2341-E605	1.525,00	
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.	х	х	х	х	х	X	S26361-F2341-E606	2.185,00	
	VMware View ENT Add-On 10 CLI w7x24-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License wVDM , - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	х	х	×	S26361-F2341-E607	511,00	
	VMware View ENT Add-On 10 CLI w7x24-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License wVDM , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	х	×	S26361-F2341-E608	730,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	х	х	x	S26361-F2341-E611	1.475,00	



ON.	A V V V V V V V V V V V V V V V V V V V										
Se	ervers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
r y matr	Description	Details	<u>K</u>	<u>R</u>	<u>R</u>	E	<u>E</u>	<u>R</u>	Ğ	3	ပိ
	Software (Continued) VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	х	х	x	x	x	x	S26361-F2341-E612	2.035,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 Desktop VM's Bundle w/VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	х	x	х	S26361-F2341-E613	14.745,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E614	20.395,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	х	x	х	S26361-F2341-E615	1.475,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	х	х	х	х	x	х	S26361-F2341-E616	2.035,00	
	VMware View ENT Add-On 10 CLI w5x9-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License wVDM , - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E617	495,00	
	VMware View ENT Add-On 10 CLI w5x9-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License wVDM , - Inc. 3 year VMware 5x9 Service+Sub.	х	x	х	x	х	х	S26361-F2341-E618	680,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	x	х	х	S26361-F2341-E621	2.535,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.	х	х	х	x	х	х	S26361-F2341-E622	3.635,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 7x24 Service+Sub.	х	х	x	х	x	x	S26361-F2341-E623	25.360,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.	х	x	х	x	х	х	S26361-F2341-E624	36.350,00	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA,- Inc. 1 year VMware 7x24 Service+Sub.	х	x	х	x	х	х	S26361-F2341-E625	2.535,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E626	3.635,00	
	VMware View PRE Add-On 10 CLI w7x24-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA, - Inc. 1 year VMware 7x24 Service+Sub.	х	х	х	x	х	x	S26361-F2341-E627	1.524,00	
	VMware View PRE Add-On 10 CLI w7x24-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. wVDM,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	х	x	х	x	x	x	S26361-F2341-E628	2.185,00	
	VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 5x9 Service+Sub.	х	x	х	x	x	x	S26361-F2341-E631	2.455,00	
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.	х	x	х	x	x	x	S26361-F2341-E632	3.395,00	
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 5x9 Service+Sub.	х	x	х	x	х	х	S26361-F2341-E633	24.550,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E634	33.950,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA,- Inc. 1 year VMware 5x9 Service+Sub.	х	x	х	x	х	X	S26361-F2341-E635	2.455,00	



	ervers Options					_	-	-			
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (每)	Comments
gory ns mati	Description	Details	<u>R</u>	4	2	E	<u>R</u>	<u>R</u>	Ğ		ပိ
	-Software (Continued)										
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E636	3.395,00	
	VMware View PRE Add-On 10 CLI w5x9-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E637	1.475,00	
	VMware View PRE Add-On 10 CLI w5x9-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	х	х	х	x	х	S26361-F2341-E638	2.035,00	
	VMware SRM 25 VM Pack w/7x24-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E647	11.489,00	
	VMware SRM 25 VM Pack w/7x24-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E648	16.500,00	
	VMware SRM 25 VM Pack w/5x9-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 1 year VMware 5x9 Service+Sub.	х	х	х	x	х	х	S26361-F2341-E657	11.122,00	
	VMware SRM 25 VM Pack w/5x9-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 3 year VMware 5x9 Service+Sub.	х	х	х	х	х	х	S26361-F2341-E658	15.390,00	
ower	supply	<u> </u>									
	Power Supply Module 770W silver hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU incl IEC320-C13 to C14 power cable		х					S26113-F539-E1	210,00	
	Power Supply Module 800W gold hp	gold PS hp for redundancy			х				S26113-F555-E10	230,00	
	Power Supply Module 850W (w/o power cord	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord				х			S26113-F561-E20	350,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU incl IEC320-C13 to C14 power cable		х					S26113-F570-E1	130,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)					х		S26113-F573-E10		Phased out
	Power Supply Module DC -48V 800W gold hp Power Supply Module 2.000W	DC -48V gold PS hp for redundancy hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)			х			x	S26113-F576-E50 S26113-F608-E10	650,00 880,00	
	Modular PSU 450W platinum hp	1st or 2nd modular PSU hp platinum for redundancy incl IEC320-C13 to C14 power cable	х						S26113-F575-E10	160,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	х			х			T26139-Y3850-E10	2,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m	х			х			T26139-Y1968-E100	10,00	
llane	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	X	Х	X	X			T26139-Y1742-E10	10,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	Х	х	х	х	х	х	S26361-F1647-E410	25,00	
	LocalView Option Kit S2 Customer Self Service Module RX Server	LCD display with installation kit Support for Customer Self Service (CSS), incl. mounting kit			x				S26361-F2557-E106 S26361-F2557-E205	70,00 25,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	х						S26361-F2571-E37	50,00	
	RX100 S7 E-STAR FAM1 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with std PSU and 4 core CPUs only	х						S26361-F3301-E111	3,00	
	RX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units		х					S26361-F3301-E401	3,00	
	RX300S6 E-Star Fam1 Certification	Limits configuration in accordance with Energy Star Server 1.0			х				S26361-F3301-E501	3,00	
	THANDLES BY300S6	Trusted Platform Module on motherboard, be aware of import restrictions!	х	х	X	х	х	х		50,00	
	T-HANDLES RX300S6 NEBS level3 Certification	Limits configurations in accordance with			X			+	S26361-F4000-E1 S26361-F4511-E1	20,00 3,00	
		RX300S6 NEBS level3 Certification,			_ ^	1		1		0,50	



е	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
	Description	Details	쮼	쮼	8	쮼	쭚	쮼	5 P	<u> </u>	Š
	x us (Continued)										
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90	x	x	х	х	х	х	S26361-F2735-E111	5,00	
	nter Products Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	х	x	x	х	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	х	x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		х	х	x	x	х	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	х	х	х	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	х	х	х	х	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		х	х	x	x	х	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	х	х	х	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		х	х	x	x	х	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		х	х	х	х	х	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		х	х	x	x	х	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		х	х	x	х	х	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		х	х	х	х	х	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		х	х	х	х	х	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		х	х	х	x	х	S26361-F2341-E965	34.580,00	



			_	9	9	9	-	2			
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	(e)	Comments
	Description	Details	PR E	P.R.	PR	R		PR E	Proc	EUP (€)	Com
atri	ix nter Products (Continued)										
, .	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	х	х	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		х	х	х	х	х	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		х	х	х	х	х	S26361-F2341-E968	22.080,00	
	SVRORDVD V23 (WIN/LINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows	х	х	х	х	x	х	U11420-C939	50,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		х	х	х	х	х	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		х	х	х	x	х	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		х	х	x	х	х	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		х	x	x	x	х	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	х	х	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		х	х	x	х	х	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	х	x	х	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	х	x	х	х	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	х	х	х	х	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		х	x	x	x	х	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year		х	х	х	х	х	S26361-F2341-S962	15.830,00	



Se	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
<i>l</i> natri	Description x	Details	<u>K</u>	<u>K</u>	<u>K</u>	<u>R</u>	<u>R</u>	<u>R</u>	ğ	3	ပိ
Cei	nter Products (Continued)										
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	x	х	х	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		х	х	х	х	х	S26361-F2341-S968	13.750,00	
	SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2	х	х	х	х	х	х	U11420-C910	50,00	
	SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2	х	х	х	х	х	х	U11420-C911	50,00	
	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2	x	х	х	х			U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) RTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class V2					х	х	U11420-C920	4.727,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2	x	x	x	x			U11420-C922	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class Upgrade von RCVE Preview V2					х	х	U11420-C923	4.727,00	
	SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2	х	х	х	х			U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2	х	х	х	х			U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2	х	х	х	x			U11420-C905	7.869,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 8C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 8 CPU Class V2					х		U11420-C926	1.034,00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2	х	х		х	х		U11420-C906	100,00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2	х	х	х	х	х		U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2	х	х	х	х	х		U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2	х	х	х	х	х		U11420-C935	0,01	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version	х	х	х		х	х	U11420-C775	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2	х	х	х	х			U11420-C940	1.331,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor	х	х	х		х	X	U11420-C877	1.400,00	




е	rvers Options										
			PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	(4)	Comments
	Description	Details	〗	홅	룵	룵	룵	룵	P. 6	EUP (€)	E S
	ix	2014110							<u> </u>		
	nter Products (Continued)										
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)	х	х	х		x	X	U11420-C773-U	1,00	
	XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included	х	х	х		х	х	U11420-C878	1.100,00	
ľ	SVRORSVR V23 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2	х	х	х	х			U11420-C942	12.376,00	
	XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)	х	х	х		х	х	U11420-C774-U	1,00	
ľ	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version			х				U11420-C776	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2	х	х	х	х			U11420-C943	22.277,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)			х				U11420-C879	2.500,00	
	SVRORSVR V23 (WIN/LINUX) RTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class V2					х	х	U11420-C944	2.662,00	
ľ	SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2	х	х	х	х			U11420-C946	814,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2	х	х	х	х			U11420-C948	8.343,00	
ľ	SVRORSVR V23 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2	х	х	х	x			U11420-C949	14.408,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class RCVE Agent Upgrade V2					х	х	U11420-C950	1.628,00	
de	entifier										
	HPC Solution Identifier				Х				FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints			х				S26361-F3638-E1	1.195,00	



Positioning PRIMERGY Blade Servers



PRIMERGY BX900 S1





The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equiped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation.

Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.

Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.




PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



PRIMERGY BladeFrame BF200



BladeFrame BF400 S2

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an

integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total

availability system.

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-



PRIMERGY BX900 S1

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility. The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.

Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView

Power management software, it ensures truly dynamic power and cooling capabilities that save you money. Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

	Description configurations GY BX900 S1	Details	Product Code	EUP (4)	Comments
PRIMIER	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200	5.680,00	Phased out
	PY BX900 S1 System Unit without PSU	10 U Systemunit without Server Blades, 1x MMB, no PSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y- Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V300	3.600,00	



PRIMERGY BX620 S4

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.

The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model Base unit	Description configurations	Details	Product Code	EUP (4)	Comments
	GY BLADE BX620 S6				
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for internal HDD's, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	



PRIMERGY BX620 S5

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe[™] design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
PRIMER	GY BLADE BX620 S6				
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for internal HDD's, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	



PRIMERGY SX650

To extend the internal storage capacity of a PRIMERGY BX620 S4 or S5 dual socket server blade, up to two PRIMERGY SX650 storage blades can be connected to one server blade.

With one PRIMERGY SX650 the internal storage capacity of a BX620 S4/S5 can be extended by up to 1,500 Gbyte. It occupies one additional server blade slot within the PRIMERGY BX600 S3 system unit, positioned at the right side of an adjacent server blade. The 5 hard disk drives of one PRIMERGY SX650 are driven by a highly functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4/S5 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via a corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
PRIMER	GY BLADE SX650				
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	865,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	865,00	



PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
PRIMER	GY SX940 S1				
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	945,00	



PRIMERGY NX650 NAS

The NAS solution NX650 provides shared disk capacity of up to 3,000 GB per unit for server blades in the BX600 S3 enclosure as well as for other servers in the datacenter LAN.

Model	Description	Details	Product Code	EUP (4)	Comments
Base unit	configurations				
PRIMER	GY BLADE SX650				
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	865,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	865,00	



													9					_																										
Description a service matrix		FC-Switch Blade (Director) FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100 Expansion	FibreCAT SX40 FibreCAT SX60	FibraCAT SX60Expansion	SX80ISCSI	FibreCAT SX80/SX80i Expansion FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX300 PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlac	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual PRIMERGY BLADE BX630 S2 Quak	PRIMERGY BLADE BX660	PRIMERGY BLADE NX630 PRIMERGY BladeFrame BF Upgrac	StadeFrame BF	9 8	PRIMERGY BX300 PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	BX900	PRIMERGY BX300 S2	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX360 S1	PRIMERGY BX360 S2 PRIMERGY DB LADE BF320	PRIMERGY pB LADE BFa40	PBLADE	pB LADE SX 10	PRIMERGY SX30	PRIMERGY SX910S1	PRIMERGY SX960.81		Product Code		EUP (4)			Comments
& services matrix Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz. SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No.																											×	x									S2636	1-F4423-L2	200	295,0	00		
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																					93636	1-F4425-L2	240	515,0	0		
and Addit Edito Addit 2-40 Cate 12 Hz	htel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.96 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																											^	•									02030	-1440-0		313,0	~		
Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC 4 x 256 KB, TLC 12 MB, Turbo: 1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																											×	×									S26361	1-F4425-L2	:66	995,0	00		
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink																											×	×							Ť		S26361	1-F4427-L2	266	1.165,0	10		
lintel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo:																											x	×							+		S2636	1-F4427-L2	280	1.400,0	00		
Intel Xeon L5630 4O/8T 2.13 GHz 12 MB	2/2/2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink Intel® Xeon® processor L5630 (4Cl8T, 2.13 GHz, SLC. 4 x 256 KB, TLC. 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Membus: 1066 MHz, 40 W)							_				-																×	×		_			-		+		S2636	1-F4429-L2	213	735,0	10		
Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Incl. heat sink																																					60606	1-F4431-L2	200	1,250.0			
Intel Xeon L5640 6C/121 2.26 GHz 12 MB	GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Membus: 1333 MHz, 60 W) incl. heat sink																											×	×									525361	-F4431-L2	26	1.250,0			
intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink													×																								S26361	1-F4434-L2	200	295,0	00		
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	htel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Membus: 1066 MHz, 80 W													×																								S26361	1-F4435-L2	340	515,0	10		
Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	incl. heat sink Intel® Xeon® processor E5640 (4C8T, 2.66 GHz, SLC 4 x 256 KB, TLC 12 MB, Turbo:													×																						-		S2636	1-F4435-L2	266	995,0	10		
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								Н				Н	×				-		-	Н		-	H									Н		Н	4		\$2636	1-F4436-L2	266	1.165,0	00		
	GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink													Ĺ																														
Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) Incl. heat sink											Π		×											T		T	П	T	П								S26361	1-F4436-L2	.80	1.400,0	00		
Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	htel® Xeon® processor L5630 (4C/8T, 2-13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W)													×																						+		\$26361	1-F4437-L2	113	735,0	00		
Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Incl. heat sink Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC. 4 x 256 KB, TLC. 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Membus: 1333 MHz, 60													×																						-		S2636	1-F4438-L2	226	1.250,0	10		
Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	W) incl. heat sink Intel® Xeon® processor E5603 (4C/4T, 1.60													×																						_		S2636	1-F4499-L1	160	280,0	10		
	GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																											
Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	htel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC:-, TLC: 8 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink													×																								S26361	1-F4499-L2	.13	310,0	10		
Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Membus: 1333 MHz, 80 W) incl.													×																						Ť		S26361	1-F4500-L2	140	690,0	10		
Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	heat sink Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC ×, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) Incl.							+				H		×																	+				H	+		S2636	1-F4500-L2	253	950,0	00		
Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	5.86 GT/s, Mem bus: 1333 MHz, 80 W) Incl. heat sink Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz. SLC: - TLC: 12 MB. Turbo: 2/2/2/2/3/3.											-		×																				-		+		S2636	1-F4501-L3	306	1.610,0	00		
Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	6.4 GT/s, Mem bus: 1333 MHz, 95 W) inct. heat sink Intel® Xeon® processor X5672 (4C/8T, 3.20																																					nanan	1-F4502-L3	220	1.610,0			
100 A001 A007 2 4001 0.20 GE 12 NO	GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) incl. heat sink													^																								02030	-1 4002-20	20	1.010,0	~		
Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Membus: 1066 MHz, 80 W) incl. heat sink																											x	×									S26361	1-F4507-L1	160	280,0	00		
Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mambus: 1066 MHz, 80 W) incl. heat sink																											×	×							+		\$26361	1-F4507-L2	113	310,0	00		
Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	htel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2.																											×	×							+		S2636	1-F4508-L2	240	690,0	10		
Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink Intel® Xeon® processor E5649 (6C/12T, 2.53																											×	×							4		S2636	1-F4508-L2	253	950,0	10		
	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/z, 5.86 GT/s, Membus: 1333 MHz, 80 W) incl. heat sink																																											
Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	htel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC:-, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																											×	×									S26361	1-F4509-L3	106	1.610,0	00		
Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	htel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Membus: 1333 MHz, 95 W) incl. heat																											×								Ť		S26361	1-F4510-L3	120	1.610,0	00		
Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	sink htel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86		+	\parallel		H			H		H	+	H		H		Н	+	H	+	H		+	H	+		+		×	H		+	H		H	+		S2636	1-F4513-L2	293	950,0	00		
Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	GT/s, Membus: 1066 MHz, 130 W) incl. heat sink htel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/z,			\parallel	+	H			H	-	Н	-	\sqcup	+	Н	+	Н	+	\Box	+	\sqcup	+	+	H	+	\parallel	+	\mathbb{H}	×	H		H	H	-	H	+		S2636	1-F4513-L3	346	1.990,0	00		
Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink								Ц						Ц		Ц								1		1		×							1		S267F	1-F4513-L3	360	1,990.0	10		
	GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 64 GT/s, Membus: 1333 MHz, 130 W) incl. heat sink																																											
4GB 2x2GB DDR2-400 PC2-3200 ra ECC MEM 8GB 2x4GB FBD867 PC2-5300F d ECC	2 modules, registered DDR2 400MHz 2 modules, Fully Buffered DMM DDR2 667MHz with SDDC									Ť	x	××						T		T			T		Ŧ		Ŧ							T		Ŧ		S2636* S2636	1-F3072-L5 1-F3230-L5	i23 524	500.0 570,0	00 Pha 00 Pha	ed out	
4GB 2x2GB DDR2-800 PC2-6400 rg ECC 8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC 2 modules, registered DDR2 800MHz with		Н	П		П	Н		П		П	ļ			П		П	x x						H	1	П	1	H		H		П			H	#			1-F3550-L5			00 Pha	ed out	
16GB 2x8GB FBD667 PC2-5300F d ECC	SDDC 2 modules, Fully Buffered DMM DDR2 667MHz with SDDC											×						Ť												H						#		S26361	1-F3263-L5	525	2.175,0	00 Pha		
8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM		Ш	Ш		Ш			Ц		Ц		Ц		Ц		Ц				Ц			Ц		Ш		Ш		×			Ц		Ц				1-F4003-L6		320,0			
16GB (4x4) DDR3 1333 MHz PC3-10600 rg s 16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM 16 GB (4 module(s) 4 GB) DDR3, registered,								Ц		Ц	1					Ц	1		-			1	Ц	1		1	Ц	1	×		Ш	Ц		Ц	4			1-F4003-L6		460,0 825.0	00 Pha	ed out	
16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	ECC, 1333 MHz, PC3-10600, DIMM 32 GB (4 module(s) 8 GB) DDR3, registered,		\parallel		-	\parallel		1	Н	-				1	Ц	-		+		+		-	+	Н	1		1	Н	4	×	1	H		1	Ц	4			1-F4003-L6		780,0		Ju out	
64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	ECC, 1333 MHz, PC3-10600, DIMM 64 GB (4 module(s) 16 GB) DDR3, registered,		H	\parallel	+	H		+	Н		H		H	+	Н	-	H	-		+	H	+	-	H	+	H	+	H	+	×	+	H		+	Н	+			1-F4003-L6		2.140,0			
Media Drives	ECC, 1066 MHz, PC3-8500, DMM		Ц	Ц	-	Ц		4		Ļ	Ц		Ц					ļ	Ц	Ļ	Ц		ļ		1		1		1		4			Ļ		4								
DVD-RW supermulti slimine SATA Blu-ray Combo slimeline SATA	all CDiDVD formats, DUALIDL, DVD- RAM,simine 0.5" fitting height, black 2x BD-ROM, 8x DVD, 24x CD, BD DL and all CDIDVD formats, simine 0.5" fitting height,		+	\mathbb{H}	+	H			Н	+	H	+	\vdash	+	H	+	Н	+	\vdash	+	\vdash	+	×	H	+	\mathbb{H}	+	\mathbb{H}	+	H		Н	Н		H	+			1-F3269-L2 1-F3531-L2		85,0 255,0			
Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning		+	\parallel		H			H		H	+	H	+	Н	+	Н	+		+	H	+	+	H	+	\parallel	+	\parallel	+	H		+	H		H	×		S2636	1-F3626-L1	1	1.950,0	00 Pha	ed out	
Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6* fitting height, , with SAS cable, with cleaning		+	\parallel		H		+	H	+	H		H	+	H		Н	+	H	+	H		+	H	+	\parallel	+	\parallel	+	H	+	H	H	+	H	×		S2636	1-F3626-L2	2	1.950,0	00		
Tape Kit LTOSHH 1500GB 140MB/s SAS	cartridge SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning	Н	+	+	-	\vdash	\perp	-	Н		Н	1	ш	1	ш		ш	4	\perp	_	ш	1		Ш	4		4	\perp	_	Ш	1		Н	_	\perp	×	+		1-F3627-L1		2.850,0	20		



y Description		FC-Switch Blade (Director) FibreCAT N X40 FibreCAT N X40	FibreCAT \$X100 FibreCAT \$X100 Expansion	FibreCAT SX40	FibreCAT \$380 Expansion FibreCAT \$380	FibreCAT \$X80 iSCSI FibreCAT \$X80/SX80i Expansion	X88 Exp	9 9	BLADE	PRIMERGY BLADE BX620 S3 PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 St cBlad	BX620	PRIMERGY BLADE BX630 8-way PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	BLADE		PRIMERGY BladeFrame BF200	BladeFrar	PRIMERGY BX300 PRIMERGY BX400 S1	PRIMERGY BX600 PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX300 SZ	PRIMERGY BX920 S1 PRIMERGY BX920 S2	BX922	BX960	PRIMERGY BX360 SZ PRIMERGY pBLADE BFa20	LADE	PRIMERGY pBLADE BFI40	PRIMERGY SX10 PRIMERGY SX30	PRIMERGY SX910 S1 PRIMERGY SX940 S1	PRIMERGY SX360 S1	Product Code	EUP (4)	Control ents
ories & services matrix able Media Drives (Continued) ID/SAS controller	FibreCAT SX I/O Modul to cascading a shelf as																																		
PO Modul for single shipment RAID Contr.SX80ISCSI for single shipment	single shipment FibreCAT SX80 iSCSI RAID Controller as single		×		×	×	×																	+						-	+		D:FCSX-RD80I-L	555,00 2.945,00	Phased out
RAID Controller SX88 for single shipment	shipment FibreCAT SX88 RAID Controller 4 GBit/s as single shipment						×																							+	_	E	D:FCSX-RD88-L	3.945,00	Phased out
SCSI Cirl U160 1- ch Intext SCSI Cirl U160 1- ch Intext Ip RAID Cirl SAS 8 Port 256MB LP LSI	Adaptec 29160, 1x U160 SCSI Adaptec 29160LP, 1x U160 SCSI RAID-Ctrl, LSI MegaRAID SASS344ELP, PCle x4, 255MB Cache, 4 external ports, 4 internal ports, optional BBUI, >>>>xclusive for external attachment of Bhrec&1 SX&8 III This SAS	x x x x							x	x x			×	x x																		S	S26361+F2399-L1 S26361-F2737-L201 S26361+F3215-L201	295.00	Phased out Phased out Phased out
	RAID controller supports SAS and SATA disks.																																		
RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4																														×		\$26361-F3257-L110	165,00	
RAID 0/1 SAS based on LSI MegaRAID 4Port RAID 5/6 SAS based on LSI MegaRAID 512MB	internal ports									+	Н	\perp				\perp	+	Н		-			\perp	+	Н		+		Н		×		\$26361-F3257-L4 \$26361-F3257-L512	110,00 530,00	Phased out
SCSI Ctrl US20 1ch int/ext PCle lo	512MB Cache, 8 internal ports, optional BBU Adaptec 29320LPE, 1x U320 SCSI, low profile										Ш														Ш				Ш	Ш	4	L,	\$26361-F3270-L201	195.00	
SAS Ctrl 3GB/s 4int/4ext PCle	SAS Controller 3GB/s 8 port, LSI SAS3442E-R	×								+	Н	+				+	+	H		+			+	+	H	+	+		Н	+	\vdash		S26361-F3271-L1	210,00	
SAS Ctrl 3GB/s 4int/4ext POle lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile	×										x x												+	Н				Н	+	_	5	\$26361-F3271-L201	210,00	
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal								П		П											П			П				П		×	x S	\$26361-F3554-L512	385,00	
RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCle 2.0 x8, 8 internal										Н													+	Н				Н	+	×	5	\$26361-F3554-L8	165,00	
RAID Ctrl SAS 6G 8Port ex 512M FHLP LSI	ports RAID-Ctrl, LSI MegaRAID based on Controller SAS2108. PCle x4. 512MB Cache with ECC. 8		+	H	+	+	+	H	+	+	H	×	+	+	+	+	+	H	+	+	+	+	+	+	+	+	+	+	\forall	+	+		S26361-F3593-L501	590,00	-
	external ports, without IBBU																																		
SAS Ctrl 6G 8ext PCle FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008				П	П		П	П		П	×			П	П		П	П			П	П		П			П	П	П			\$26361-F3628-L501	260,00	
RAID Ctrl SAS 8Port opt Onboard BBU LSI RAID Ctrl SAS 8Port 512M FHLP LSI	optional BBU for LSI MegaRAID SAS8880E RAID-Ctrl, LSI MegaRAID SAS8880E, PCle x4,		\sqcup	\sqcup	\perp	\perp	\perp	Ш	\prod	×	Н	x x	+	\perp	Н	\square	1	\sqcup	\mathbb{H}		Н	Н	\square	1	Н	\perp	1	Н	Н	+	+		\$26361-F3890-L12 \$26361-F3890-L501	175,00 740,00	Phased out
	512MB Cache, 8 external ports, without BBU							Ш		Î					Ш							Ш						Ш		Ш	Щ	ll°			
AS controller SA S/PCle Storage Module	SAS Controller, PCle slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard									×		×	T		П									T						П		8	S26361-F3207-L41	345,00	Phased out
SAS/PCle Storage Modul for BX620 S6	disks SAS Controller, PCle slot for lp cards incl. mounting kit. RAIDI support for 2 SAS hard		\vdash	Н	+	+	+	Н	+	+	$^{+}$	×	+	+	$^{+}$	+	+	+	\mathbb{H}	+	+	+	+	+	\mathbb{H}	+	+	+	+	+	+	5	S26361-F3207-L42	325,00	-
SAS/RAID Storage Module 4M	disks SAS/RAID Controller, ITBBU/256MB Cache Incl.									×	Н	x x				+		H					+	+	H				Н		\vdash		\$26361-F3207-L51	885,00	
nannel	mounting kit, RAID1 support for 2 SAS hard disks				Ш				Ш		Ш	Ш				Ш			Ш			Ш	Ш	ш	Ш	Ш			Ш	Ш	Щ	Ш			
PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBb/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches FY BX600-444GB FC Switch 12Port (SW4016-D4) or PY BX600-444GB FC Switch 16Port (SW4016-D4)									×		x x			×	x	×															S	S26361-F3306-L601	620,00	
PY BX600 Bh Mezz Card 1GB 2Port (PCle)	Broadcom Ethernet LAN, 1GBit/s, PCle, 2- channel								П	x x		x x			x	×	×					П			П				П	\Box			\$26361-F3451-L1	320,00	
FC Ctrl 2x4GBit/s QLE2462 MMF LC LP	QLE2462, 4GBit/s, 2 channel FC controller, PCle x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified									××																						S	S26361-F3483-L202	1.895,00	Phased out
FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	for Microsoft Cluster. 2 channel 8GB/sec PC controller PCte 2.0 x 4										Н	×					-							+	Н				Н		-		\$26361-F3631-L202	1.500,00	,
FC Oxrl 4GBls/s LPe1150 MMF LC LP	or PCle x8 SFF Interface for 50um Fiber LPe1150 . 4GBb/s. 1-channel FC controller.										Ш														Ш				Ш	Ш	4	L,	S26361-F3306-L201	1 170 00	Phased out
	PCle x4, low profile, MMF LC inferface																																		
FC Ctrl 2x4GBlo's LPe11002 MMF LC LP	LPe11002 , 4GBMs, 2-channel FC controller, PCle x4, low profile, MMF LC inferface	× ×								x x		x																				S	S26361-F3306-L202	1.795,00	Phased out
FC Ctrl 8GB/s 2 Chan LRe12002 MMF LC LP	2 channel 8GB/sec FC controller PCle 2.0 x 4 or PCle x8 Low Profile SFF Interface for 50um Fiber									×		×																			П	S	\$26361-F3961-L202	1.500,00	
Inication/Network PY BX600 Bh Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please																				x x	×											S26361-F3206-L6	1.855,00	Phased out
Bh Cirl 2x1GBit PCI-X PRO/1000GT Cu lp	read configuration hints! Intel Pro 1000GT Dual Port Server Adapter, low profile PCI	×								x x	Н						+	Н						+	Н				Н	+	+	5	\$26361-F3227-L202	225,00	Phased out
Bh Cirl 2x1GBit PCle PRO/1000PT Cu lp Accessory Pack BladeFrame BF400	htel Pro 1000FT 2 Port Server Adapter Accessory pack for System Unit BF400/BF400 S2, Contains important information, max 1x per System Unit BF400 / BF400 S2	* *								x x		x					×		x x														\$26361+F3228-L201 \$26361+F3229-L998	175,00 5,00	Phased out
PY BladeFrame BF200 accessory pack	for Rack mounting in 19" PRIMECENTER Racks																	×							Н				Н	+	т	8	S26361-F3229-L999	90,00	
Bh Cirl 1x1GBit PCle Pro/1000PT Cu lo Bh Cirl 1x1GBit PCle Pro/1000PF LC lp Bh Cirl 4x1GBit PCle x4 PRO/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter Intel® Pro 1000PF 1 Port Server Adapter Intel Pro 1000PT Quad Port Server Adapter	x x x x								x x x x																				\blacksquare	Ŧ	S	S26361-F3241-L201 S26361-F3242-L201 S26361-F3462-L1	90.00 240,00) Phased out
Bh Ctrl 4x1GBit PClex4 PRO/1000PT Cu lp	with full hight bracket Intel Pro 1000PT Quad Port Server Adapter with low profile bracket	×								x x	Н	+				+	+	Н		+		+	+	+	Н				Н	+	\vdash		S26361-F3462-L201		Phased out
Bh Cirl 2x1GBit PCle x4 D2735-2 Cu	Bhernet Server Adapter Bh Ctrl 2x1 GBit PCle x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit											×																				S	\$26361-F3610-L502	155,00	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCle 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable											×																				S	\$26361-F3592-L202	1.180,00	
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCa10102 Intel® Ethernet Server Adapter X520-DA2 for			Ш	Ш	Ⅱ		Ħ	Ħ		П	×			П	Ħ		Ħ			П	П	Ħ	İ	П			П			Т		S26361-F3592-L108	400,00	
Bh Ctrl 2x10GBit PCle x8 X520-DA2 SFP+	SFP+ modules and SFP+ tw inax cables											×																				S	\$26361-F3555-L501	810,00	Phased out
Intel SFP+ Module MWF 10GBE LC PY BX600 FC Pass-Thru 4GB 10/10	Intel Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC			Ш		П			П		П	×			П	П			П				П		П			П	П	П	I		\$26361-F3555-L900 \$26361-F3024-I 10	735,00	Phased out
PY BX600 FC Pass-Thru 4GB 10/10 PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Interfaces: external 10 ports for GBIC/SFP modules Brocade Silloworm 4016 incl. Lizenz for 12 Port		\vdash	\sqcup	-	+	+	\vdash	\mathbb{H}	+	\mathbb{H}	+	+	+	\mathbb{H}	+	-	\vdash	\mathbb{H}	-	\vdash	x	+	+	\mathbb{H}	+	+	\vdash	\mathbb{H}	+	+		S26361-F3024-L10 S26361-F3144-L14		Phased out
	with automatic assignment of active ports (UPOD = Dynamic Ports on Demand), Full Fabric and Access Gateva wy support, interfaces: 6 bays for SFP modules, supports internal and external 4GBless of Piter Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																																		
Bh Ozri 2x1GBit PCI-X PRO/1000MT Cu PY BX600 Bh IBP 1GB 30/12	Intel Pro 1000MT 2 Port Server Adapter Interfaces: external 6x RJ45 sockets, - please read configuration hints!	x						,	x x	t			×	x x							x	×		t						\pm	\pm	9	\$26361-F3011-L1 \$26361-F3859-L1	225.00 3.156,00	Phased out Phased out
Trastructure Cable managment, 19" Rack, 1HE, upgrade	Cable Management for 19 "rack, 1U, field upgrade, (H = 41.5 mm. W = 488mm. X D = 113.25 mm)., Inclusive 1U bracket, mounting hardware and blank paniel 1U., The cable management is used to enable an optimal cable management. Especially recommended for P and Fbre Channel sw tiches with many ports.	×																														E	D:CABLE GUIDE 1U-L	125,00	Orderable from 0
RMK-F1_1-ZU Server	telescopic rail, full extraction with vario- carrier, pre-assembled with centre screw, , Rack installation depth (19° pillar distance) between 714mm and 785mm	×									\parallel							\parallel							\parallel				\parallel			S	S26361+F2735-L101	70,00	Phased out
RMK-P_1-2U servers	telescopic rail, partial extraction with vario- carrier, pre-assembled with centre screw;	×	\Box	H	+	+	+	Н	+	+	\forall	\forall	+		††	\forall		\forall	\forall		+	+	\forall		\forall	+	+	+	\forall	+	$^{+}$	8	S26361-F2735-L110	55,00	
Admin and Property	Rack installation depth (197 pillar distance) between 714mm and 785mm Adapter angle for PRIMECENTER and DC rack.		Ш	Ш	Ш	Ш	\perp	Ш			Ш	Ш			Ш	Ш		Ш	Ш		Ш	Ш	Ш		Ш	Ш		Ш	Ш	Ш	4	Ц			
Adapter angle PC/DC-Rack, till 150Kg Adapter angle PC-Rack, 10U till 200Kg	2U up to 150kg Adapter angle POIDC Rack, 10U till 200Kg		Ш	Ш		\perp	\perp	H	\perp	\perp	H	\perp	1		H	\perp	_	H	Н	×	H		x x	\perp	H	\perp		Н	\sqcup	\mathbb{H}	\perp	S	\$26361-F2735-L15 \$26361-F2735-L41	25,00 55,00)
Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2	×																														S	S26361-F2735-L7	30,00	
Server Blade Dummy BX92x	Dummy CPU Blade for BX92x Server Blade										П									×			x x								Т		S26361-F3025-L2	35,00	
Connection Blade Dummy BX400/BX900 Management Blade Dummy BX400/BX900	Dummy CPU Blade for BX92x Server Blade Dummy CPU Blade for BX92x Server Blade		Ш	Ш	Ш	Ш	\perp	П	Н	1	Н	Ш	1		Ш	Ш		Н	Ш	×	Ц		x x	1	Н	Щ	1	Ш	Ш	Щ	\perp		\$26361-F3025-L3 \$26361-F3025-L4	35,00 35,00	
	,																					1 1 3										1 18		53,00	1



									Hade		MP	p pa	1		28														
		C-Switch Blade (Director) FibreCAT NX40 FibreCAT NX40 S4 FibreCAT SX100	ibreCAT SX100 Expansion	breCAT \$350 breCAT \$350 Expansion			MERGY BLADE BX300	MERGY BLADE BX620 S3	MERGY BLADE BX620 S4 cBi	MERGY BLADE BX820 S6	MERGY BLADE BXK30 Dual M	BLADE	MERGY BLADE BX660	IERGY BladeFrame BF200	Blad o	MERGY BX400 St	MERGY BX800 S2	MERGY BX300 St	AERGY BX920 St	MERGY BX922 S2		MERGY BX360 SZ MERGY pBLADE BFa20 MERGY pBLADE BFa40	8	MERGY SK10	MERGY SOSTO ST		HI CE CO GB	•	ments
Description s & services matrix -Software (Continued)	Details	Fibre Fibre	i i	d d	i i i	F P	PRIM	PRIM	PRIM	PRIM	PRIM	PRIM	PRIM	NIN I	P. III	PRIM	PRIN I	PRIM	PRIM	PRIM	PRIN	PRIM	PRIM	PRIM	PRIM	PRIN	Poor	EUP (4)	Comm
-sottware (Continued) IRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	×										x x														5	26361-F1790-L240	300,00	
IRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	×																	П							5	26361-F1790-L241	300,00	
VMw are vSphere STD w/o SP-1yr	VMw are vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									×				к х	×					x x 3	к					8	26361-F2341-L707	895,00	
VMw are vSphere STD w/o SP-3yr	VMw are vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									×				кх	x					x x 3	к					5	26361-F2341-L708	895,00	
VMw are vSphere BNT w /o SP-1yr	VMw are vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									×				кх	x				П	x x 3	ĸ					5	26361-F2341-L709	2.585,00	
VMw are vSphere BNT w /o SP-3yr	VMw are vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									×				кх	x				П	x x 3	ĸ					5	26361-F2341-L710	2.585,00	
VMw are vSphere BNT-PL w/o SP-1yr	VMw are vSphere Enterprise-Rus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									×				кх	x				П	x x 3	ĸ					5	26361-F2341-L711	3.145,00	
VMw are vSphere BNT-PL w/o SP-3yr	VMw are vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									×				кх	x				П	x x 3	ĸ					5	26361-F2341-L712	3.145,00	
VMw are STD AK(8CPU+VC-STD)w/o SP-1yr	VMw are vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!									×				к х	×					x x :	к					8	26361-F2341-L730	8.995,00	
VMw are STD AK(8CPU+VC-STD)w/o SP-3yr	VMw are vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!									×				ĸ ×	×					x x 1	ĸ					S	26361-F2341-L731	8.995,00	
VMw are ENT AK(6CPU+VC-STD)w/o SP-1yr	VM Cohora DITA									×			:	x x	×					x x 3	к					5	26361-F2341-L732	15.750,00	
VMw are ENT AK(6CPU+VC-STD)w/o SP-3yr	VMw are visited by Acceleration N to 0 of CPU (384GB wRAMICPU) inc V C STD - Mandatory 1 year Service Pack needed! VMw are vSphere ENT Acceleration Kit for 6						\perp	$\perp \downarrow$		×				кх	x		\parallel			x x 1	K			\perp	$\perp \mid$	5	526361-F2341-L733	15.750,00	
	CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!																												
VMw are ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMw are vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!									×				кх	×					x x 3	K					5	26361-F2341-L734	19.750,00	
VMw are ENT-PL AK(6CPU+VC-STD/w /o SP-3yr	VMw are vSphere BNT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!									×				к х	x					x x 1	К				\parallel	8	526361-F2341-L735	19.750,00	
VMw are Essentials-PL w/o SP-1yr	VMw are Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year	+++	+	++	+	H	+	+	+	×	+	+		x x	×	+	+	+	\mathbb{H}	x x 3	к	+	+	+	+	5	26361-F2341-L740	4.045,00	
VMw are Essentials-PL w/o SP-3yr	Service Pack needed! VMw are Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year	+++	+					+		×				x x	x		+		+	x x 3	ĸ		+		+	5	26361-F2341-L741	4.045,00	
VMw are Upgrade BSXI to STD w/o SP-3yr	Service Pack needed! VMw are Upgrade ESXI to STD for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service	+++	+	++	+	H	+	+	+	×	+	+	+	+	+	+	+		H	x x 3	к х	+	+	+	+	5	26361-F2341-S702	895,00	
VMw are Upgrade ESXI to ENT w/o SP-1yr	Pack needed! VMw are Upgrade ESXI to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S703	2.585,00	
VMw are Upgrade ESXI to ENT w/o SP-3yr	Pack needed! VMw are Upgrade ESXI to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S704	2.585,00	
VMw are Upgrade ESXI to ENT-PL w /o SP-1yr	Pack needed! VMw are Upgrade ESXI to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S705	3.145,00	
VMw are Upgrade ESXI to ENT-PL w /o SP-3yr	Pack needed! VMw are Upgrade ESX8 to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S706	3.145,00	
VMw are Upgrade STD to BNT w/o SP-1yr	Pack needed! VMw are Upgrade vSphere STD to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 1 year Service Pack needed!									×										x x 3	к х					5	26361-F2341-S716	1.855,00	
VMw are Upgrade STD to BNT w/o SP-3yr	Service Pack needed! VMw are Upgrade vSphere STD to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!									×										x x 3	к х					5	26361-F2341-S717	1.855,00	
VMw are Upgrade STD to BNT-PL w /o SP-1yr	Service Pack needed! VMw are Upgrade vSphere STD to BNT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!									x										x x 3	кх					5	26361-F2341-S718	2.475,00	
VMw are Upgrade STD to BNT-PL w /o SP-3yr	Service Pack needed! VMw are Upgrade vSphere STD to BNT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!									x										x x 3	кх					5	26361-F2341-S719	2.475,00	
VMw are Upgrade BNT to BNT-PL w/o SP-1yr	VMw are Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year									×									H	x x x	кх					8	26361-F2341-S720	614,00	
VMw are Upgrade BNT to BNT-PL w/o SP-3yr	Service Pack needed! VMw are Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S721	614,00	
VMw are Upgrade VCS FND to STD w/o SP-1yr	Service Pack needed! VMw are Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!									×										x x 3	к х					8	26361-F2341-S728	3.465,00	
VMw are Upgrade VCS FND to STD w/o SP-3yr	VMw are Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year									x										x x 3	кх					5	26361-F2341-S729	3.465,00	
Win Srv 2008 SP2 Standard DVD Media Only	Service Pack needed! Window's Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY								x x	: х									x	x x 1	кх	x				5	26361-F2565-L318	25,00	Phased out
Win Srv 2008 SP2 Enterprise DVD Media On	Window's Server 2008 SP2 Enterprise 32-bit	+++	+	$\dashv \downarrow$		\mathbb{H}	+		x x	x ×		+	+	+	+		+		x	x x 1	к х	x	+	+	+	5	126361-F2565-L328	25,00	Phased out
Win Server 2008 CAL (1 Device)	and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system (1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise,						\parallel		x x	. x		x x	\perp			\perp			×					\perp		5	126361-F2565-L340	24,00	
	Window's Server 2008 Standard, Enterprise, Datacenter, multilingual (5 Device) Access License Pack for Microsoft																											105.00	
Win Server 2008 CAL (5 Device)	Window's Server 2008 Standard, Enterprise, Datacenter, multilingual									х х		x x							x								326361-F2565-L341		
Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Window's Server 2008 Standard, Enterprise, Datacenter, multilingual								x	: х		хх			П				×							5	126361-F2565-L342	24,00	
Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Window's Server 2008 Standard, Enterprise, Datacenter, multilingual								x x	х х		x x							x							8	26361-F2565-L343	105,00	
ISCSI SW Taroet 3.2 (64-bit) EMB MS Sys Ctr VMM 2008 R2 WorkGroupEdin ROK	including update 1 Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English.	+						+	x x	x x		x x		+	+				x	x x x	кх	x	+		+	5	26361-F2565-L564 26361-F2567-L20	10.00	
MS Sys Cir Essnilis 2010 ROK	ROK DVD, License. MS System Center Essentials 2010. English. ROK DVD, License.	+++	+	++	+	H	+	+	x x	x x	+	x x	+	+	+	+	+	+	x	x x 3	кх	x	+	+	+	5	126361-F2567-L30	115,00	
MS SysOtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack, OSE = Operating System Brylronment					Ш			x x	х х		x x			\parallel	П	\parallel		x	x x 3	к х	x	Ħ		Ħ	5	26361-F2567-L31	90,00	
Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO N. PL PT RU SV TR XC XT LangPaciks. ROK DVD, License.								×	: х			Ħ		Ħ		П		х	x x 3	к х	x		Ħ	Ħ	5	26361-F2567-L310	677,00	Phased out
Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SPI Std (1-4 CPU, 5 CAL) EN DE ES FR IT. M. and worldwide language pages. BCK					\parallel	+	+		×			+		+		+		\parallel	x x :	к х	x		+	+	8	126361-F2567-L311	510,00	
MS SysOr Essntls 2010 Server ML 5-OSE	DVD, License. MS System Center Essentials 2010 Managed Server License 5 OSE Pack, OSE = Operating	+++							x x	x ×		x x	+		+		+		x	x x 1	к х	x	+	+	+	5	126361-F2567-L32	430,00	
Win Srv 2008 R2 Enterprise 10CAL MUL ROK	System Environment Only for Fujitsu distributors. Win Srv 2008 R2	++					+	+	×	: х	+		+	+	+	+	+		x	+		+	\parallel	+	+	5	26361-F2567-L320	2.178,00	Phased out
Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO N. PL PT RU SV TR XC XT LangPacks. ROK DVD, License. Only for Fujitsu Broadline Distributors. Win Srv	+					\perp	\perp		×			\perp		\perp		\parallel			x x 1	кх	x		\perp	\perp		26361-F2567-L321	1.695,00	
	2008 RZ SPI Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. RCK DVD, License.					Ш									Ш										Ш				
MS Sys Ctr Essntls 2010 Client ML 5-Pack Win Srv 2008 R2 Datacenter 2CPU MUL ROK	MS System Center Essentials 2010 Managed Client License 5 Pacik. Only for Fujitsu Distributors. Win Srv 2008 R2	\mathbb{H}	$+\Box$	\Box	$+\Gamma$	\Box	H	H		x x	H	x x	H	H	H	H	H		x	x x 3	к х	х	H	H	H		26361-F2567-L33 26361-F2567-L330	75,00 2.690,00	Phased out
	Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DV D, License.																												
Win Svr 2008 R2 SPI Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SPI Dtc (2 CPU) BN DE ES FR IT JA and worldwide language packs. ROK DVD, License.									×										x x 3	x x	×				8	26361-F2567-L331	2.690,00	



The China lands (Protein)

The Cold II Nut at a second cold in the China lands (Protein)

The Cold II Nut at a second cold in the China lands (Protein)

The Cold II Nut at a second cold in the China lands (Protein)

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplementary

The Cold II Supplemen License.
MS System Center Essentials 2010 Manac Client License 20 Pack.
Remote Desktop Services Client Access, License für 1 device, License.
Remote Desktop Services Client Access, License für 5 devices, License.
Remote Desktop Services Client Access, License für 5 devices, License.
Remote Desktop Services Client Access, License für Leurs License. Win Server 2008 RDS CAL (1 Device) \$26361-F2567-L340 × x x Min Server 2009 PRS CAT (5 Device) x x \$36361,53567,1341 380.00 Win Server 2008 RDS CAL (1 User) x x x x S26361-F2567-L342 85,00 Remote Desktop Services Clent Access, License für 5 users, License. x x x x S26361-F2567-L343 Win Server 2008 RDS CAL (5 User) 380,00 Win SBS Standard 2011 w/5CAL ROK B Window's Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License \$26361-F2567-L350 Window's Small Business Server Standard 2011 with 5 CAL, ROK, Gorman, DVD Media set, COAL, License Window's Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License Win SBS Standard 2011 w/5CAL ROK DE S26361-F2567-L351 580,00 Win SBS Standard 2011 w/5CAL ROK IT Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License Win SBS Standard 2011 w/SCAL ROK ES S26361-F2567-L354 580,00 Window's Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License Window's Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License x x x Win SBS Standard 2011 w/5CAL ROK CS \$26361-F2567-L355 580,00 Win SBS Standard 2011 w/SCAL ROK NL Window's Small Business Server Standard 2011 with 5 CAL, RCK, Dutch, DVD Media set COA, License \$26361-F2567-L357 580.00 Win SBS Standard 2011 w/5CAL ROK TR Window's Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, Licerse Window's Small Business Server Standard 2011 with 5 CAL, RCK, Hungarian, DVD Media set, CQA, License Win HPC Srv 2008 R2 Suite ROK S26361-F2567-L360 750,00 Window's Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License x x x Win SBS 2011 Prem Add-On w/SCAL ROK DE Window's Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License \$26361-F2567-L371 885,00 Window's Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVI Media set, COA, License 885,00 Window's Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License Win SBS 2011 Prem Add-On w/5CAL ROK ES Window's Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License S26361-F2567-L374 885,00 Win SBS 2011 CAL Suite (1 Device) Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL; x x x \$26361-F2567-L380 45,00 Win SBS 2011 CAL Suite (1 User) Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL: Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices) multi-language CAL; Win SBS 2011 CAL Suite (5 User) Mcrosoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL: \$26361-F2567-L383 190,00 Win SBS 2011 Prem Add on CAL (1 Device) Win SBS 2011 Prem Add-on CAL (1 User) \$26361-F2567-L385 55,00 Win SBS 2011 Prem Add-on CAL (5 Device) Language Pack Supplement DVD with 34 worldwide language packs for Window's Servers 2008 R2 SP1.
Service Pack 1 Supplement DVD for Window's Servers 2008 R2.
Single Icense for operation of one client server (managed node) - no software! Win Stys 2008 R2 SPI Language Pack DVD \$26361,F2567,L390 25.00 Win Syrs 2008 R2 SP1 Service Pack DVD * * * * * * ServerView Deployment Mar 6 Single Lic U15000-C302 x x x x x ServerView Depl. Mgr. 6 Single Upgrade x x × U15000-C303 70,00 Orderable from: 01/10/2011 x x PF4O RE ApplicationNode RTU for server with one 2-core CPU FF4O-RE-AN Mono Server 2-Core FFLO DE Application hidde RTU for server with more 2-core CRU.
FFLO RE Application hidde RTU for server with more 4-core CRU.
FFLO RE Application hidde RTU for server with more 4-core CRU.
FFLO RE Application hidde RTU for Server with more 2-core CRU.
FFLO RE RTU for spans server with more 2-FFLO RE RTU for spans server with more 2-FFLO RE RTU for spans server with more 4-core CRU.
FFLO RE RTU for spans server with more 4-core CRU.
FFLO RE RTU for spans server with more 4-core CRU. 2.000,00 U26004-C401 FF40-RE-AN Dual Server 2-Core x x U26004-C403 4 000 00 FF4O-RE-AN Dual Server 4-Core U26004-C404 7.000.00 FF4O-RF Snare Mono Server 2-Core x x 1/26004-C405 1 000 00 FF40-RE Spare Mono Server 4-Core U26004-C406 2.000,00 FF40-RE Spare Dual Server 2-Core U26004-C407 2.000,00 core CFU

Tor Windows Server 2008 and 2003, from a previous version of PRMERGY MultiPlan MPO.

CD ROM and License.

Tor Windows Server 2008 and 2003. CD PDM and License.

Tor Windows Server 2008 and 2003, from a previous version of PRMERGY MultiPlan. CD RDM and License.

Tor Windows Server 2008 and 2003. CD PDM and License.

Tor Windows Server 2008 and 2003. CD PDM and License. PRIMERGY MultiPath MPO Lingrade to 5.01 \$26361-F2565-L592 440,00 * * * * * * PRIMERGY MultiPath Upgrade to 5.01 S26361-F2565-L594 and License.

Subscription for 1 year with about 10 releases. The subscription is licensed only for PRIMERGY servers. PRIMERGY ServerView Suite subscription. x x U15000-C176 215,00 x x x x x ServerView Suite, latest version U15000-C289 25,00 ServerView Deployment Manager V5 30,00 U15000-C299 Single license for operation of one client server (managed node) - no software! for upgrades of one 4.x single license to version 5.0 - no software! SUSE Linux Enterprise Server for x86, x86, 64 per Server up to 32-CPU sockets 1 year subscription renewal all ServerView Dept. Mgr. 5 Single Upgrade U15000-C301 70,00 x x x x x SUSE Linux ES 32SOC 1Y S26361-F2346-L611 249.00 subscription renew at.

SUSE Linux Enterprise 11 High Availability
Extension for x86, x86,64 per cluster node up
to 32-CPU sockets 1 year subscription
renew at. SUSE Linux E 11 HAE 32SOC +1Y x x S26361-F2346-L621 SUSF Linux ES BX600 1V SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1 year subscription renew al. SUSE Linux ES BX400 1Y × x x x x x x .SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 1 year 998,00 Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year Debian-Ubuntu FSE Basic Support 1Y S26361-F2346-L411 95,00



Debian-U Debian-U Debian-U Debian-U VMw are VMw are VMw are Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	es matrix	Debails Debair-Liburius FSE Basic (email) Support Years Debair-Liburius FSE Basic (email) Support Years Debair-Liburius FSE debair (email) Support Subscription for all de and alle, 64 1 Server 3- Years Debair-Liburius FSE debaired (emit) Support Subscription for all de and alle, 64 1 Server 3- Years Debair-Liburius FSE Protify (72-62 Support Subscription for all de and (emit) America Debair-Liburius FSE Protify (72-62 Support Subscription for all de and (emit) America Debair-Liburius FSE Protify (72-62 Support Subscription for all des alle, 64 1 Server 3-	F.C. Switch Blade (Director) FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX40 Expansion FibreCAT SX40	FibreCAT SN80 FibreCAT SN80 Expansion FibreCAT SN80		FibreCAT \$X88 FibreCAT \$X88 Expansion	3 3	MERGY BLADE BX820 S2	MERGY BLADE BX620 S4	Y BLADE BX620 S5	X620 X630	MERGY BLADE BX630 Dual DP MERGY BLADE BX630 Dual MP	DE BX630 Quad DE BX630 S2 Dual	XE BX830 S2 Quad XE BX860	E NX650 Frame BF Upgrade	/ BladeFrame BF200	5 25	0.81	25 00	200 S3 100 S1	20 S1	320 52	BX924 S2 BX940 S1	MERGY BX960 S2	Y pBLADE BFa20 Y pBLADE BFa40	1 2			1Y SX960 S1			
ERDY'Software ERDY'Software Deblan-U Deblan-U Deblan-U Deblan-U Deblan-U NMe are VMe are Whenceh Menaceh	ce marks (Combinate) (Combinate) (Lourius FSE Banch Support 3Y (Lourius FSE Sandard Support 1Y (Lourius FSE Sandard Support 3Y (Lourius FSE Sandard Support 3Y (Lourius FSE Phorty) Support 1Y (Lourius FSE Phorty) Support 3Y (Lourius FSE Phorty) Support 3Y (Lourius FSE Phorty) Support 3Y (Lourius FSE Phorty) Support 3Y (Lourius FSE Phorty) Support 3Y	Subscription for x88 and x86, 64 1-Server 3- Years Lebian-Ubuntu-PSE Standard (5x8) Support Subscription for x88 and x86, 64 1-Server 1- Year Lebian-Ubuntu-PSE Standard (6x8) Support Subscription for x88 and x86, 64 1-Server 3- Years Debian-Ubuntu-PSE Priority (7x24) Support Subscription for x88 and x86, 64 1-Server 3- Years Debian-Ubuntu-PSE Priority (7x24) Support Subscription for x88 and x86, 64 1-Server 1-	2 [2 2 1	= =		2 2	2 2	4 4		W B	IMERG	HMERGY	UMERGY B	IMERGY BLADE	IMERGY BLADE B	IMERGY BLADE	IMERGY Blade	IMERGY BladeF	IIMERGY BX300	IMERGY BX600	UMERGY BX	IMERGY BX9	UMERGY BY	IMERGY BX924 S2	IMERGY	UMERGY	IMERO	UMBRGY	DIMERG	HMERGY	oduct Code	EUP (4)	sum ents
Debian-U Debian-U Debian-U Debian-U Debian-U Debian-U Vither are Vither are Vither are Manageh	Liborius FSE Black Support 3Y Liborius FSE Standard Support 1Y Liborius FSE Standard Support 3Y Liborius FSE Plandard Support 3Y Liborius FSE Plandard Support 3Y Liborius FSE Plandard Support 3Y Liborius FSE Planda	Subscription for x88 and x86, 64 1-Server 3- Years Lebian-Ubuntu-PSE Standard (5x8) Support Subscription for x88 and x86, 64 1-Server 1- Year Lebian-Ubuntu-PSE Standard (6x8) Support Subscription for x88 and x86, 64 1-Server 3- Years Debian-Ubuntu-PSE Priority (7x24) Support Subscription for x88 and x86, 64 1-Server 3- Years Debian-Ubuntu-PSE Priority (7x24) Support Subscription for x88 and x86, 64 1-Server 1-								4 4	2 2	4	2 2	2 2	4 4	4 4	4 4	- A - A		4 4	ă	4 4	4	4 4	4 4		4 4		2 2	4 4	2		<u> </u>	ŏ
Debian-U Debian-U Debian-U VMw are VMw are VMw are Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh Marageh	Liboritu FSE Standard Support 3Y Liboritu FSE Pitority Support 1Y Liboritu FSE Pitority Support 3Y e vSphere 4 Media RG CEM	Subscription for x86 and x86_64 1-Server 1- Year Debian-Ubuntur FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3- Years Debian-Ubuntur FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-																					×								S26	6361-F2346-L412	228,00	
Debian-U Debian-U VMw are VMw are VMw are Abraspeh Manaceh Manageh Manaceh Manageh Manageh Manageh Manageh Manageh Manageh	Libuntu FSE Priority Support 1Y Libuntu FSE Priority Support 3Y e vSphere 4 Media Rt CEM	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3- Years Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-																					×						\top		S24	26361-F2346-L415	245,00	
Debian-U VMw are VMw are VMw are Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	Ubuntu PSE Priority Support 3Y e vSphere 4 Media Rit CIEM	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-																					×						+	+	S2	16361-F2346-L416	588,00	
VMw are VMw are VMw are Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	e v Sphere 4 Media Kit OEM																						×						+	\blacksquare	\$2	16361-F2346-L417	495,00	
VMw are VMw are VMw are Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	e v Sphere 4 Media Kit OEM	Debian-Ubuntu FSE Priority (7x24) Support								Ш									Ш										Ш		62	6361-F2346-L418	1.188,00	
Vitter are Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth Manageth		Subscription for x86 and x86_64 1-Server 3- Years																					Î											
Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	e vSphere Embedded UFM Device DIS	VMw are vSphere 4 Media Kit OEM w / ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 · No License								×××	x x	×	x x	x x	x x	×	×	×	×				×	× ×	×							6361-F2341-L300	80,00	
Manageh Manaceh Manaceh Manageh Manageh Manageh Manageh Manageh Manageh Manaceh Manaceh Manaceh Manaceh		VMw are vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)										×	×										×	×	x						S26	6361-F2341-D431	60,00	
Manageh Manageh Manageh Manageh Manageh Manageh Manageh Manageh	Now® for NSM Base Now® for NSM Remote Manager																							x x	x >	c x					U2	4533-C405 4533-C406	20.000,00	
ManageN ManageN ManageN ManageN ManageN	Now® for NSM Portal Now® for NSM AglessMoni HostResMB																							x x x x x	x x	< x		Н	\pm	\pm	U2	94533-C407 94533-C425	9.000,00	
ManageN ManageN	Now® for NSM CA Agent Integration Now® for NSM HP InsightMgr Integr. Now® for NSM ETERNUS Storage Monit																							x x x x	x x	(X					U2	4533-C408 4533-C408	3.000.00 5.000,00 4.500,00	
	Now® for NSM ETERNUS CS Monit. Now® for NSM NetApp Monitoring Now® for NSM SAN Monit up to 64o																							x x x x	x >	< x			\pm		U2	4533-C410 4533-C411 4533-C409	5.000.00 4.500,00 3.000.00	
ManageN	Now® for NSM SAN Monit.more as 64p Now® for NSM VMw are Now® for NSM UPS																							x x x x		K X			\blacksquare		U2	94533-C412 94533-C413 94533-C414	6.250,00 4.500,00 5.000.00	
ManageN ManageN	Now 8 for NSM Microsoft Cluster Now 8 for NSM Blade FrameMonit BF200 Now 8 for NSM Blade FrameMonit BF400									н	н								н					x x x x	x >	κ x			\pm	\equiv	U24	4533-C415 4533-C416 4533-C424	4.500,00 9.000.00 20.000.00	
ManageN ManageN	Now® for NSM Connector CA eHealth				\blacksquare		Ш		Ħ	H									Н					x x x x		x x			\pm	\pm	U2-	14533-C417 14533-C418	5.000,00	
ManageN ManageN	Now® for NSM Connector HP OV NNM Now® for NSM Connector Lotus Notes Now® for NSM Con. 3rd PartyManager										H	H				H		H	H				F	x x x x	x 3	ε x ε x		H	Ħ		U24	4533-C419 4533-C420 4533-C422	5.000,00 5.000.00 5.000,00	
ManageN	Now® for NSM Connector QoS Now® for NSM Connector BMC CC Now® for NSM Connector NetApp OM				\blacksquare			H	H	Ħ	H	П	Ŧ			H	H	H	H	П	Ŧ		Ŧ	x x x x		ε x ε x	H	Ħ	Ħ	\mp	U24	94533-C433 94533-C434 94533-C435	5.000,00 5.000.00 5.000,00	
ManageN ManageN	Now® for NSM Data Media Now® for ITCM ManagedObjectsLicens Now® for ITCM Manager License				\blacksquare		П	H		Ħ	Ħ	П	Η		H	H	Ħ	H	H	П	Τ	×	x x		X 3	c x	H	П	Ħ	\blacksquare	U24	94533-C423 94533-C400 94533-C401	40.00 2.000,00 5.000,00	
ManageN ManageN	Now® for ITCM Win7 OS Install Lic. Now® for ITCM Vista OS Install Lic				\blacksquare		Ш		Ħ	H	H						H		Н					x x x x	x x	. x	Ħ	H	\pm	\equiv	U2	94533-C402 94533-C426	3.000,00	
ManageN ManageN	Now® for ITCM WinXP Prof OSInstLic Now® for ITCM Win2003Svr OSInstLic Now® for ITCM Win2008Svr OSInstLic																							x x x x x x	x >	6 X 6 X					U2	4533-C427 94533-C428 94533-C429	3.000,00 3.000,00 3.000,00	
ManageN	Now® for ITCM SUSE10.1 OS Inst Lic Now® for ITCM SLES9.0 OS Inst Lic Now® for ITCM data medium																							x x x x	x 3	ε x ε x			\pm		U2	4533-C432 4533-C430 4533-C403	3.000.00 3.000,00 40.00	
ower supply Power S	Supply Module 450W (hot plug) Supply Upgrade 450W (hot plug)	for PS redundancy for optional PS redundancy, incl. mounting kit	x																												\$26	6113-F483-L11 6113-F483-L6	220,00	Phased out
	Supply Module 770W silver hp	cable and 1st power supply module for optional PS redundancy incl. mounting kit	×																				+						+	\blacksquare		16113-F483-L6	210,00	
conversi	sion kit standard to hot plug PSU Supply Module 450W (hot plug)	conversion standard into hot plug PSU for optional PS redundancy	x																										\pm		S2	6113-F540-L1 6113-F540-L11	255.00 170.00	
Power S	Supply Module 900W (hot plug) If PSU upgrade kit	for optional PS redundancy conversion standard into hot plug PSU and conversion standard into redundant fans	x																						Н	Н		Н	\pm	\pm	S26	6113-F541-L10 6113-F541-L11	215,00 530,00	
Power S	Supply Module 800W (hot plug)	2nd PS hp for redundancy	Y																												82	6113-F543-L10	190.00	Phased out
RX100 S Power S	S7 conversion lit to hot-plug PSU Supply Module 800W cold ho Supply Module 800W HE (hot plup)	platinum PSU hp for redundancy 2nd gold PS hp for redundancy 2nd gold PS hp for redundancy	x																										\equiv		S26	86113-F547-L10 86113-F555-L10 86113-F556-L10	190,00 230.00 215.00	
Power S	Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)	x																												S26	6113-F561-L10	450,00	Phased out
	Supply Module 850W (w/o power cord Supply Module 450W gold hp	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold) 1st or 2nd PSU hp for redundancy for	×							Ш									Ш										Ш			16113-F561-L20 16113-F570-L1	350,00 160,00	
	Supply Module 2.000W	RX200S6 gold PSU hot-plug Power Supply Module, 2.000W, 92%	×																										-	+		6113-F573-L10	880,00	
Modular i Power S	PSU 450W platinum hp Supply Module DC -48V 800W gold hp	efficiency (gold) platinum PSU hp for redundancy DC -48V gold PS hp for redundancy	x																										\pm		S26	86113-F575-L10 86113-F576-L50	160.00 650,00	
PY BX60	00 PSU 2100W (hot plug) 00 Power Supply Unit 100-240V AC	for PS redundancy (3./4. PSU), with power cord. for PS redundancy (4 6. PSU), with power	×																			×										6113-F603-L2 86113-F606-L201		Phased out
	00 PSU (1600W)	cord 3m PY BX400 Pow er Supply (1600 W/1100 W)	×																	×			-							_		6113-F607-L200	525,00	
	Supply Module 2.000W	incl. power cable IEC320 C19 -> IEC320 C20 hot-plug Power Supply Module, 2,000W, 92%																													Щ	96113-F608-L10	880,00	
PY BX90	00 Rear Fan Unit	efficiency (gold) BX900 Rear Fan Unit with 4 Fans	×																			×	x						\blacksquare		S26	6361-F3962-L100	285,00	i
PY BX40 Redunda BX900 F	00 Fan Unit lant PSU for IB Switch PSU 2.880W silver w/o power cord	BX400 Fan Unit with 2 Fans for PSU redundancy in external IB Switch BX900 Power supply 100-240V AC, w/o	x																	×		×	_						\equiv		S26	86361-F4474-L100 86361-F4526-L10 86113-F606-L250	155.00 850,00 750,00	
BX900 Pt	PSU 2.880W platinum hp w /o pow er c	power cable BX900 Power Supply 2.880W platinum hp	×																			×	×						\blacksquare		S26	6113-F606-L300	1.175,00	Orderable from: 15
	owercord (D), 1.8m, grey owercord (USA). 1.8m, arev	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR suitable for USA, Cnd																	-										x x	_		6139-Y1740-L10 6139-Y1742-L10	15,00	
Power or	oord 16A IEC320 C19-5C20 oord IEC320 C19 - IEC320 C14	with connector IEC320 C19->C20 with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 104)																		×	×	x x	×						\blacksquare	\equiv	S26	16361+F3151+L300 16361+F3151+L350	30.00 15,00	
Cable pc	owercord (UK, IR), 1.8m, grey	EC320 C13)																											×	\blacksquare		6139-Y1744-L10	15,00	
Cable por Power o	owercord (ft. 1.8m. arev cord 16A IEC320 C19->CEE 7/7	suitable for I with connector IEC320 C19->CEE 7/7 (Schuko)																		×	×	x x	x						- х		T26	6139-Y1745-L10 6361-F3151-L100	15.00 30,00	
	cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																		×		x x							П	П		6361-F3151-L200	30,00	
laneous	cord EC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6- 20p								Ц	Ц			Ц			Ц	Ц	Ш	×	×	× ×	×		Ц	Ш						16361-F3151-L500	60,00	
FC SX10		Upgrade to 244 SnapShots for FibreCAT SX100		x	П				П	П	П							П	П		Π		Τ		П	П	П	П	I	П		FCSX100-SNAP-L FCSX60-SNAP-L	3.500,00 745,00	
	0 16 Snapshots 0 ISCSI 32 Snapshots	Upgrade to 16 SnapShots for FibreCAT SX60 Upgrade to 32 SnapShots for FibreCAT SX80	\vdash		+	×	×		\vdash	\vdash	+	\perp	+		H	H	\vdash	+	+	\parallel	+		+	H	H	+	+	\mathbb{H}	+	4		FCSX80FSNAP-L	745,00	
	0 32 Snapshots	ISCSI Upgrade to 32 SnapShots for FibreCAT SX80			+	×		+	+	H	+	+	+		H	H	H	+	+	+	+		+	H	H	+	+	+	+	+		FCSX80-SNA.P-L	1.495,00	
	8 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX88		Ш			Ш	х		П									Ħ		İ	Ш	İ			Ħ		Ħ	Ħ	H		FCSX88-SNA.P-L	1.495,00	
cable Ser PY BX60	erial port cotion 00 4GB FC Switch Port Upgrade	Cable for 2nd RS-232-C 9 pin interface Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports	H	×	П		H	Н	H	H	H	П	Ŧ	Н	Н	H	H	H	H	П	×	×	Н	Н	H	H	+	H	П	\blacksquare	S26	6361-F3120-L3 6361-F3144-L46	40.00 1.925,00	Phased out
PY BX60	00 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silloworm 4016	+	\mathbb{H}	+	+	\mathbb{H}	+	+	+	+	+	+	\vdash	H	+	+	+	+	+	×	×	+	H	\mathbb{H}	+	+	\mathbb{H}	+	+	S2	6361-F3144-L47	2.875,00	Phased out
TPM Mod	dule add-on kit	Brocade Silkworm 4016 Trusted Platform Module on motherboard, be aware of import restrictions!			+		Н	+	+	H	+	+	×			H	H	+	+		+	H	+	x x	×	$^{+}$	+	\forall	+	+	S2	16361-F3552-L1	50,00	
Mrastructure LANSw	e vitch secound power supply, UPG	LAN IP Switch power supply, 100 to 240 VAC 50 to 60 Hz, max 122 W	×																										Ħ		Dr.F	FCSW-648S-PSU-L	576,00	
Power S	Supply Unit DCX upgrade	50 to 60 Hz, max 122 W DCX, UPGRADE POWER SUPPLY for later mounting, 2000W 230VAC, 1000W 115VAC	×	Н	+		Ш		+	$^{+}$	+	\forall	+				+	H	+	\parallel		Ш			†	+	+	Н	+	\forall	D:F	FCSW-DCX-PSU-L	8.726,00	
PY BX90	00 Management Blade S1 Iti-mode 4G module (MMF)	Redundant Management Blade	Н	Ш	+		Ш		+	Н	$^{+}$	\perp	+				H	Н	Н	×		×	x		Н	H	+	Н	\pm	\pm	S2	16361-F3962-L500	790.00	Phased out
Adaptive	Iti-mode 4G module (MMF) e Netw. (300) field activation	Short-Wavelength SFP Transceiver Brocade 300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN)			\Box		Ш		+	Ħ	П						Н	Ħ	Ħ	×	×	×	×		П			Ħ	\forall	\Box	D:F	6361-F3024-L4 FCSW-SW300-AN-L	1.532,00	miased out
	Malah (1900) field sails a "	Adaptive Networking License			Ш		Ш		Ш	Ш	Ш						Ц		Ш			Ш			Ш	Ш		Ц	Щ	Ш	4	DOOM CHOSE THE	4.077	
Fabric W	Watch (300) field activation	Brocade 300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License, Not included in the Enterprise Buodle.																		×		×	*								D:F	FCSW-SW300-FW-L	1.086,00	
		Bundle			-					H	H		\downarrow			4	H	H	H		÷		÷		H	H	+			4	4	0.0477		
MTC-L M	cleaning cartridge no label MEDIA LTO cleaning cartridge	DAT72 cleaning cartridge without label Cleaning cartridge without label from Fuji for LTO drives		Ш						П									Ħ		İ		İ					Ħ	x	H	D:C	CL-DAT72-MX-01 CL-FJ-LTO-01		Orderable from 01
	MEDIA LTO clean. cartr. with label aning cartridge Fuji no label	cleaning cartridge with label from Fuji for LTO drives Cleaning cartridge without label from Fuji for			П		Ш			П	П	П	П				П	П	П	П	I		I		П	П	П	П	x	П		CL-FJ-LTO-01L CL-LTO2-FJ-01		Orderable from: 01
	aning cartridge Fuji no label aning cartridge Fuji with label	LTO drives cleaning cartridge with label from Full for LTO	\vdash		+		Ш	\vdash	\vdash	\vdash	+	+	+		H	\vdash	+	+	+	\parallel	+	Ш	+	H	\vdash	+	+	\mathbb{H}	x	4		OL-LTO2-FJ-01 OL-LTO2-FJ-01L	39,00	
	aning cartridge IBM no label	drives Cleaning cartridge without label from IBM for LTO drives	\vdash	H	+		\mathbb{H}	+	+	+	+	+	+		H	+	+	Н	+	+		Н	+	H	+	+	+	Н	x	+		OL-LTO2-IB-01	48,00	
LTO clea	aning cartridge IBM with label	cleaning cartridge with label from IBM for LTO drives		Н	+		H	+	+	H	+	+			H	+	H		+	\forall		Н	+	H	\parallel	\forall	+	+	x	+	Dit	OL-LTO2-IB-01L	49,00	



ssories	Description & services matrix	Details	FC-Switch Blade (Director) FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100 Expansion	FibreCAT \$X40	FibreCAT \$360 FibreCAT \$360 Expansion	FibreCAT SX80	FibreCAT \$380 (SCS) FibreCAT \$380/\$X80(Expansion		FibreCAT SX88 Expansion PRIMITION RIADIT BX100		PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3 PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlack	PRIMERGY BLADE BX620 SS	PRIMERGY BLADE BX620 S6	BX630	BX630 Dual	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMIRGY BLADE NXCSO	1	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 SI	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX300 S1	PRIMERGY BANDO SZ	PRIMERGY BX920 ST	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	ADE	PRIMERGY pBL ADE BF a40	, F	PRIMERGY SX10	PRIMERGY SX30	PRIMERGY SX910 S1 PRIMERGY SX940 S1	PRIMERGY SAND ST	TO CONTROL OF THE PARTY OF THE	Product Code	6/013	(a)	C comminent is
(Cont	tinued) VXA cleaning cartridge with label DAT72 data cartridge no label	VXA cleaning cartridge DAT72 data cartridge without label						П				T			Ī			Ī			Ī	Ī	T	Ī				Ī	Ī				Ī	Ī	Ī		Ī	Ī		Ī	Ī	×	Ī	Ŧ	Ī	D:CL-VX	A2-X-01L T72-MX-01		32.00 14,00	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity																																								×				D:CR-FJ	LTO1-01		21,00 Ord	Serable from: 01/10/2
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity																																								×					LTO1-01L			ferable from: 01/10/2
	LTO2 data cartridge Fuji no label LTO2 data cartridge Fuji with label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity LTO-2 data cartridge with label from Fuji, 200						Ш		Ш																													Ш			×		1			LT02-01			Serable from: 01/10/
	LTO3 data cartridge Fuji no label	GB native capacity				Ш		Ш	_	Н						Ш					_		+	1			L	_	_	1	Ш		1	1		L	L	Ļ				×	4	4	1	D:CR-FJ				terable from: 01/10/2
	LTO3 data cartridge with label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity LTO-3 data cartridge with label from Fuji, 400			+					Н	+		Н	+	+	Н	-	+	Н	Н	4	-	+	+	H	-	H	4	+	\perp	Н		+	+	+	H	H	H	Н	-	+	×	+	+	+		LT03-01L			serable from: 01/10/
	LTO5 data cartridge Fuji no label	GB native capacity LTO-5 data cartridge without label from Fuji,					+	Н	-	Н	-		Н	-	+	Н		+			-	-	+	+			H	-	+	+	Н		+	+	+	+	H	+	Н	-	+	-	+	×	+	D:CR-FJ				terable from: 01/10/
	LTOS data cartridge Fuji with label	1500 GB native capacity LTO-5 data cartridge with label from Fuji, 1500						Н		Н	+		Н		+	Н		+			+	-	+	+			H	+	+	+	Н		+	+	+	+	H	+	Н		+		+	×	+	D:CR-FJ	LT05-01L		54,00 Ord	ferable from: 01/10/
	LTO1 data cartridge Fuji no label	GB native capacity LTO-1 data cartridge without label from Fuji,			+	Н	+	Н	+	Н	+	+	Н	+	+	Н	+	+	Н	Н	+	+	+	+	+	+	H	+	+	+	Н	+	+	+	+	+	H	+	Н	+	+	×	+	+	+	D:CR-LT	O1-FJ-01		23,00 Pha	sed out
	LTO1 data cartridge Fuji with label	100 GB native capacity LTO-1 data cartridge with label from Fuji, 100 GB native capacity				Н		Н		Н	+		Н	+	+	Н		+	Н	Н	+	+	+	+		H	H	+	+	+	Н		+	+	+	H	H	t	Н	+	+	x	+	+	+	D:CR-LT	01-FJ-01L		23,00 Pha	sed out
	LTO1 data cartridge BM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity			+	Н	+	Н		Н	+		Н	+	+	Н	+	+	Н	Н	+	+	$^{+}$	+	+	+	H	+	+	+	Н	+	+	+	+	t	t	t	Н	+	+	×	+	+	+	D:CR-LT	O1-IB-01		32,00	
	LTO1 data cartridge BM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity			t			Н		Н	$^{+}$		П		$^{+}$	Н		t	Н	Н	$^{+}$		†	t	t	t	H	$^{+}$	$^{+}$	t	Н		t	t	t	t	t	t	Н	+	t	×	+	+	t	D:CR-LT	01-IB-01L		33,00	
	LTO1 barcode label horizontal LTO1 data cartridge Maxell no label	label for LTO-1 data cartridges LTO-1 data cartridge without label from Maxell,																																İ			Ė	Ė				x		#		D:CR-LT	01-LAB 01-MX-01		2,00 25.00 Pha	sed out
	LTO1 data cartridge Maxell with label	100 GB native capacity			+	Н	+	Н	-	Н	+		Н	+	+	Н	-	+	H	Н	+	+	+	+	H	H	H	+	+	+	Н	-	+	+	+	H	+	+	Н	4	+	×	4	+	+		O1-MK-01L		26,00 Pha	
	LTO2 data cartridge Fuji no label	LTO-1 data cartridge with label from Maxel, 100 GB native capacity LTO-2 data cartridge without label from Fuji,			+	Н	+	Н	+	Н	+	+	Н	+	+	Н	+	+	H	Н	+	+	+	+	+	H	H	+	+	+	Н	+	+	+	+	+	+	+	Н	+	+	x	+	+	+		02-FJ-01		23,00	
	LTO2 data cartridge Fuji with label	200 GB native capacity LTO-2 data cartridge with label from Fuji, 200						Н		Н	+		Н		+	Н		+			+	-	+	+			H	+	+	+	Н		+	+		+	H	+	Н		+	x	+	+	+		02-FJ-01L		23,00	
	LTC2 data cartridge BM no label	GB native capacity LTO-2 data cartridge without label from BM,				Н		Н		Н	+		Н	+	+	Н		+	Н	Н	+	+	+	+		H	H	+	+	+	Н		+	+	+	H	H	t	Н	+	+	x	+	+	+	D:CR-LT	02-IB-01		32,00	
	LTC2 data cartridge BM with label	200 GB native capacity LTO 2 data cartridge with label from IBM, 200				\vdash		Н		Н	+		Н		+	Н		+	Н	Н	+	+	+	+	H	+	H	+	+	+	Н		+	+		H	t	t	Н		+	x	+	+	+	D:CR-LT	02-IB-01L		32,00	
	LTO2 data cartridge Maxell no label	GB native capacity LTO-2 data cartridge without label from Maxell, 200 GB native capacity		H	+	Н	+	$^{+}$	+	\forall	+	+	Н	+	+	H	+	+	Н	Н	+	+	+	$^{+}$	t	t	t	+	+	+	H	+	+	+	+	t	t	+	Н	+	+	×	+	+	+		02-MK-01		22,00	
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxel, 200 GB native capacity				H	+	\Box		Н		+	Н	+	+	Н			Н		+		$^{+}$	t	H	+	H	+	+	t	Н		$^{+}$	+		H		t	Н			×	1	+	$^{+}$	D:CR-LT	02-MK-01L		23,00	
	VXA barcode label VXA-2/320 data cartridge 40/80GB	Label for VXA data cartridge data capacity in VXA2 mode: 40 GB, data																															ŧ			H	ŀ	÷				×		#	ŧ	D:CR-V)	(A2-LAB (A2-X10-01		2,00 35,00	
	VXA-2/320 data cartr. 40/90GB with label	capacity in VXA320 mode: 80 GB data capacity in VXA2 mode: 40 GB, data				Н		Н	-	Н	-		Н	-	-	Н	-	+			4	-	+	+			H	4	+	+	Н		+	+	+	H	H	H	Н	-	+	×	4	+	+		(A2-X10-01L		36.00	
	VXA-2/320 data cartridge 80/160GB	capacity in VXA320 mode: 80 GB data capacity in VXA2 mode: 80 GB, data					+	Н	-	Н	-		Н	-	+	Н		+			-	-	+	+			H	-	+	+	Н		+	+	+	+	H	+	Н	-	+	×	+	+	+		(A2-X23-01		66,00	
	VXA-2/320 data cartr 80/160GB with label	capacity in VXA320 mode: 160 GB data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB			+	Н	+	Н	-	Н	+		Н	+	+	Н	+	+	Н	Н	+	+	+	+	H	+	H	+	+	+	Н	-	+	+	+	+	H	+	Н	+	+	×	+	+	+	D:CR-V)	(A2-X23-01L		67,00	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Full.				Н	+	Н	+	Н	+	+	Н	+	+	Н	+	+	Н	Н	+	+	+	+	+	H	H	+	+	+	Н	-	+	+	+	+	+	+	Н	+	+	×	+	+	+		03-FJ-01		22,00	
	LTO5 data cartridge Fuji no label	400 GB native capacity LTO-5 data cartridge without label from Fuji,						Н		Н	+		Н	-	+	Н		+	Н	Н	+	+	+	+	+	+	H	+	+	+	Н		+	+	+	+	H	+	Н	-	+	\Box	+	x	+	D:CR-LT	O5-FJ-01		55,00	
	LTC3 data cartridge BM no label	1500 GB native capacity LTO-3 data cartridge without label from IBM,				Н		Н		Н	+		Н	+	+	Н		+	Н	Н	+	+	+	+		H	H	+	+	+	Н		+	+	+	H	H	t	Н	+	+	x	+	+	+	D:CR-LT	03-IB-01		25,00	
	LTO3 data cartridge with label	400 GB native capacity LTO-3 data cartridge with label from Fuji, 400 GB native capacity						Н		Н			Н		t	Н			Н		+		+				H	+	+		Н		+	+		t	t	t	Н			×	+	+	+	D:CR-LT	03-FJ-01L		36,00	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity				H	+	\Box		Н		+	Н	+	+	Н			Н		+		$^{+}$	t	H	+	H	+	+	t	Н		$^{+}$	+		H		t	Н			Н	1	×	$^{+}$	D:CR-LT	05-FJ-01L		56,00	
	LTO3 data cartridge BM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity			t			Н		Н	$^{+}$		П		$^{+}$	Н		t	Н	Н	$^{+}$		†	t	t	t	H	$^{+}$	$^{+}$	t	Н		t	t	t	t	t	t	Н	+	t	×	+	+	t	D:CR-LT	03-IB-01L		26,00	
	12 LTO4 data cartridge Fuji random label	12 LTO-4 data cartridges with randomiabel (Barcode with randomly created numbers) from Full, 800 GB native capacity, This order position (bundle) is an order unit not a packing						П																														Ī						×		D:CR-LT	04-FJ-12L	2	90,00	
	12 LTO5 data cartridge Fuji random label	unit. 12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Fulj. 1500 GB native capacity. This order position (bundle) is an order unit not a packing																																										×		D:CR-LT	05-FJ-12L	6	66,00	
	12 LTO4 data cartridges IBM random label	unit. 12 LTO-4 data cartridges with randomlabel (Barcode with randomly created numbers) from BM, 800 GB native capacity. This order position (bundle) is an order unit not a packing unit.																																										×		DORALT	04-IB-12L	3	11,00	
	LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from Figl. 400 GB native capacity. WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																								x					03-FJ-01W		26,00	
	LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	1																																							×				D:CR-LT	03-FJ-01WL		27,00	
	LTO cleaning label horizontal LTO3 barcode label horizontal	label for LTO cleaning cartridges label for LTO-3 data cartridges																																+		H	Ė	ŧ				x		#		D:CL-LTI	D-LAB		2.00	
es	Cascading Cable for single shipment	FibreCAT SX Cascading Cable 0.5m as single			×		×		×		x					H							۰	۰					۰		H		۰	Ť		۰	H	۰			۰	Ĥ		÷	۰		IO-CAB-L		75,00	
	SAS cable external 2 m	shipment SFF 8470-SFF 8470 with screw connection, 2.0m				×		Н		Н	+		Н		+	Н		+			+	-	+	+			H	+	+	+	Н		+	+		+	H	+	Н		+		+	+	+	S26361-	F3246-L20	1	15,00 Pha	sed out
	SAS cable external 0.5 m	SFF 8470-SFF 8470 with screw connection,			+	×	+	Н	+	Н	+	+	Н	+	+	Н	+	+	Н	Н	+	+	+	+	+	+	H	+	+	+	Н	+	+	+	+	+	H	+	Н	+	+	Н	+	+	+	S26361-	F3246-L5	-	65,00	
	PY BX900 Y-Cable frontside	0.5m PY BX900 Y-Cable frontside																																	x x	×	×	ı x						+		S26361-	F4478-L1		60.00	
	Cable powercord rack, 4m SAS CBL EXT 2m 8088-8470	with Euro socket connector SFF 8088-SFF 8470 with screw connection, 2.0m				×		П		Н			Н		+	Н		t	Н		\forall		†	t	H	H	H	x	$^{+}$	t	Н		†			t	t	t	Н			x	x	+	†		Y 1968-L10 F3246-L203		15,00 70,00	
	SAS CBL EXT 4m 8088-8470	SFF 8088-SFF 8470 with screw connection, 4.0m				×		П		П	T		П		T	П			П	П	T		Ť	T			Т	T	Ť	T	П		T	Ť	T	T	t	t	П		T	П	T	Ť	T	S26361-	F3246-L403		90,00	
	SAS CBL EXT 6m 8088-8470	SFF 8088-SFF 8470 with screw connection, 6.0m				×							П		Т			T	П				T	T	Т				T	Т			T	Ť	T	T	T	Ť			Т	П	T	Т	T	S26361-	F3246-L603	1.	20,00	
	SCSI cable HD68(S)-HD68(S) 1,5m	HD68(S)-HD68(S) with screw connection, 1.5m																																								×					F2400-L15		15,00	
	SCSI cable HD68(S)-HD68(S) 5,0m	HD68(S)-HD68(S) with screw connection, 5m																																								×					F2400-L50		150,00	
	SCSI cable UHD68(S)-HD68(S) 1.8m	UHD68(S)+HD68(S) with screw connection																																								×					F1947L18-P		15,00	
	SCSI cable UHD68(S)+HD68(S) 5m	UHD68(S)-HD68(S) with screw connection																																								×					F1947L50-P		150,00	
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection UHD68(S)-UHD68(S) with screw connection				Ш		Ш		Ш			Ш														L						1			L							×	4	1		F2365L20-P		15,00	
	SCSI cable UHD68(S)-UHD68(S) 5m	UHLE8(S)-UHLE8(S) With screw connection						Ш		Ш						Ш							_						_							L	L	L	Ш				×	┵		SNP:SY	F2365L50-P	1	75,00	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD- ROM; Activation of file encryption, "crypto	П		Т	П	Т	П	Т	П	,	××	×	Т	Т	П	Т	×	×	x	Т		×	Т	×	Т	Т	×	- 1	c x		Т	Т	T	Т	Т	Т	Т	П	Т	Т	П	T	т	Т	U11081-	C157		15,00	
tional S	OPENFT-FTAM-2 (WINDOWS) V8.0	module"; to openFT V8.0 and V8.1 openFT - openFileTransfer; Right to Use for				Н		Н	-	Н		x x	¥	-	-	Н		¥	¥	v	4			+	v		H	4	+		Н		+	+	+	H	H	H	Н	-	+		4	+	+	U11081-	C171	11	25,00	
		usage in automated unattended mode, für 1 system with 1 to 4 CPUs																																																
	or Da 14 IAM2 (HIBOHO) 400)	x x	×					х	х	x			х		×					×																U11081-	C177	5	62,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system			-		+	Н	-	Н	,	x x	×	-	+	Н		×	×	x	-		×	+	×		H	×	١,	c x	Н		+	+	+	+	H	+	Н	-	+	Н	+	+	+	U11081-			30,00	
		in automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Datamedium CD-	H																																												C183			
	OPENFT-FTAM-2-U (WINDOWS) V8.0 OPENFT-SW-CD (WINDOWS) V8.1	in automated unattended mode, für 1 system with 1 to 4 CPUs openFT - openFileTransfer; Datamedium CD- ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																		×		I	к		×			х																						
	OPENFT-FTAM-2-U (WINDOWS) V8.0	in automated unattended mode, für 1 system with 10 4 CPUs cpenFT - openFileTransfer; Datamedium CD- ROM for Windows: Server 2000, 2000, XP, VM4, 98 / MpFileTransfer; Right to Use for usage in automated unattended mode, für 1						П		Н	,	x x	x	Ť				×	х											c x			+				H							+	t	U11081-		1.1	25,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0 OPENFT-SW-CD (WINDOWS) V8.1	in automated unattended mode, für 1 system with 10 s CPT ans feer; Datamedium CD- copenFT - openFilleTransfeer; Datamedium CD- NRT4, 981 /ME copenFT - openFilleTransfeer; Rejett to Use for urage in automated unattended mode, für 1 system with 1 so 4 CPUs openFT - openFilleTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated openFT - openFilleTransfer; Update Right to openFT - openFilleTransfer; openFT - openFilleTransfer; openFT - openFilleTransfer; openFT - openFilleTransfer; openFT - openFilleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; openFT - openFIlleTransfer; o										x x							×	×	+		×		×			×		(x														+		U11081-	C186		125,00	
	OP987-FIAM-2-U (WADOWS) VILO OP987-SWC D (WADOWS) VILO OP987-3 (WADOWS) VILO OP987-2-U (WADOWS) VILO OP987-2-U (WADOWS) VILO	in automated unattended mode, for 1 system with 1 to 4 CM2 openF1 - openFillaTransfer; Datamedium CD-ROMI for Windows: Senver 2003, 0000, XP-N14, 89: MeE regent 1 MeE regent 1 MeE regent 1 MeE regent 1 MeE regent 2 MeE regent 3 MeE regent 3 MeE regent 4 MeE regent 4 MeE regent 5 MeE regent 5 MeE regent 6 MeE regent 6 MeE regent 7 MeE regent 7 MeE regent 7 MeE regent 8 MeE r																		×			×		×			×																 		U11081-	C186	4	151,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0 OPENFT-SW-CD (WINDOWS) V8.1 OPENFT-2 (WINDOWS) V8.1	in automated unattended mode, for 1 system with 1 to CRVs. openif - openified Transfer; Dasamedium CD- openif - openified Transfer; Dasamedium CD- openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified systems with 1 to 1 cRV									,		×							x			K K		x			x																+			C186	4		
	OP987-FIAM-2-U (WADOWS) VILO OP987-SWC D (WADOWS) VILO OP987-3 (WADOWS) VILO OP987-2-U (WADOWS) VILO OP987-2-U (WADOWS) VILO	in automated unattended mode, for 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 1 system and 2 system and 2 system and 2 system and 2 system and 2 system and 2 system and 2 system and 2 system and 2 system									3	x x	x					×		×			x x		x			x	1																	U11081-	C186 C192 C199	4	151,00	
	OPB8F1-FIAMS-21 (WREDOWS) VIE.1 OPB8F1-SW-CD (WREDOWS) VIE.1 OPB8F1-2 (WREDOWS) VIE.1 OPB8F1-2 (WREDOWS) VIE.1 OPB8F1-2-11 (WREDOWS) VIE.1	in automated unattended mode, for 1 system with 1 to CRVs. openif - openified Transfer; Dasamedium CD- openif - openified Transfer; Dasamedium CD- openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 4 CRVs. openif - openified Transfer; Right to Use for 1 systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified openified systems with 1 to 1 cRVs. openified systems with 1 to 1 cRV									3	x x	x					x	x	x			x x		×			x	1	(x																U11081-	C186 C192 C199 C201	4	15,00	
	OP98FT-FTAM-2-U (WREDOWS) VILO OP98FT-SW-CD (WREDOWS) VILO CP98FT-2-U (WREDOWS) VILO OP98FT-2-U (WREDOWS) VILO OP98FT-CR (WREDOWS) VILO OP98FT-CR (WREDOWS) VILO OP98FT-SW-CD (WREDOWS) VILO	In advanced unattended mode, for 1 system 1967 - Specific Thankor, Chastlewider, Ord. 1967 - 1967									3	x x x x x	x					x	x	x			x x x		x				1	< x																U11081- U11081- U11081-	C192 C199 C201 C202	1.2	15,00	
	OPERT-FIAM-OU (WINDOWS) VILD OPERT-SWCD (WINDOWS) VILT OPERT-2 (WINDOWS) VILT OPERT-2 U (WINDOWS) VILT OPERT-2 U (WINDOWS) VILD OPERT-3 WINDOWS) VILD OPERT-3 WINDOWS) VILD OPERT-1 (WINDOWS) VILD OPERT-1 (WINDOWS) VILD	In advanced unattended mode, for 1 system APP TO PROPER TO THE PROPER CONTROLLED TO THE PROPERTY OF THE PROPE									3	x x x x x x x x	x					x	x	x			x x x x		×				1	< x																U11081- U11081- U11081- U11081-	C186 C192 C199 C201 C202	1.2	15,00 15,00 30,00	



iervers Accessories																																
Description		FC-Switch Blade (Director) FibreCAT N X40 FibreCAT N X40 S4	FibreCAT SATUR FibreCAT SATO FibreCAT SAG	FibreCAT SX80 FibreCAT SX80 Expansion FibreCAT SX80	FibreCAT SX80 ISCSI FibreCAT SX80/SX80i Expansion FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 PRIMERGY BLADE BX620 S2	BLADE	PRIMERGY BLADE BX620 S4 PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX\$20 S5 PRIMERGY BLADE BX\$20 S6	PRIMERGY BLADE BX630 8-way PRIMERGY BLADE BX630 Dual DP	BX630	PRIMERGY BLADE BX830 Guad PRIMERGY BLADE BX830 S2 Dual	PRIMERGY BLADE BX850 SZ Quid PRIMERGY BLADE BX860	PRIMERGY BLADE NX650 PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200 PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2 PRIMERGY BX300	PRIMERGY BX400 S1 PRIMERGY BX800	PRIMERGY BXX00 S2 PRIMERGY BXX00 S3	PRIMERGY BX900 SI PRIMERGY BX900 SZ	PRIMERGY BX920 S1	PRIMERGY BX920 S2 PRIMERGY BX922 S2	PRIMERGY BX924 SZ PRIMERGY BX960 S1	PRIMERGY BX960 SZ	PRIMERGY pBLADE BF a40	PRIMERGY PBLADE BFIZO PRIMERGY PBLADE BFI40	PRIMERGY SX10	PRIMERGY SX910 S1	PRIMERGY SX340 S1 PRIMERGY SX360 S1	Product Code	(b) dn3	Comments
& services matrix Software (Continued)																																
OPENET-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V 10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201					×	xx				×	x	×	×		×	×	×	x											U11081-C207	710,00	
OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WNDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202					×	x x				×	x	×	×		×	×	×	x											U11081-C212	1.225,00	
OPENET-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081- C203					×	x x				×	x	×	×		x	×	×	x											U11081-C213	1.994,00	
OPBNFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081- C204					×	x x				×	×	×	×		×	×	x	x											U11081-C214	3.988,00	
OPENFT-FTAM-1-U (WINDOWS) V 10.0	Upd license openFT-FTAM/WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081- C207					×	x x				×	×	×	×		x	x	×	×											U11081-C217	710,00	
OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs					×	x x	×	x x	x x	x x	×	x x	x x		x	x	×	×		x	×		3	×	x x				U11081-C301	1.225,00	
OPENFT-FTAM-1 (WINDOWS) V11.0 OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTAM (WNDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPU. License openFT-FTP (WNDOWS) V11.0; for					×	x x	×	x x	x x	x x	x	x x	x x		x	x	×	x		×	x		3	c x	x x				U11081-C311	1.225,00	
OPENET-2 (WINDOWS) V11.0	using in automated, unattended mode; system with 1 to 4 CPUs License openFT (WINDOWS) V11.0; for using					×	x x	H	-	-	- x	x	x	×		x x	x x		×			×	x x	×	-	ļ	H			U11081-C302	1.994,00	
OPENFT-FTAM-2 (WINDOWS) V11.0	in automated, unattended mode; system extendable up to 8 CPU License openFT-FTAM (WNDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU					×	x x	H			×	x	×	×		x x	x x	×	×		\parallel	×	x x	×			H			U11081-C312	1.994,00	
OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WNDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU					×	x x				×	×	x	×		x x	x x	×	×			×	x x	x						U11081-C322	814,00	
OPENFT-3 (WINDOWS) V11.0 OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTAM (WINDOWS) V11.0; for					×	x x	Ц			x	x	x	x		x	x	×	x											U11081-C303 U11081-C313	3.988,00	
OPENFT-FTP-3 (WINDOWS) V11.0	using in automated, unattended mode; system extendable up to 24 CPU License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system					×	x x	\parallel			×	×	×	×		x	x	×	×		\parallel									U11081-C323	1.628,00	
OPENFT-SW-CD (WINDOWS) V11.0	extendable up to 24 CPU Medium for Windows systems, CD-ROM		+++			×	x x	×	x x	x x	x x	x	x x	x x	+	x x	x x	×	×	+	×	x x	x x	ж з	c x	x x	\vdash	+	+	U11081-C300	30,00	
OPENET-CR (WINDOWS) V11.0	openFT-SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions					×	x x	×	x x	x x	x x	×		x x		х х	x x		×		×	x x	x x	× 1	c x	x x	H			U11081-C299	15,00	
OPENFT-1 (UNIX systems) V11.0 OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs License openFT-FTAM (UNIX systems) V11.0;					×	x x	×	x x	x x	x x	×	x x	x x		x	x	×	×		×	x								U10987-C501 U10987-C513	1.225,00	
OPENFT-FTR-1 (UNIX systems) V11.0 OPENFT-FTP-1 (UNIX systems) V11.0	for using in automated, unattended mode; system with 1 to 4 CPUs License openFT-FTP (UNIX systems) V11.0;					×	x x	×	x x	x x	x x	×	x x	x x		x	x	×	x		×	×					H			U10987-C513	1.225,00	
OPENFT-2 (UNIX systems) V11.0	for using in automated, unattended mode; system with 1 to 4 CPUs License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU					×	x x				x	×	x	×		x x	x x	×	×	H	\parallel	×	x x	×	\parallel		H			U10987-C502	1.994,00	
OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU					×	x x				×	×	×	×		x x	хх	×				×	x x	×						U10987-C514	1.994,00	
OPENFT-FTP-2 (UNIX systems) V11.0 OPENFT-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU License openFT (UNIX systems) V11.0; for					×	x x				x	x	x	x		x x	x x	×	x			×	x x	x						U10987-C526 U10987-C503	814,00 3.988,00	
OPENET-FTAM-3 (UNIX systems) V11.0	using in automated, unaftended mode; system extendable up to 24 CPU License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU					×	x x	Н			×	×	×	×		x	x	×	×											U10987-C515	3.988,00	
OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU					×	x x	H			×	x	x	×		x	x	×	x		\parallel									U10987-C527	1.628,00	
OPENFT-4 (UNIX systems) V11.0 OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU License openFT-FTAM (UNIX systems) V11.0;					×	x x				×	x	×	×		x	x	×	x											U10987-C504 U10987-C516	4.618,00 4.618,00	
OPENFT-FTP-4 (UNIX systems) V11.0	for using in automated, unattended mode; system extendable up to 32 CPU License openFT-FTP (UNX systems) V11.0:					×	x x	H			×	×	×	×		×	×	×	×	\perp	\parallel		\perp			-	H			U10987-C528	1.885,00	
OPENFT-5 (UNIX systems) V11.0	for using in automated, unattended mode; system extendable up to 32 CPU License openFT (UNX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU					×	x x	H			×	×	x	×		x	x	×	×		\parallel									U10987-C505	5.982,00	
OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU					×	x x				×	x	x	×		x	x		×											U10987-C517	5.982,00	
OPENFT-FTP-5 (UNIX systems) V11.0 OPENFT-SW-CD (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU Medium for UNIX systems, CD-ROM openFT-					×	x x	×	x x	x x	x x	x	x x	x x		x x	x x	×	x		x	x x	x x	x						U10987-C529 U10987-C500	2.442,00	
OPENFT-CR (UNIX systems) V11.0	SW V11.0 CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions					×	x x	×	x x	x x	x x	×	x x	x x		x x	x x	×		+	×	x x	x x	×	+	+	\vdash	+	Н	U10987-C499	15,00	



FbroCAT SX100 Expansion FbroCAT SX40 FbroCAT SX60 Expansion FbroCAT SX80 Expansion FbroCAT SX80 Expansion Expansion ADE BX620 S6 PRIMERGY Connection Blades PRIMERGY pBLADE BFi20 FC-Switch Blade (Director) 3X650 PRIMERGY PBLADE BF140 PRIMERGY SX960 S1 PRIMERGY SX980 S1 23 PRIMERGY BX400 S1 PRIMERGY BX922 S2 PRIMERGY BX924 S2 PRIMERGY BX960 S1 PRIMERGY SX910 S1 PRIMERGY SX940 S1 PRIMERGY BLADE PRIMERGY BLADE PRIMERGY BX900 PRIMERGY BX920 Code EUP (4) BX400 Front Panel w/o LCD Display Bx400 LCD Unit Rack PY BX400 Floorstand Kit x x Intel Xeon E7520 4C/8T 1.86 GHz 18 MB Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s 95 W) incl. heat sink S26361-F4007-E520 1.220.00 Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink Intel Xeon F7530 6C/12T 1 86 GHz 12 MB S26361-F4007-F530 1 940 00 Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink Intel Xeon E7540 6C/12T 2.00 GHz 18 MB 2.750,00 S26361-F4007-E540 Intel Xeon X7542 6C/6T 2.66 GHz 18 MB Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink 2.750,00 S26361-F4007-E542 Intel Xeon L7545 6C/12T 1.86 GHz 18 MB Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink S26361-F4007-E545 3.000,00 Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon X7550 8C/16T 2.00 GHz 18 MB Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink Intel Xeon L7555 8C/16T 1.86 GHz 24 MB S26361-F4007-E555 4.400,00 Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink Intel Xeon X7560 8C/16T 2.26 GHz 24 MB S26361-F4007-F560 Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat Intel Yean E5503 2C/2T 2 00 GHz 4 MR \$26361_F4434_F200 205.00 Intel Year F5620 4C/RT 2.40 GHz 12 MR Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, St.C: 4 x 256 KB, Tt.C: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink \$26361_E4435_E240 515.00 Intel Year F5640 4C/8T 2 66 GHz 12 MB Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) \$26361_F4435_F266 995 00 incl. heat sink Intel Yeon Y5650 6C/12T 2 66 GHz 12 MR htel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink \$26361_F4436_F266 1 165 00 htel® Xeon® processor X5680 (6C/12T, 2.80 GHz, St.C: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink Intel Xeon X5660 6C/12T 2.80 GHz 12 MB Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink htel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink Intel Xeon L5640 6C/12T 2.26 GHz 12 MB Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink 2x Xeon E5620 4C/8T 2.40 GHz 12 MB Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink 2x Xeon E5640 4C/8T 2.66 GHz 12 MB Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 2x Xeon X5650 6C/12T 2.66 GHz 12 MB 2.330,00 W) incl. heat sink htel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink 2x Xeon X5660 6C/12T 2.80 GHz 12 MB 2x Xeon L5630 4C/8T 2.13 GHz 12 MB 1.470,00 2x Xeon L5640 6C/12T 2.26 GHz 12 MB htel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink 2.500,00 2x Xeon E5503 2C/2T 2.00 GHz 4 MB 2x Xeon E5620 4C/8T 2.40 GHz 12 MB Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink S26361-F4457-E240 1.030,00 htel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink 2x Xeon E5640 4C/8T 2.66 GHz 12 MB S26361-F4457-E266 1.990,00 Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink 2x Xeon X5650 6C/12T 2.66 GHz 12 MB S26361-F4458-E266 2.330,00 htel® Xeon® processor X5660 (6C/12T, 2.80 GHz, St.C: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink 2x Xeon X5660 6C/12T 2.80 GHz 12 MB S26361-F4458-E280 2.800,00 2x Xeon L5630 4C/8T 2.13 GHz 12 MB S26361-F4459-E213 1.470,00 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink



					5																			
		(Director)	Expansion	xpansion	HbreCAT SX80/SX80i Expansion	xpansion	DE BX620 S6	DE SX 650	00.81	100	282	482	0.S1	PRIMERGY Connection Blades	ADE BFI20	ADE BF140	0 S1	10 S1	10 S1	10 S1				
		FC-Switch Blade (Director)	Fibre CAT SX 100 Expansion	Fibre CAT SX 60 Expansion	reCAT SX80/S	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX900.51	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	MERGY Con	PRIMERGY pBLADE BFi20	PRIMERGY PBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980	oduct Code		©	ments
Description : ontinued)	Details	Ε̈́	£ i	2 2	Æ	£	£	£	£ £	£ 8	£ £	8	1 2	E	E	E	Æ	æ	Æ	æ) <u>4</u>			
2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		Ī				Ī		Ī	Ī		×									S26361-F4460-E226	2.	500,00	
intel Xeon E5603 4C/4T 1.60 GHz 4 MB	htel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						х														S26361-F4499-E160		280,00	
Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	htel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x														S26361-F4499-E213		310,00	
intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink						x		Ī	İ		Ī									S26361-F4500-E240		690,00	
Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink						x			Ì											S26361-F4500-E253		950,00	
Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x														S26361-F4501-E306	1.	610,00	
ntel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		Ť				T								S26361-F4502-E320	1.	610,00	
ntel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								1	3	C		T								S26361-F4503-E160		280,00	
ntel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon/® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									3	C	İ									S26361-F4503-E213		310,00	
ntel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								İ	3	(S26361-F4504-E240		690,00	
ntel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink									3	c	İ									S26361-F4504-E253		950,00	
ntel Xeon X5675 6C/12T 3.06 GHz 12 MB	htel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									3	(S26361-F4505-E306	1.	610,00	
ntel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									3	c	l									S26361-F4506-E320	1.	610,00	
ntel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									3	C X	:									S26361-F4507-E160		280,00	
ntel Xeon E5606 4C/4T 2.13 GHz 8 MB	htel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									2	c x	:									S26361-F4507-E213		310,00	
ntel Xeon E5645 6C/12T 2.40 GHz 12 MB	htel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/z, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								+	3	c x	:									S26361-F4508-E240		690,00	
ntel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat								+	3	с х	:									\$26361-F4508-E253		950,00	
ntel Xeon X5675 6C/12T 3.06 GHz 12 MB	sink Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink							+	+	3	(x	:	+								S26361-F4509-E306	1.	610,00	
ntel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink							+	+)	c	+									S26361-F4510-E320	1.	610,00	
ntel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink						+	+	+	+	×	:									S26361-F4512-E293		950,00	
ntel Xeon X5690 6C/12T 3.46 GHz 12 MB	sink htel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink						+	+	+	+	×	:									S26361-F4512-E346	1.	990,00	
Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	sink Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink							+		+	×	:									S26361-F4512-E360	1.	990,00	
ntel Xeon X5647 4C/8T 2.93 GHz 12 MB	sink Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink						+	+	+	+	×	:									S26361-F4513-E293		950,00	
ntel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink							+	+		×	:									S26361-F4513-E346	1.	990,00	
ntel Xeon X5687 4C/8T 3.60 GHz 12 MB	htel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink							+	+	+	×	:									S26361-F4513-E360	1.	990,00	
2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							+	+	+		x									S26361-F4514-E160		560,00	



ervers Options				Ţ				Ţ	Ţ		Ţ																_		1
Description	Details	FC-Switch Blade (Director)	HbreCAT SX100 Expansion	Fibre CAT SX40	Fibre CAT SX80/SX801 Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	DDIMEDON BY400 64	PRIMERGY BX900 S1	PRIMERGY BASOUST	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924S2	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1			Product Code			EUP (4)	Comments
ontinued)																													·
2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink				T					T				x									S26	361-F	4515-E	240		1.380,00	
2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink													x									S26	361-F	4515-E	253		1.900,00	
2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink													x									S26	361-F	4516-E	306		3.220,00	
2x Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/z, 6.4 GT/s, Mern bus: 1333 MHz, 130 W) incl. heat sink													x									S26	361-F	4516-E	346		3.980,00	
2x Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mern bus: 1066 MHz, 130 W) incl. heat sink			İ	İ					Ì				x				l					S26	361-F	4517-E	293		1.900,00	
2x Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mern bus: 1333 MHz, 130 W) incl. heat sink			İ	İ					Ì				x				l					S26	361-F	4517-E	360		3.980,00	
2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			1				t	T	T	1			x				İ					S26	361-F	4518-E	160		560,00	
2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			+				T	T	T	1			x				İ					S26	361-F	4518-E	213		620,00	
2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			1				t	T	T	1			x				İ					S26	361-F	4519-E	240		1.380,00	
2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink							İ		İ	İ			x				l					S26	361-F	4519-E	253		1.900,00	
2x Xeon X5675 6C/12T 3.06 GHz 12 MB	htel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			+					+	+	1			x									S26	361-F	4520-E	306		3.220,00	
2x Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			+		+		t	\dagger	t	†	1		x				l					S26	361-F	4521-E	320		3.220,00	
Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			+	t	\dagger		+		t	1	х											S26	361-F	4422-E	200		295,00	
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 11/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				t							х											S26	361-F	4424-E	240		515,00	5
Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x											S26	361-F	4424-E	266		995,00	
Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink							İ	T	İ	T	x						l					S26	361-F	4428-E	213		735,00	
Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink											х											S26	361-F	4430-E	226		1.250,00	
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	htel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								T			x											S26	361-F	4426-E	266		1.165,00	
Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			Ť	T		T					x											S26	361-F	4426-E	280		1.400,00	
Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink							İ	T	T	T	x	x					İ					S26	361-F	4423-E	200		295,00	
Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			†	T		T				1	x	x										S26	361-F	4425-E	240		515,00	
Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			†	T		T				1	x	x										S26	361-F	4425-E	266		995,00	
Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink							İ		T		х	x					İ					S26	361-F	4429-E	213		735,00	
Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink							t	T	T	1	х	x					İ					S26	361-F	4431-E	226		1.250,00	
Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			+	T					T	1	х	x										S26	361-F	4427-E	266		1.165,00	
intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95	П		+	T		t		t	t	1	х	x					İ	T				S26	361-F	4427-E	280		1.400,00	



										$\overline{}$				$\overline{}$		$\overline{}$	\neg	$\overline{}$			
		(Director)	Expansion		xpansion X80i Expansion	xpansion	DE BX620 S6	DE SX650	00 S1	10 S2	282	24.S2	50 S1 nection Blades	ADE BFI20	ADE BF140	0.81	0 S1	0 S1			
Description	Details	FC-Switch Blade (Director)	HbreCAT SX100 Expansion	FibreCAT SX40	HBreCAT SX80/SX80i Expansion FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1 PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1 PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX980 S1	Product Code	EUP (4)	Comments
atrix Continued)																			S26361-F4003-E643	320,0	
8GB (4x2) DDR3 1333 MHz PC3-10600	g d 8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM												*						320301-F4003-E043	320,0	
16GB (4x4) DDR3 1333 MHz PC3-1060	rg s 16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										П		×						S26361-F4003-E642	460,0	0
32GB (4x8) DDR3 1333 MHz PC3-1060	rg d 32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM	+	Н			H	Н	+		t	Н	+	x			+		$^{+}$	S26361-F4003-E645	780,0	0
64GB (4x16) DDR3 1066 MHz PC3-850	rg q 64 GB (4 module(s) 16 GB) DDR3, registered	i,	Н	+	+	H	Н	+	+	H	Н	+	×	+		+	+	+	S26361-F4003-E646	2.140,0	0
	ECC, 1066 MHz, PC3-8500, DIMM		Ш		Ш						Ш			L							
Modules Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory				Т		х	Т	Т	x	x	х		Т		Т	T	Т	S26361-F3284-E1	5,0	0
Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation factory	ех	П			П	х			×	x	х		T	П				S26361-F3284-E3	5,0	0
2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x			x	x	х							S26361-F4413-E513	45,0	0
Performance Mode Installation	BIOS setup for performance mode,		Н		+	Н	х	+	+	x	x	х		+	Н	+		+	S26361-F3284-E2	5,0	0
2 GB DDR3 1333 MHz PC3-10600 rg s	module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules f	or	Н			Н	х			×	×	х		t	Н			+	S26361-F4412-E513	80,0	0
MM 4GB 2x2 DDR3 1333 MHz PC3-106	Independent Mode 2 modules 2GB 1333MHz. Registered DDR3	+	Н	+	+	H	x	+	+	×	x	x	+	╀	H	+	+	+	S26361-F4412-E523	160,0	0
	DIMM with SDDC = Chipkill, , MM = 2GB usat memory for Mirrored Mode	ole																			
SP 6GB 3x2 DDR3 1333 MHz PC3-106	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM			T			x	T		x	×	x				T			S26361-F4412-E533	240,0	0
4 GB DDR3 1333 MHz PC3-10600 rg s/	DIMM with SDDC = Chipkill, Single modules f	or	Н		+	H	х	+	+	x	x	х	+	+		+	\dagger		S26361-F4412-E514	115,0	0
MM 8GB 2x4 DDR31333 MHz PC3-1060	Independent Mode 9 rg s/d 8 GB (2 module(s) 4 GB) DDR3, registered,		Н		+	H	x	+	+	x	x	x		+	H	+	+	+	S26361-F4412-E524	230,0	0
201000 0 1 DDD01000 MIL D00 100	ECC, 1333 MHz, PC3-10600, DIMM		Ш		L		Ш				Ш					4		L	S26361-F4412-E534	0.45.0	
SP12GB 3x4 DDR31333 MHz PC3-106	0 rg s/d 12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x			x	×	x							S26361-F4412-E534	345,0	0
8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules f	or			T	Г	х			х	×	х		T				T	S26361-F4412-E515	195,0	0
MM 16GB 2x8 DDR3 1333 MHz PC3-10	Independent Mode 10 rg d 16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM	+	Н			Н	х	+	+	x	×	х		t	H	+		+	S26361-F4412-E525	390,0	0
MM 32GB 2x16 DDR3 1066 MHz PC3-8		i,	Н	+	+	H	x	_	+	x	x	x	+	+	H	+	+	+	S26361-F4412-E526	1.070,0	0
	ECC, 1066 MHz, PC3-8500, DIMM																				
SP 24GB 3x8 DDR3 1333 MHz PC3-10	00 rg d 24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						×			×	×	x							S26361-F4412-E535	585,0	0
16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered ECC, 1066 MHz, PC3-8500, DIMM	i,	П		T	П	×			×	×	x		T	П			Т	S26361-F4412-E516	535,0	0
SP 48GB 3x16 DDR3 1066 MHz PC3-8	00 rg q 48 GB (3 module(s) 16 GB) DDR3, registered ECC, 1066 MHz, PC3-8500, DIMM	i,	Н		+	H	х	+	+	x	x	х				+		+	S26361-F4412-E536	1.605,0	0
MM 8GB 2x4 DDR3 LV1333 MHz 10600		d.	Н		-	H	x	4	-	x	×	x		L		_	-	-	S26361-F4415-E524	230,0	0
	ECC, 1333 MHz, PC3-10600, DIMM																				
SP12GB 3x4 DDR3 LV1333 MHz 10600	g s/d 12 GB (3 module(s) 4 GB) DDR3 LV, register ECC, 1333 MHz, PC3-10600, DIMM	ed,					x			x	×	x							S26361-F4415-E534	345,0	0
4 GB DDR3 LV 1333 MHz PC3-10600 rg	s/d 1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules f	or	П		T		×		†	x	×	x		T		\top	T	†	S26361-F4415-E514	115,0	0
MM 16GB 2x8 DDR3 LV 1333 MHz 1060	Independent Mode 16 GB (2 module(s) 8 GB) DDR3 LV, register		Н	+	+	Н	x	+	+	×	×	x	+	+	H	+	+	+	S26361-F4415-E525	390,0	0
SP 24GB 3x8 DDR3 LV 1333 MHz 1060	ECC, 1333 MHz, PC3-10600, DIMM rg d 24 GB (3 module(s) 8 GB) DDR3 LV, register	ha	Ц	4	_	H	x	4	_	ļ	×	x	_	-	H	4	+	-	S26361-F4415-E535	585,0	0
	ECC, 1333 MHz, PC3-10600, DIMM						<u> </u>			_ *	_ *	^									
8 GB DDR3 LV 1333 MHz PC3-10600 rg	d 1 module 8GB 1333MHz, Registered DDR3 DMM with SDDC = Chipkill, Single modules f Independent Mode	or	П				х			х	×	х							S26361-F4415-E515	195,0	0
ble Media Drives DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-								x					H			÷		S26361-F3269-E2	85.0	0
Blu-ray Combo slimeline SATA	RAM,slimline 0.5" fitting height, black 2x BD-ROM, 8x DVD, 24x CD, BD DL and all	+	Н	+	+	H	Н	+	x	H	Н	+	+	+		+	+	+	S26361-F3531-E2	255,0	
Tape Kit LTO3HH Ultr 400GB 60MB/s S.	CD/DVD formats, slimline 0,5" fitting height, black S SAS 3GB Interface, mini-SAS connector, 1.6"	_	Ц	_	_	L	Ц	4	_	L	Н	4	_			x	1		S26361-F3561-E4	1.395,0	0
	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with clear cartridge															^					
Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6' fitting height, , with SAS cable, with cleaning cartridge															x			S26361-F3626-E1	1.950,0	Phased out
Tape Kit LTO4HH 800GB 120MB/s SAS	-	+	Н	+	+	H	H	+	+	t	H	+	+	+		x	\dagger		S26361-F3626-E2	1.950,0	0
Tape Kit LTO5HH 1500GB 140MB/s SA	cartridge SAS 6GB Interface, mini-SAS connector, 1.6*	-	Н	+	+	H	Н	+	+	+	Н	+	+	+	H	×	+	+	S26361-F3627-E1	2.850,0	0
	fitting height, , with SAS cable, with cleaning cartridge																				
HD SAS 3GB/s 300GB 15k hot pl 3.5" S				x	T				T				T	П					S26361-F3244-E530	470,0	
HD SAS 3GB/s 450GB 15k hot pl 3.5" S HD SAS 3GB/s 600GB 15k hot pl 3.5" S	40 15.000 rpm, fitting height 1"	\pm	Н	x	\pm	Н			\pm		\vdash	\pm					\pm		S26361-F3244-E545 S26361-F3244-E560	645,0 760,0	0
HD SATA 3GB/s 2TB 7.2k hot p 3.5" SX HD SAS 3G 450GB 10K HOT PLUG 2.5	EP HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-p	lug,	Н	х	+	H	H	Ŧ	Ŧ	F	H	+	Ŧ	F	H	Ŧ	x	F	S26361-F3245-E200 S26361-F3292-E145	895,0 595,0	
HD SAS 3G 600GB 10K HOT PLUG 2.5	2.5-inch, enterprise		Н	+	+	Н	H	+	+	+	H	+	+	+	H	+	x	+	S26361-F3292-E160	695,0	
SSD SATA 3GB/s 32GB SLC hot plug 2	2.5-inch, enterprise		Н	4	\perp	Н	x	4	4	1	\sqcup	4	+	+	Н	4	+	+	S26361-F3998-E32	655.0	
	inch, enterprise	J-	Ш			Ш	^		\perp		Ш		\perp	L						,	
disk drive mounting kit disk drive mounting kit	BX922 Disk drive mounting kit BX924 Disk drive mounting kit	_	Н	_	\pm	Н		\pm	_	\pm	x	х	\pm	\pm		\pm	\pm	\pm	S26361-F4008-E1 S26361-F4008-E2	70,0 95,0	0
SSD SATA 3G 32GB SLC NON HOT PL	2.5" EP SSD SATA, 3 GB/s, 32 GB, SLC, non hot plui 2.5-inch, enterprise	9,		T				ľ			x	х	x			T			S26361-F4008-E32	655,0	0
SSD SATA 3G 64GB SLC NON HOT PL	2.5" EP SSD SATA, 3 GB/s, 64 GB, SLC, non hot plu																		S26361-F4008-E64		0 Phased out



Servers Options				Т			Т	Т	Т	Т			Т	Т	Т			Т	Т			
					io									8								
		ctor)	nsion	sion	Fibre CAT SX80/SX80i Expansion	sion	PRIMERGY BLADE BX620 S6	0690					PRIMERGY BX960 S1	3F120	31.40							
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX 40 Fibre CAT SX 60 Expansion	/SX80i	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620	PRIMERGY BLADE SO	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	960 S1	PRIMERGY DBI ADE BEIZO	PRIMERGY pBLADE BF140	910 S1	940 S1	960 S1	SX 980 S1			
		h Blad	SX 10	FibreCAT SX40	SX80	SX 88	34 8	34 85	3Y BX	3Y BX	3Y BX	3Y BX	PRIMERGY BX960 S1	S A	34 pB	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960	3 X SX	Code		2
		-Switc	oreCA	ore CA	oreCA	oreCA	MER	MER	MER	IMER	MER	MER	IMER	MER	MER	IMER	IMER	PRIMERGY	SIMER	oduct	EUP (4)	mments
Description rix (Continued)	Details	18	Ē	E E	Ē	Œ	ă ă	£ 8	1 1	1 12	ă.	*	ă. ă	t lä	- E	ă.	<u>.</u>	ă ă	<u>.</u>	č	<u> </u>	ŏ
BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards		П				T		Т	Т	П		x	Т	Т		Т	Т	S	S26361-F4468-E1	35,	5,00
BX900 Mezz./Disk bracket	Mounting Kit for one Mezzanine Card and two SSD	П	П	T	Т	Т	T	T	T	T	П		x	Ť	T	П	\top	Ť	S	S26361-F4469-E1	35,	5,00
SX-HDD SAS 600GB 15.000rpm	FibreCAT SX SAS HDD, 600GB 15.000rpm	П	x	T	х	х	T	T	T	T	П			Ť	T	П	\top	Ť	С	D:FCSX-SAS600	1.220,	,00
HD SATA 3G 160GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non hot plug, 2.5-inch, economic		П								x			Ť	T	П		\top	S	S26361-F3599-E160	155,	,00
SX-HDD SAS 450GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm		×		x	x					П			T	T	П		\top	C	D:FCSX-SAS450	735,	,00
HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug 2.5-inch, economic		П				x	×			П			T					S	S26361-F3515-E160	155,	00,
HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic		П							Т	×			T					S	S26361-F3599-E320	195,	,00
SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm		x		x	x				Т	П			T	Т	П			С	D:FCSX-SAS300	575,	,00
HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug 2.5-inch, economic		П				x :	×		Т	П			T	Т	П			S	S26361-F3515-E320	195,	,00
HD SATA 3GB/s 1TB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical		П				x	×						Т	Т				S	S26361-F3600-E100	285,	,00,
SX-HDD SATA 2 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 2 TB 7,200rpm		x	×	x	x									Т				C	D:FCSX-SATA2TB	675,	,00,
SX-HDD SATA 1 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 1 TB 7,200rpm		x	×	x	x					П				Ι					D:FCSX-SATA1TB	555,	
HD SATA 3GB/s 250GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug 2.5-inch, business critical						x	x			П					П				S26361-F3600-E250	195,	00,
HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug 2.5-inch, business critical						×	×			П				Ι					S26361-F3600-E500	205,	
SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5- inch, enterprise									x				Τ	Г		х	x	S	S26361-F3298-E32	655,	,00,
HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug 2.5-inch, economic			I					Ι	x	Ш		I	I	Γ		x			S26361-F3297-E160	155,	
HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug 2.5-inch, economic									x							х	x		S26361-F3297-E320	195,	
HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug 2.5-inch, economic									x							х	x		526361-F3297-E500	205,	
HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug 2.5-inch, business critical									x							х	x	S	526361-F3601-E250	195,	,00,
HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug 2.5-inch, business critical									x								x		S26361-F3601-E500	205,	
HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical									x							х	x		S26361-F3601-E100	285,	
HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug 2.5-inch, enterprise																х	x		S26361-F3292-E114	245,	
HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ш								Ш					Ш	х	x		S26361-F3292-E130	445,	
HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise		Ш								Ш					Ш		x		S26361-F3292-E573	315,	
HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug 2.5-inch, enterprise		Ш								Ш							x		S26361-F3292-E514	455,	
HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ш							×	Ш									S26361-F4482-E114	210,	
HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ш					1		×	Ш			1	L	Ш				S26361-F4482-E130	245,	
HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ш							×	Ш								- 1	S26361-F4482-E145	485,	
HD SAS 6G 600GB 10K HOT PL 2.5" EP HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ш					1		x	Ш			1	L	Ш	_			S26361-F4482-E160	560,	
	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ц							×	Ш			1	L					S26361-F4482-E190	750,	
HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise		Ц							х				1	L					S26361-F4482-E573	220,	
HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug 2.5-inch, enterprise		Ш							x	Ш			1	L	Ш	x	x :		326361-F4482-E514	290,	
HD SAS 3GB/s 146GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ц				×			L	Ш			1	L			_		\$26361-F3208-E114 \$26361-F3208-E130	245,	
HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ц	1			х :	*	1	L	Ш		4	1	L	Ш	4	4		526361-F3208-E130 526361-F3208-E145	595,	
HD SAS 3GB/s 450GB 10k hot plug 2.5" HD SAS 3GB/s 600GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ц	1			×	4	1	L	Ш		4	1	L	Ш	4	4		526361-F3208-E160	695.	
HD SAS 3GB/s 73GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug 2.5-inch, enterprise		Ц				x		_	L	Ш			4	L		4	4		S26361-F3208-E573	315,	
HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug		Ц	1			4	4	1	L	Ш		4	1	L	Ш	4	4	- 1	S26361-F3208-E514	455,	
SAS controller	2.5-inch, enterprise						x	*		Ш	Ш			Ш	Ш		Ш	Ш	٥	52030 I-F3200-E3 I4	400,	.00
VO Modul	FibreCAT SX I/O Modul to cascading a shelf		x	×	x	x	T	T	Т	Т	П			Т	Т		Т	Т	C	D:FCSX-IO	540,	,00
RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108	3	П	T	Т	Т	x	T	T	T	П			Ť	T	П	х	х	S	326361-F3257-E116	165,	,00
RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCle x4, 4 internal ports		П					T	T	T	П			Ť	T	х	х	†	S	S26361-F3257-E4	110,	,00
SAS Ctrl 3GB/s 4int/4ext PCle lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile		П				x			T	П			T	T			\top	S	S26361-F3271-E201	210,	,,00
RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCle 2.0 x8, 8 internal	П	П		П	П		T		Т	П			T	T	П	х	x	S	S26361-F3554-E512	385,	,00
RAID Ctrl SAS 6G 0/1 (D2607)	ports SAS/SATA RAID Controller based on LSI	H	Н	+		4	+	+	+	╀	Н		-	+	╀	Н	x	+		S26361-F3554-E8	165.	500
	MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																					,
RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCle x4, 512MB Cache with ECC, 8 external ports,	П	П	\top		\Box	x	Ť	T	T	П		\top	Ť	T	П	\forall	\dagger	S	S26361-F3593-E201	590,	,000
SAS Ctrl 6G 8ext PCle lp	without iBBU SAS Controller 6GB/s 8 port, LSI SAS 9200-8e	H	H	+	\vdash	+	x	+	+	\vdash	Н		+	+	+	Н	+	+	S	S26361-F3628-E201	260,	0,00
controller	LP		Ц								Ш											
SAS/PCIe Storage Modul	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks			T			x		T					T					S	S26361-F3207-E42	325,	00,
SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl.	H	H	+	\vdash	\dashv	x	+	+	+	Н	_	+	+	+	Н	+	+	S	S26361-F3207-E51	885,	i,00
	mounting kit, RAID1support for 2 SAS hard disks																					
nel FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCle 2.0 x 4 or			Ť			x	Ť	T				Ť	T			Ť		S	S26361-F3631-E202	1.500,	1,00
	PCle x8 SFF Interface for 50um Fiber																					



					nsion										ě												
		(Director)	Expansion	nolenena		xpansion	PRIMERGY BLADE BX620S6	DE SX650	10.01	100	90.82	282	24 S2	30 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFI20	ADE BF140	0.81	1S 0	10 S1	10 S1						
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	FibreCAT SX40	AT SX80/S	FibreCAT SX88 Expansion	RGY BLAD	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	RGY Conn	RGY pBLA	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	RGY SX980		t Code			ø.	stno
Description	Details	FC-SW	FibreC	E P	Fibre	Fibre	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIMERGY		Product			EUP (6	Comments
rix nel (Continued)																											
PY BX600 FC Mezz Card 4GB 2Port (FC42E)	4 GBit/s FC I/O module (PCle), exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4) and PY BX600 FC Pass Thru Blade 4GB						×															S26361	-F3306	-E601		620,00	
PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-	Н	+	+		H	x	H	H	H	H	H	H	+	H	H	H		L			S26361	-F3451	-E1	+	320,00	
Blades	channel										b																
FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector														x							S26361	-F3873	-E104		130,00	
FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s	Н	+	+	+	+	H	H	H	H	H	+	t	H	х	H	H	H	H	H	H	S26361	-F3873	-E108	+	245,00	
FC SFP SMF 4GB LC 4km (Brocade)	Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector	Ш	4	1	_	L		L	L	L	L	L	L	L		L	L		L	L	L	S26361	F2072	F204		520,00	
FC SFP SMF 4GB LC 4KM (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single- Mode Fiber with LC connector														x							526361	-1-38/3	-E2U4		520,00	
FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode	П						T	T	t	t	†	t	t	х	t	t		r	r	r	S26361	-F3873	-E208		1.560,00	
SFP Module GBE RJ45	Fiber with LC connector SFP module 1GB Ethernet with RJ45 connector	Н	4	+	+	L	L	L	L	L	L	+	L	L	x	L	L		L			S26361	.F3086	.F1	+	200.00	
E	(jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.														^							32300	. 5500			200,00	
SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY	П						Т	Т	T	Ť	T	T	Ť	×	T	T		Г	Г	Г	S26361	-F3986	-E2		110,00	
	BX900 GB LAN connection blades																										
SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu	П	T	T	T						T	T	T	T	х	T						S26361	-F3986	-E3	T	405,00	
	PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server																										
	Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.																										
CX4 Stacking Cable customized	for PY CB Eth Switch/IBP 1GB 36/8+2	Н	+	+	+	L	L	L	x	×	H	+	H	H	x	L	L					S26361	-F3989	-E500	+	225,00	
PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers , with							Г	x				T	T		Г	T					S26361				4.050,00	
	18 downlinks and 18 uplinks, all pathes are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autoregotiation																										
PY CB Eth Pass Thru 1/10G 18/18	Ethernet Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18	Н	+	+	+	+	\vdash		х	×	t	+	t	t	H	H	H					S26361	-K1365	-V18	+	4.500,00	
	downlinks and 18 uplinks, all pathes are 100% decoupled from other each other and support 1GB/10GB Ethernet speed																										
PY CB Eth Switch/BP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as	П				T	Т	T	х	x	Ť	T	T	Ť	T	T	T	Г	Г	Г	Г	S26361	-K1366	-V100		2.050,00	
	LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern:18x 1GB Eth (downlinks), extern: 6x RJ45 1GBE																										
PY CB SAS Switch 6GB 18/6	6GB SAS Connection Blade for Fujitsu PRIMERGY BX400 /BX900 Blade Server., Will be							Т	×	x	Ť	T	T	Ť		T	T		Г	Г	Г	S26361	-K1391	-V300		1.495,00	Deliverable from: 07/10/2011,Orderable from: 14/10/
	used for connection between Server Blades and SX980 and/or between Server Blades and external storage devices., Interfaces:, internal: 18x 6GB SAS, external: 6x 6GB SAS																										
PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or	H	+	+				H	x	×	t	+	t	+	\vdash	H	\vdash		H	H		S26361	-K1304	-V100	+	3.000,00	
	Intelligent Blade Panel (IBP), Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 4 SFP GBE																										
PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 2 SFP+ 10GBE								x	×												S26361	-K1304	-V101		5.500,00	
PY CB Eth Switch/IBP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BY800 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., Interfaces., intern: 18x 10GB Eth (downlinks),								x	×												S26361	-K1304	-V200		8.250,00	
PY CB FC Switch 8GB 18/8 14 (Brocade)	extern: 8x SFP+ 10GBE Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY 8X900 Blade Servers, embedded in the basic unit are., -		+						х	×												S26361	-K1305	i-V14		7.600,00	
	License for 14 Ports with DPOD (Dynamic Ports on Demandy, Automatically enables ports on an embedded blade when the server is, powered on and does not require a predefined assignment of port, determined by the total number of ports in use and the number of, purchased dynamic ports, - Access Gatteway License for Tail Pathot License for Embard Group, Pathot License for Embard Group, Services of Company (SWL), LC connector (SWL), LC connector																										
PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900	H	+	+					x	×												S26361	-K1305	-V26	1	1.200,00	
	Blade Servers, embedded in the basic unit are., - License for 28 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-plugable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector																										



lade Serv																								
	rera optiona					Т			П	Т	Τ	Т			П	Т	Τ	Τ	T	Т	Т			
						nsion		9							se									
			ctor)	nsion	lois	Expans	sion	PRIMERGY BLADE BX620 S6	(650						PRIMERGY Connection Blades	8 8								
			FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	HBreCAT SX40	Fibre CAT SX80/SX80i Expan	FibreCAT SX88 Expansion	ADE B	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY Connection Blan	PBLADE BHZU	310 S1	340 S1	960 S1	SX 980 S1				
			h Blad	SX10	SX 60	SX80	SX88	3Y BL	34 BL	SY BX	S BX	3Y BX	3Y BX	3Y BX	3Y Co	2 PB	X SX	3Y SX	3Y SX	3Y SX		Code		2
			-Switc	breCA	Fibre CAT SX40	breCA.	breCA	SIMER	SIMER	SIMER.	ZIMER	SIMER.	SIMER	SIMER	SIMER.	PRIMERGY	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY		oduct	(e) dn=	omments
ns matrix		Details	12	Œ	E Œ	: Œ	Œ	ä	<u> </u>	ă ă	1 1	- E	ä	2	E 2	1 8	. 5	1 2	- E	1 2		<u>č</u>	_ <u>_</u>	ŏ
PY C	des (Continued) CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900		Т	Т	Т		П	Т	x >	×	Т			Т	Т	Т	Т	Т	Т	S	26361-K1305-V126	15.200,0	
		Blade Servers, embedded in the basic unit are:, License for 26 Ports with DPOD (Dynamic Ports	- 1																					
		on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group																						
		Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended																						
		Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x																						
		Brocade hot-pluggable SFP+ module, 8 GBit/set Short-Wavelength Laser (SWL), LC connector																						
PYC	CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide,	П		T	T	П	П	T	x >	×	T		П	T	T	Ť	T	T	T	S	26361-K1336-V200	11.800,0	
		Single height, , Quad Data Rate (QDR x4), , Interfaces:, , intern: 18x (downlinks), , extern: 18:	,																					
		QSFP connectors (uplink)																						
anine Cards	ls Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2		Ť	Ť					Ť	×	×	x	x	Ť	Ť	Ť	Ì	Ì	Ì	S	26361-F3592-E502	890,0	
		Channel, 8GB/s, PCle x8, The mezzanine module is functional wise compatible with the																						
		Emulex CNA OCe10102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and																						
		support the Data-Center-Bringing (Data Center Ethernet) protocol. In addintion the Fibre Channe over Ethernet (FCoE) protool is fully handled in																						
		hardware on the card.																						
PYE	IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s,	H	+	+	+	H	\vdash	+	+	×	×	x	+	+	+	+	+	+	+	S	26361-F3992-E2	1.220,0	
PYE	Eth Mezz Card 1GB 4 Port	PCle x8 4 Channel GBE Mezzanine Card, 2 Intel	Н	+	+	+	Н	Н	+	+		×		x	+	+	+	+	+	+	S	26361-F3331-E1	490,0	0
PYE	Eth Mezz Card 10GB 2 Port	82575EB LAN Controller 2 Channel 10GBE Mezzanine Card, Intel	Н	+	+	+	Н	Н	+	+	_	×			+	+	+	+	+	+	S	26361-F3997-E1	560,0)
PYF	FC Mezz Card 8GB 2 Port (MC-FC82E)	82599EB LAN Controller Fibre Channel mezzanine module, MC-FC82E, 2	2	+	+	+	Н	Н	+	+	×			x	+	+	+	+	+	+	S	26361-F3874-E1	630,0	0
		Channel, 8GB/s, PCle x8, The mezzanine module is functional wise compatible with the																						
		Emulex HBA LPe12002.																						
PYS	SAS HBA Mezz Card 6GB	SAS/SATA HBA Mezzanine Card based on LSI Chipset SAS2008, PCle 2.0 x8, SAS 2.0,				Π		П	П	Τ	х	×	x			Τ	Τ	Τ	Τ	Τ	S	26361-F4480-E1	195,0	Deliverable from: 07/10/2011,Orderable from: 07/10/2011
PYS	SAS RAID Mezz Card 6GB	SAS/SATA RAID Mezzanine Card based on LSI	Н	+	+	+	Н	Н	+	+	×	×	х	Н	+	+	+	+	+	+	S	26361-F4481-E1	350,0	0
		MegaRAID SAS2108, PCle 2.0 x8, SAS 2.0	Ш																					
	ID Mezz iBBU Upgrade ID Mezz HDD Connection Kit	BBU Upgrade for LSI SAS2108 SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1	Н	+	+	+		Н	+	+	x	×	х	\dashv	+	+	$^{+}$	t	+	t		26361-F4481-E10 26361-F4481-E20	180,0 30,0	
		functionality can be realized on BX920S2.																						
nunication/N	Network Ctrl 2x1GBit PCle x4 D2735-2 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCle							÷												-	26361-F3610-E202	155,0	
Etn C	Ctrl 2X1GBit PCie X4 D2735-2 Cti ip	x4 D2735-2 Cu lp, Based on Intel® LAN controller chip 82576NS, Usable with original						×													5	26361-F3610-E202	155,0	,
		Intel® driver kit	Ш									L				1	L	L	L	L			1.180,0	
FO. 1	F 011 400D/- 0 -1 100 -40400 1845			_				\vdash	-	-	_										-			
FCoE	oE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCle 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable						х		Ť											S	26361-F3592-E202	1.100,0	
	P+ Modul Multi Mode Fibre 10GB FCoE	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl						x								+	+		ļ			26361-F3592-E202 26361-F3592-E108	400,0	
SFP-	P+ Modul Multi Mode Fibre 10GB FCoE	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102						x													S	26361-F3592-E108	400,0	
SFP-	P+ Modul Multi Mode Fibre 10GB FCoE ure unling in symmetrical Racks	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket						x		,	×										S	26361-F3592-E108	400,0	
SFP-	P+ Modul Multi Mode Fibre 10GB FCoE	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks						x		2	x					 					S	26361-F3592-E108	400,0	
SFP4 k-Infrastructur Moun	P+ Modul Multi Mode Fibre 10GB FCoE ure unling in symmetrical Racks	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem			x			x		2	x										S	26361-F3592-E108	400,0	
SFP-Infrastructur Moun	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely permounted and steed ax works. Losse of the			x			x		2	×										S	:26361-F3592-E108 :26361-F4530-E10 :26361-F4530-E14	400,0 5,0 5,0	
SFP4 k-Infrastructur Moun	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical Rack server mounting in asymmetrical Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38/J rack will be delivered completely			x			x		3	x										S	:26361-F3592-E108 :26361-F4530-E10 :26361-F4530-E14	400,0 5,0 5,0	
SFP4 Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested as works. Ica case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			×			x													S	226361-F3592-E108 226361-F4530-E10 226361-F4530-E14 226361-F4530-E14	5,0 5,0 65,0	
SFP4 Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical racks server mounting in asymmetrical racks with 100 support bracket Rack server mounting in asymmetrical racks with 100 support bracket PRIME-CENTER racks with 100 support bracket Service for installation of a server or subsystem ex works. In case of the MCU rack, this service has to be ordered to get the mounting kits and the cables installed. Service for installation of a server or subsystem ex works. With ordering this service, the 1224/138/1 rack will be delivered completely			x			x		, , , , , , , , , , , , , , , , , , ,											S	:26361-F3592-E108 :26361-F4530-E10 :26361-F4530-E14	400,0 5,0 5,0	
SFP-Infrastructur Moun Moun	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical racks server mounting in symmetrical racks server mounting in symmetrical racks and server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the McU rack, this service has to be ordered to get the mounting kits and the cables installed. Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 4GU rack, this service has to be ordered to get 4GU rack, this service has to be ordered to get 4GU rack. This service has to be ordered to get			x			x													S	226361-F3592-E108 226361-F4530-E10 226361-F4530-E14 226361-F4530-E14	5,0 5,0 65,0	
SFP4 Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCcE Ctrl OCe10102 Rack senser mounting in symmetrical racks without support bracket without support bracket Rack server mounting in asymmetrical PRIRECENTER racks with 100 support bracket Service for installation of a server or subsystem or works. With ordering this service, the 1224/08U rack with to delivered completely premounted and lessed ex works. In case of the mounting lists and the cables installed Service for installation of a server or subsystem or works. With ordering this service, the 1224/08U rack will be delivered completely premounted and tested ex works. In case of the 1224/08U rack will be delivered completely premounted and tested as works. In case of the			x			x													S	226361-F3592-E108 226361-F4530-E10 226361-F4530-E14 226361-F4530-E14	5,0 5,0 65,0	
SFP-Infrastructur Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical racks server mounting in symmetrical racks server mounting in symmetrical racks server mounting in symmetrical racks server mounting in symmetrical racks server mounting in server or subsystem or works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the Works, With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the MU rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single package/delivery, incl. test			x			x	×												S	226361-F3592-E108 226361-F4530-E10 226361-F4530-E14 226361-F4530-E14	5,0 5,0 65,0	
SFP-Infrastructus Moun Moun Rack	P+ Modif Multi Mode Fibre 10GB FCcE ure uring in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical and server or State of the State of Sta		x		x x	×	x													S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F1647-E302	5,0 5,0 65,0	
SFP-Infrastructur Moun Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ock installation ex works, SX10, 1U Nod ck installation ex works.	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket without support bracket Rack server mounting in symmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 40U rack, this service has to be ordered to get the mounting bits and the cables installed. Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single packagedelivery, incl. test who BXEOS 45, service without integration ex works With Service without integration ex works Sorvice for installation of a Raid-Subsystem into a PRMRGRY Rack ex works. With ordering this service, the ETERNS System without reverse.				K X	x	x													S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4630-E14 26361-F1647-E302 NP-SY-F1647E301-P	5,0 5,0 65,0	
SFP-Infrastructus Moun Moun Rack	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ock installation ex works, SX10, 1U Nod ck installation ex works.	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical Rack server mounting in asymmetrical Rack server mounting in symmetrical Rack server mounting in symmetrical Service for installation of a server or subsystem or works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 6U rack, this service has to be ordered to get the mounting kits and the cables installed. Service for installation of a server or subsystem or works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 6U rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single package/delivery, incl. test with BXEGD S4, Service without integration ex works. Service for installation of a Raid-Skibsystem into PRMERGY Rack ex works. With ordering this				(x	×	x													S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4630-E14 26361-F1647-E302 NP-SY-F1647E301-P	5,0 5,0 65,0	
SFP4 Moun Moun Rack Rack PYS	P+ Modul Multi Mode Fibre 10GB FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks ock installation ex works, SX10, 1U Nod ck installation ex works.	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket without support bracket Rack server mounting in symmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 40U rack, this service has to be ordered to get the mounting bits and the cables installed. Service for installation of a server or subsystem ex works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single packagedelivery, incl. test who BXEOS 45, service without integration ex works With Service without integration ex works Sorvice for installation of a Raid-Subsystem into a PRMRGRY Rack ex works. With ordering this service, the ETERNS System without reverse.				x x	×	x	x		x	. x	x	x			×	×	. x	×	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4630-E14 26361-F1647-E302 NP-SY-F1647E301-P	5,0 5,0 65,0	Phased out
SFP4 Moun Moun Rack Rack PYS	P+ Modul Multi Mode Fibre 100B FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod ck installation ex works SX650 packed and delivered MERGY Rackinstallation SX/DX ex works	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCcE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical PRIMECENTER racks with 100 support bracket Rack server mounting in asymmetrical PRIMECENTER racks with 100 support bracket Service for installation of a server or subsystem or works. With ordering this service, the 1224/08U rack with be delivered completely premounted and lested ex works. In case of the mounting kits and the cables installed get the mounting kits and the cables installed ex works. With 1224/08U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single packageldelivery, inct. test wint BX660 S4, Service without integration ex works With BX660 S4, Service without integration ex works With SKNROW Rack ex works. With ordering this service, the 1224/49U Rack ex works. Service for installation of a Raid-Subsystem into a PRIMERGY Rack ex works. With ordering this service, the 1224/69U Rack ex works. Service for installation of a server blade into the system unit PRIMERGY BX600 ox works Augsburg. With ordering this service, thes EFRACY BX600 ox works Augsburg. With ordering this service, thes server based into the system unit PRIMERGY BX600 ox works Augsburg. With ordering this service, thes EFRACY BX600 ox works Augsburg. With ordering this service, the Street server based into the system unit PRIMERGY BX600 ox works Augsburg. With ordering this service, the Street server based into the system unit PRIMERGY BX600 ox works Augsburg. With ordering this service, the Street server based in the system unit PRIMERGY BX600 ox works Augsburg.				c x	×	x	x		x	: x	x	x			x	- x	- x	x	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4530-E14 26361-F1647-E302 NP-SV-F1647/E301-P 26361-F2740-E65	5.0 5.0 5.0 130,0 115,0	Phased out
SFP- Infrastructur Moun Moun Rack Rack	P+ Modul Multi Mode Fibre 100B FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod ck installation ex works SX650 packed and delivered MERGY Rackinstallation SX/DX ex works	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical Rack server mounting in symmetrical Rack server mounting in symmetrical Rack server mounting in symmetrical Service for installation of a server or subsystem ex works. With ordering this service, the 1224/1081 rack will be delivered completely premounted and tested ex works. In case of the foll track, this service has to be ordered to get the mounting lists and the cables installed. Service for installation of a server or subsystem ex works. With ordering this service, the 1224/0801 rack with be delivered completely premounted and tested ex works. In case of the 401 rack, this service has to be ordered to get the mounting lists and the cables installed. Storageblade single package/delivery, Incl. test works. Sometime of installation of a Raid-Subsystem into a PRMERGY PARCK ex works. With ordering this service, the ETERNUS System will be premounted in at 1224/2800 rack, ex works. Service for installation of a server blade into the system unit PRMERGY 9x800 ox works Augsburg. With ordering this service, the				(x	×	x	x		x	: x	×	x			×	- x	- x	x	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4530-E14 26361-F1647-E302 NP-SV-F1647/E301-P 26361-F2740-E65	5.0 5.0 5.0 130,0 115,0	Phased out
SFP4 Moun Moun Rack Rack PYS PRIM	P+ Modul Multi Mode Fibre 100B FCoE ure unting in symmetrical Racks unting BX server in asymmetrical racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod ck installation ex works SX650 packed and delivered MERGY Rackinstallation SX/DX ex works	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Reak server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in asymmetrical PRINECENTER racks with 100 support bracket Service for installation of a server or subsystem or works. With ordering this service, the 1224/38U rack will be delivered completely premounted and lested ex works. In case of the 40U rack, this service has to be ordered to get the mounting tilts and the cables installed. Service for installation of a server or subsystem works. With ordering this service, the 1224/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed. Storageblade single packaga/delivery, incl. test with BX620 45 service without integration ex works. With BX620 45 service without integration ex works With BX620 45 service without integration ex works. Service for installation of a Raid-Subsystem into a PRMR-GY Rack ex works. With ordering this service, the stream of the premounted in a 1224/38U rack ex works. Service for installation of a server back into the system untal PREACO YSS00 ex server back into the system untal PREACO YSS00 ex server back into the system untal PREACO YSS00 ex server.				x x	×	x	x		x	: x									S S S D D S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4530-E14 26361-F1647-E302 NP-SV-F1647/E301-P 26361-F2740-E65	5.0 5.0 5.0 130,0 115,0	D Phased out
SFP- Infrastructur Moun Rack Rack PYS PRIM	P+ Modul Multi Mode Fibre 10GB FCoE ure uring in symmetrical Racks unting BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod ck installation ex works SX650 packed and delivered MERGY Rackinstallation SX/DX ex works de Installation in System Unit	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical and server mounting in symmetrical racks with 100 support bracket Service for installation of a server or subsystem or works. With ordering this service, the 122/43/88 Irack will be delivered completely premounted and tested ex works. In case of the 6U rack, this service has to be ordered to get the mounting kits and the cables installed. Service for installation of a server or subsystem or works. With ordering this service, the 122/43/88 Irack will be delivered completely premounted and tested ex works. In case of the CUI rack, this service has to be ordered to get the mounting kits and the cables installed. Storagebiade single packagaldelivery, incl. test with DX620 34, Service without integration ex works. Service for installation of a Raid-Subsystem into PRMERGY Rack ex works. Service for installation of a server blade into the system unit PRMERGY System will be remounted in at 122/48/81 Rack ex works. Service for installation of a server blade into the system unit PRMERGY System will be service, the system unit be delivered completely premounted and tested ex works.				c x	×	x	x		x										S S S D D S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4530-E14 26361-F1647-E302 NP-SY-F1647E301-P 26361-F2749-E65 FFCSX-NPSR	400,0 5,0 5,0 65,0 130,0 10,0	D Phased out
SFP- Infrastructur Moun Moun Rack Rack Rack Rack Services	P+ Modul Multi Mode Fibre 10GB FCoE ure uring in symmetrical Racks uring BX server in asymmetrical racks ck installation ex works, SX10, 1U Nod ck installation ex works, SX10, 1U Nod sk installation ex works SX650 packed and delivered MERGY Rackinstallation SX/DX ex works de hastallation in System Unit verblade single package/delivery ion kit APAC/AmericaEMEA/India	x 8 Low Profile, SFP+ for opt. module or Twinax cable SFP+ module only for use in FCoE Ctrl OCe10102 Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks without support bracket Rack server mounting in symmetrical racks server mounting in symmetrical racks without support bracket Service for installation of a server or subsystem or works. With ordering this service, the 122/43/88 Irack will be delivered completely premounted and tested ex works. In case of the 6U rack, this service has to be ordered to get the mounting kits and the cables installed. Service for installation of a server or subsystem or works. With ordering this service, the 122/43/88 Irack will be delivered completely premounted and tested ex works. In case of the CU rack, this service has to be ordered to get the mounting kits and the cables installed. Storagebiade single packagaldelivery, incl. test with DX620 34, Service without integration ex works. Service for installation of a Raid-Subsystem into PRMERGY Rack ex works. Service for installation of a server blade into the system unit PRMERGY System will be remounted and tested ex works. Service for installation of a server blade into the system unit PRMERGY System will be delivered completely premounted and tested ex works. Service for installation of a server blade into the system unit will be delivered completely premounted and tested ex works. Service for installation of a server blade into the system unit will be delivered completely premounted and tested ex works. Service for installation of a server blade into the system unit will be delivered completely premounted and tested ex works.				(x	×	x	x		x										S S S S S S S S S S S S S S S S S S S	26361-F3592-E108 26361-F4530-E10 26361-F4530-E14 26361-F4530-E14 26361-F1647-E302 NP-SY-F1647E301-P 26361-F2749-E65 FFCSX-NPSR	400,0 5,0 5,0 65,0 130,0 10,0 10,0 45,0	Phased out



		FC-Switch Blade (Director)	Thre CAT SX 100 Expansion	Fibre CAT SX 40 Fibre CAT SX 60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX960S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX960 S1	SX980 S1							
		vitch Bi	CATSX	FibreCAT SX40	CATSX	CATSX	ERGY E	ERGY B	ERGY B	ERGY B	ERGY B	ERGY B	ERGY C	ERGY p	ERGY p	ERGY S	ERGY S	PRIMERGY S		ct Code		· ·		nents	
Description	Details	Ş.	Fibre	Fibre Fibre	Fibre	Fibre	X X	PR	PRIM	PR.	PR N	¥ ¥	PRIM	PR.	PR.	Z 0	Z Z	PR		Product		EUP (Comn	
x Software (Continued) DI Blocks Entryl/Standard upgr identifier	DI Blocks Entry/Standard upgrade identifier. It																		caeses	-DI009-I	E101	3,	n		
DI DICCAS Elitay Grandel di digili identine	identifies that all following order codes for upgrades belong to the DI Blocks.								^			`							320001	-51005-1	_101	3,			
DI Blocks Entry/Standard, RTU CPUcapacit	DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power, separate Right to Use for each Blade in the DI Blocks											x							S26361	I-DI009-I	E200	1.120,	0 Orderable f	om: 15/09/2011	
VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAWCPU) - Mandatory 1 year Service Pack	П		T			×	T	П	x	× :	x x		П	х	T			S26361	-F2341-	E707	895,	0		
VMware vSphere STD w/o SP-3yr	needed! VMware vSphere Standard for 1 CPU (32GB vRAWCPU) - Mandatory 3 year Service Pack needed!				Н	+	x		П	х	x :	x x		Н	х	\dagger			S26361	I-F2341-	E708	895,	0		
VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAWCPU) - Mandatory 1 year Service Pack	П		†			x	T	П	х	x :	x x	T	П	х	Ť			S26361	-F2341-	E709	2.585,	0		
VMware vSphere ENT w/o SP-3yr	needed! VMware vSphere Enterprise for 1 CPU (64GB vRAWCPU) - Mandatory 3 year Service Pack	Н		+	Н	+	x	H	Н	x	x :	x x		Н	x	$^{+}$	+	H	S26361	-F2341-	E710	2.585,	10		
VMware vSphere ENT-PL w/o SP-1yr	needed! VMware vSphere Enterprise-Plus for 1 CPU	Н		+	Н	+	x	+	Н	х	x :	x x	+	H	х	+			S26361	-F2341-	E711	3.145,	0		
VMware vSphere ENT-PL w/o SP-3yr	(96GB vRAM/CPU) - Mandatory 1 year Service Pack needed! VMware vSphere Enterprise-Plus for 1 CPU	Н		+	Н		x		Н	х	x :	x x		Н	x	+	+		S26361	I-F2341-	E712	3.145,	10		
VMware STD AK(8CPU+VC-STD)w/o SP-1yr	(96GB vRAM/CPU) - Mandatory 3 year Service Pack needed! VMware vSphere STD Acceleration Kit for 8 CPL			+	Ц	4	x	1	Н	y	¥ .	x x		Ц		4	1			I-F2341-		8.995			
	(256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						^					X							JE0301	2041-	_,,00	0.995,			
VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPL (256GB vRAWCPU) inc VC-STD - Mandatory 3 year Service Pack needed!	J			П		x		П	х	× :	x x		П		T			S26361	I-F2341-	E731	8.995,	0		
VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPL (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	1			П		х			х	x :	x x							S26361	I-F2341-	E732	15.750,	0		
VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPL (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	J				+	х			х	x :	x x			1				S26361	I-F2341-	E733	15.750,	00		
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	Н			П	+	х			х	х :	x x				+			S26361	I-F2341-	E734	19.750,	0		
VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x			x	x :	x x							S26361	I-F2341-	E735	19.750,	0		
VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAWCPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!						x			×		x x								I-F2341-		4.045,			
VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAWCPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!				П	T	x			х	x :	х			T	T			S26361	I-F2341-	E741	4.045,	0		
VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	П			П		х		П	х	x :	x x		П					S26361	-F2341-	S700	10,	10		
VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	П			П		х		П	х	x :	x x		H	+	\dagger	\dagger		S26361	I-F2341-	S736	4.495,	0		
VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	Н	\dagger	\dagger	Н	\dagger	х	T	П	х	x :	x x		H		\dagger	\dagger		S26361	I-F2341-	S737	4.495,	0		
VMware Essentials w/1yr Sub,-no Support	needed! VMware Essentials for 6 CPU (192GB VRAWCPU) inc VC-FND-E - Inc. 1 year VMware Sub no Support	Н			Н		x		Н	х	x :	x x		H					S26361	I-F2341-	S800	446,	0		
VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware	П	\top	T	П		x	T	П	х	x :	x x		П		Ť	T		S26361	I-F2341-	S801	446,	0		
Win Srv 2008 SP2 Standard DVD Media Only	Sub no Support Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires ar OEM or ROK licensed PRIMERGY server	1					х		П	x	x :	x x		H	1				S26361	I-F2565-	E318	25,	0 Phased out		
Win Srv 2008 SP2 Enterprise DVD Media On	system Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server	i n			H		х			х	x :	х х				+			S26361	I-F2565-	E328	25,	0 Phased out		
Windows Storage Server 2008 64-bit EMB PRIMERGY DuplexDataManager 5.01	system Standard, SP2, update 2 for Windows Server 2008 and 2003. CD-ROM	H		+			x x		H	x x		x x		H		+				-F2565-		735, 2.745,			
MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	and License. Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English.	H		+	H		x		Н			x x		H		+	+			-F2567-		380,			
MS SysCtr Essntls 2010 OEM	OEM DVD, License. MS System Center Essentials 2010. English. OEM DVD, License.	Н	+	+	H	+	х	+	Н	х	x :	x x		Н	+	+	+	\vdash	S26361	-F2567-	E30	115,	0		
Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT	Н	+	T	Н		х		П	x	x :	x x		H	+	\dagger	\dagger		S26361	-F2567-	E302	305,	0		
Win Srv 2008 R2 Standard 5CAL MULI OEM	LangPacks. OEM DVD, License. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.					+	х			х	х :	x x							S26361	-F2567-	E310	530,	0 Phased out		
Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. OEM DVD, License.			+		+	x		Н	х	x :	x x		H	+	+	+		S26361	-F2567-	E311	530,	0		
Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEMDVD, License.						х			х	х :	x x				1			S26361	I-F2567-	E320	1.695,	0 Phased out		
Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language	Н		+	Н		х		Н	х	x :	x x		H	+	+			S26361	-F2567-	E321	1.695,	0		
Win Srv 2008 R2 Datacenter 2CPU MULI OEM	packs. OEM DVD, License. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT	H		+	H		x		Н	х	x :	x x		H		+	+		S26361	-F2567-	E330	2.690,	0 Phased out		
Win Svr 2008 R2 SP1 Datactr 2CPU OEM	LangPacks. OEM DVD, License. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES										- 1										E331	2.690,			



		П	Т	Т	П		П	Т	Т	Т	Т			Т	Т	Т		Т	Т			
					nsion		98							des								
		Director)	xpansion	pansion	80i Expan	pansion	E BX620	E SX 650	2 2		82	82	S1	ction Bla	DE BRIZO	20	S	20 20	5			
		FC-Switch Blade (Director)	Fibre CAT SX 100 Expansion	Fibre CAT SX60 Expansion	Fibre CAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY PBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	G 7 5X980	Code		sants
Description	Details	-C-Switc	FibreCAT SX10	FibreCA	FibreCA	FibreCA	PRIMER	PRIMER	PRIMER	RIMER	PRIMER	PRIMER	PRIMER	PRIMER	RIMER PRIMER	PRIMER	PRIMER	PRIMERGY	KIMEK	Product	(e) dn=	Com mer
x Software (Continued)																				-		
Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD License												×						S	26361-F2567-E333	5.380,0	
Win SBS Standard 2011 w/5CAL OEMEN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA,		Ť	t	H		\dagger	\dagger	+	x	x	х		\dagger	t	t		+	S	26361-F2567-E350	600,0	0
Win SBS Standard 2011 w/5CAL OEM DE	License Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set,	Н	+	+	H	Н	+	$^{+}$	+	x	×	х	+	+	+	+	Н	+	S	26361-F2567-E351	600,0)
Win SBS Standard 2011 w/5CAL OEM IT	COA, License Windows Small Business Server Standard 2011	Н	+	+	H	Н	+	+	+	x	x x	x	-	+	+	+	Н	+	S	26361-F2567-E352	600,0	0
Win SBS Standard 2011 w/5CAL OEM FR	with 5 CAL, OEM, Italian, DVD Media set, COA, License Windows Small Business Server Standard 2011	Н	+	ļ	L	Н	4	+	+	×	: x	x		+	+	L	Н	+	S	26361-F2567-E353	600,0)
Win SBS Standard 2011 w/5CAL OEMES	with 5 CAL, OEM, French, DVD Media set, COA, License Windows Small Business Server Standard 2011		1	_		Ц	_	1		×	×	x		1					S	26361-F2567-E354	600,0	
	with 5 CAL, OEM, Spanish, DVD Media set, COA, License																					
Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License									x	ı x	х								26361-F2567-E355	600,0	5
Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License									x	×	x							S	26361-F2567-E356	600,0	D
Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA,	П	\dagger	\dagger	Ħ	H			\dagger	x	×	х		\dagger	\dagger	t	П	\dagger	S	26361-F2567-E357	600,0	3
Win SBS Standard 2011 w/5CAL OEMTR	License Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA,		+	+	H	H	+	+	+	x	×	х	+	+	+	+	H	+	S	26361-F2567-E358	600,0)
Win SBS Standard 2011 w/5CAL OEM HU	License Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set,	H	+	+	H	Н	+	+	+	x	×	х	+	+	+	+	Н	+	S	26361-F2567-E359	600,0	<u> </u>
Win SBS 2011 Prem Add-On w/5CAL OEM EN	COA License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media	H	+	+	H	Н	+	+	+	x	×	х	+	+	+	+	Н	+	S	26361-F2567-E370	885,0)
Win SBS 2011 Prem Add-On w/5CAL OEM DE	set, COA, License Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media	H	+	+	H	H	+	+	+	x	×	х		+	+	+		+	S	26361-F2567-E371	885,0	0
Win SBS 2011 Prem Add-On w/5CAL OEM IT	set, COA, License Windows Small Business Server 2011 Premium		+	+	H	H	+	+	+	x	x	х		+	+	H		+	S	26361-F2567-E372	885,0	0
Win SBS 2011 Prem Add-On w/5CAL OEM FR	Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License Windows Small Business Server 2011 Premium		-	-		Н	_	-		x	x x	x		-					S	26361-F2567-E373	885,0	0
Win SBS 2011 Prem Add-On w/5CAL OEMES	Add-on with 5 CAL, OEM, French, DVD Media set, COA, License Windows Small Business Server 2011 Premium	Ш	1	L	L	Ц	4	1	1					1	1	L	Ш	1		26361-F2567-E374	885.0	
	Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License										x											
Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.						x			x	×	x	x						S	26361-F2567-E390	25,0	
Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.						x			х	×	х	x							26361-F2567-E391	25,0	
VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory						x		х :	K X	x	x	x							15000-C311	315,0	
VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory						x		x :	ĸ x	×	x	×							15000-C312	1.890,0	
VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory						x		:	ĸ x	x	х	x						U	15000-C313	3.795,0	
Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year									x	×	x							S	26361-F2346-C851	57,0	
PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	Н	$^{+}$	+	Н	Н	x		$^{+}$	x	×	х	×		$^{+}$	†	Н	$^{+}$	S	26361-F2565-E593	875,0	0
PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	П	\top		П	П	x			х	×	х	х				П		S	26361-F2565-E595	875,0	
PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3	П	Ť	Ť	T			Ť	T	х	x	х		T		T		T	S	26361-F2346-C951	157,0	
PCM Fujitsu Basic Services 1Y	support 1 year. Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		\dagger	\dagger	H	H	+	+	+	x	ı x	x	+	+	\dagger	+	H	+	S	26361-F2346-S951	2,0)
PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9	Н	+	+	H	H	+	+	+	x	×	x	+	+	+		Н	+	S	26361-F2346-C961	233,0)
PCM Fujitsu Enterprise Services 1y	level3 Support 1 Jahr. Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 1	H	+	+	H	H	+	+	+	x	ı x	x	+	+	+	+	H	+	S	26361-F2346-S961	2,0)
Red Hat EL HPC 1-2SOC Self-Support 3Y	year. Red Hat Enterprise Linux per HPC compute	H	+	+	H	H	-	-	+	x	×	x	\dashv	+	+	-	Н	+	S	26361-F2346-C852	145,0	3
PCM Fujitsu Basic per node 3Y	node up to 2-CPU Sockets Basic Support 1-Year Platform Cluster Manager Fujitsu Basic Edition		+	+	H	Ц			4	x	x x	x		4	+	-	Н	4	S	26361-F2346-C952	470,0	
PCMFujitsu Basic Services 3Y	per node (head and compute node) 5x9 level3 support 3 years. Platform Cluster Manager Fujitsu Basic Services		1	1		Ц	_	1	1		. x			1	1		Ц	1		26361-F2346-S952	2,0	
PCM Fujitsu Enterprise per node 3Y	entitlement per HPC configuration 3 years.					Ц	_		1					1			Ц	1		26361-F2346-C962	697,0	
. от орго станряверенное 31	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.									×	×	×							S	EGGU 1-1 2340-0362	097,0	
PCMFujitsu Enterprise Services 3Y	, Platform Cluster Maneger Fujitsu Enterprise Services entitlement per HPC configuration 3 years.	П	T	T	П	П			T	×	×	x		1			П	T	S	26361-F2346-S962	2,0	
Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN JA, XT. OEM Recovery DVD Media Kit, COA,			\dagger	П	H	+	+	\dagger	T	×	x	\dagger	\dagger			П	\dagger	S	26361-F2567-E360	750,0	
Win Srv 2008 R2 HPC Edition MUL OEM	Uin Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit,	Н	\dagger	\dagger	H	H	+	+	+	+	×	x	+	+	\dagger		H	+	S	26361-F2567-E361	375,0	0
Win HPC Pack 2008 R2 Express MUL OEM	COA, License. Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit.	H	+	+	H	Н	+	+	+	+	×	х	+	+	+	+	H	+	S	26361-F2567-E362	25,0)
Win HPC Pack 2008 R2 Workstation MUL OEM	COA, License. Win HPC Pack 2008 R2 Workstation OEM EN,	H	+	+	H	Н	+	+	+	+	×	х	\dashv	+	+		Н	+	S	26361-F2567-E363	110,0	0
	JA, XT. OEM Recovery DVD Media Kit, COA,	1 1	- 1	-1	1				- 1		1			- 1		1	i 1	- 1				I .



ervers Options				T		Т	Т	Т			Т	Т	Т	П		П	Т	Т				
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX 40 Fibre CAT SX 60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6 PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924S2	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX980 S1	e poo			ents
		-Switc	breCA	breCA	breCA	breCA	AIMER	MER.	RIMER	3IMER	SIMER.	AIMER	ZIMER.	MER	MER	RIMER	SIMER.	SIMER I	oduct		EUP (4)	om mer
Description x	Details	15	Œ i	E E	Œ	Ē	<u> </u>	: #	<u>F</u>	<u>#</u>	ă ž	ă ă	E E	1 12	ä	<u>E</u>	<u> </u>	1 1 12	<u> </u>		ш	ŭ
Software (Continued) FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software.			T				Ī				,	х			Ī	Ī		U21348-C231-W1	1 :	2.982,42	2
FF-AN SAN RTU RX600 and BX960 FF-AN back level support 1 year	FF4SAP SAN Connectivity RTU 1 year back level support (3rd level) for Flexframe for SAP RX300 SX/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node						x			х		x	x						U21348-C232 U21348-C291-W1		5.260,00 1.357,00	
FF SAN RX300S5/S6, BX620S5, BX920S1/S2	Management Software. FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 SS/S6, EXXE20 SS/S6 und EXXE0 S1/S2), which is connected via SAN to the database.						x			х		x							U21348-C292		2.393,00	
FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S12 Application Node Management Software.											,	x						U21348-C231-W3	3	3.521,20	
FF-AN Accounting RTU RX600 FF-AN back level support 3 years	FF4SAP Accounting RTU 3 year back level support (3rd level) for FlaxFrame for SAP RX300 SS/S6, BX620 SS/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.						x			х		x	x						U21348-C233 U21348-C291-W3		5.260,00 3.876,00	
FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.			Ť			×			х		х	T						U21348-C293		2.393,00	
FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.)	x						U21348-C232-W1	1	1.491,21	
FF-AN Messenger RTU RX600 and BX960 FF-AN SAN back level support 1 year	FF4SAP Messenger RTU 1 year back level support (3rd level) for Flexframe for SAP RX300 SS/S6, BX620 SS/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.						x			x		x	x		F		1		U21348-C234 U21348-C292-W1		5.260,00 678,00	
FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2		+	t	П		х	t		x		x		T					U21348-C294	:	2.393,00	
FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.											,	×						U21348-C232-W3	3	4.260,60	
FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 SS/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.						х			х		х							U21348-C292-W3	3	1.938,00	
FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.)	x						U21348-C233-W1	1	1.491,21	
FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 SS/S6, BX620 SS/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.						х			х		х							U21348-C293-W1	1	678,00	
FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.											,	x						U21348-C233-W3	3	4.260,60	
FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 SS/S6, BX620 SS/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.						х			х		х							U21348-C293-W3	3	1.938,00	
FF-AN Mas back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software — Messenger Expert option.)	x						U21348-C234-W1	1	1.491,21	
FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/56, BX620 S5/56, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.						х			x		x							U21348-C294-W1	1	678,00	
FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contracts. These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support						x			x		x							U21348-C490		800,00	
FF-AN Mes back level support 3 years	3 year back level support (3rd level) for Flexframe for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.)	x						U21348-C234-W3	3	4.260,60	
FF-AN Mes back level support 3 years	3 year back level support (3rd level) for Flextrame for SAP RX300 St/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.						х			x		х							U21348-C294-W3	3	1.938,00	
FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.	Н	+	\dagger	Н	+	\dagger	\dagger		H	\dagger	,	x	H		\dagger	\dagger	\dagger	U21348-C430-W1	1	290,20	
FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 SS/56, BX620 S5/56, BX920 S1/S2 or BX924 S2 server.		1	1			x	T		х		х					1		U21348-C490-W1	1	132,00	
SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.				П		x			x	x	х э	x				1		S26361-F2346-E6		249,00	
SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.						x				×								S26361-F2346-E6		670,00	
SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability		T			T	х	T		х	х	x x	x			T	T	T	S26361-F2346-E6	622	1.350,00	



					_																
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX 40 Fibre CAT SX 60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140 PRIMERGY SX 910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	SX980 S1	Φ.		
		witch B	CATSX	Fibre CAT SX 40	CATSX	CATSX	ERGYE	ERGYE	ERGY E	ERGY	ERGYE	ERGY	ERGY (ERGY P	ERGY P	ERGY 8	ERGY 8	PRIMERGY	oduct Code	œ	omments
Description ix	Details	ဂ် လ	Hbre	H H	Fibre	Fibre	PR N	Z Z	PRIM	PRIM	A 9	PR M	PR.	R.	M M	A M	PR.	PR.	Prode	E E	Comr
Software (Continued) SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64						x											5	S26361-F2346-E632	3.363,00	ı
	BX600 System Unit 3 years subscription.																				
SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3 years subscription.		П						x	х	X 3	×						5	S26361-F2346-E642	6.020,00	
SUSE Linux ES BX400 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 3 years subscription.	Н	Н			Н	+	x	Н	x	x 2	×	Н	+			Н	5	S26361-F2346-E652	2.692,00	
FF-AN VMware back level support 3 years	3 year back level support (3rd level) for	Ш	Н			Н	4		Ш	4	_	×	Ш	4	_	-	Н	_	J21348-C430-W3	791.52	
TT 744 Villians Substituted Support of Junio	FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.											1						ľ	321040 0400 110	701,02	
FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.	2					x			х	3							l	J21348-C490-W3	360,00	
Red Hat ELS 1-2SOC 1G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	П	П			П	x		П	x	X 3		П	×	T	T	П	5	S26361-F2346-S101	331,00	
Red Hat ELS 1-2SOC 1G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets)	Н	Н	+	\vdash	Н	x	+	H	х	x 3		H	x	+	+	H	5	S26361-F2346-S102	889,00	
	(up to 1 guest) level3 Standard Support 3 years		Ш			Ш							Ш				Ш				
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year						x			x	x 3	1		×				8	S26361-F2346-S103	497,00	
Red Hat ELS 1-2SOC 4G 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	П	H			H	x	\dagger	\Box	х	X 2		\sqcap	x	\dagger	\dagger	H	\$	S26361-F2346-S104	1.334,00	
Red Hat ELS 1-2SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets)	Н	H	+	\vdash	\dashv	x	+	H	x	x 2		\vdash	x	+	+	Н	5	S26361-F2346-S105	830,00	
	(unlimited guests) level3 Standard Support 1 year								Ш				Ш				Ш				
Red Hat ELS 1-2SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years						х			х	X 3			×			\prod	5	S26361-F2346-S106	2.224,00	
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	Н	Н	†	Н	H	x	†	Н	x	x 3		Н	×	†	$^{+}$	H	5	S26361-F2346-S111	538,00	
Red Hat ELS 1-2SOC 1G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets)	H	Н	+	H	Н	x	+	Н	x	x 2		Н	x	+	+	Н	5	S26361-F2346-S112	1.445,00	
	(up to 1 guest) level3 Premium Support 3 years																				
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year						x			x	X 3			×				5	S26361-F2346-S113	808,00	
Red Hat ELS 1-2SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	Н	Н	+	Н	H	х	+	Н	х	x 3	:	Н	×	+	+	Н	5	S26361-F2346-S114	2.169,00	
Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets)		Н	+		Н	x	+	Н	x	X 2		Н	x	+	+	Н		S26361-F2346-S115	1.347.00	
	(unlimited guests) level3 Premium Support 1 year																			,	
Red Hat ELS 1-2SOC uG 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 vears		П				x			х	X 3			x				5	S26361-F2346-S116	3.615,00	
Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	Н	Н	+	Н	H	x	+	Н	x	x 3	1	Н	×	+	+	Н	5	S26361-F2346-S121	220,00	
Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	П	Н			Н	x		П	x	x 3		П	×			П	8	S26361-F2346-S122	607,00	
Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	П	П	T	П	П	×	T	П	х	× 3		П	×	T	T	П	8	S26361-F2346-S131	441,00	
Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years						x			x	X 3			×					S26361-F2346-S132	1.215,00	
Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year						х				X 3			x					S26361-F2346-S141	110,00	
Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years					Ш	x			x				×					S26361-F2346-S142	303,00	
Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year						x			x	x 3	1		×					S26361-F2346-S151	110,00	
Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years						x			х	X 3			х				8	S26361-F2346-S152	303,00	
Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year						x			x	x 3			×				5	S26361-F2346-S161	110,00	
Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	Н	Н			Н	x		Н	x	x 3	:	Н	×		+	Н	5	S26361-F2346-S162	303,00	
Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update	H	Н	+	H	Н	x	+	H	x	х з		H	x	+	-	H	9	S26361-F2346-S171	138,00	
	Support (1-2 sockets) I3 Support 1 year																				
Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years						x		П	x	X 3	T	П	x		T		5	S26361-F2346-S172	380,00	
Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year	Н	H	+	H	H	+	+	\forall	+	+	x	\forall	+	х		H	5	S26361-F2346-S201	663,00	
Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	to 1 guest) level3 Standard Support 1 year Red Hat Enterprise Linux Server (4 sockets) (up	H	\sqcup	_	H	Н	+	+	Н	4	+	×	\sqcup	4	x	-	\sqcup	,	S26361-F2346-S202	1.778,00	
	to 1 guest) level3 Standard Support 3 years											^									
Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year			T			T	T	П		T	×	П		х	Г	П	5	S26361-F2346-S203	994,00	
Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years	H	\forall	+		H	+	+	\forall	+	+	×	H	+	x	+	H	5	S26361-F2346-S204	2.668,00	
Red Hat ELS 4SOC uG 5x9 l3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets)	H	\sqcup	_	H	Н	4	+	Н	4	+	×	\sqcup	4	x	-	\sqcup		S26361-F2346-S205	1.657,00	
	(unlimited guests) level3 Standard Support 1 year											^									
Red Hat ELS 4SOC uG 5x9 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3			T			T	T	П		T	×	П		х	Г	П	5	S26361-F2346-S206	4.449,00	
Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	years Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year	H	\forall	+		H	+	+	\forall	+	+	×	H	+	x	+	H	5	S26361-F2346-S211	1.077,00	
Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up	Н	Н	+	H	Н	4	+	H	4	+	×	H	4	x	+	H		S26361-F2346-S212	2.891,00	
	to 1 guest) level3 Premium Support 3 years											^									
Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year						\top		П			×	П		х			5	S26361-F2346-S213	1.616,00	
Red Hat ELS 4SOC 4G 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up		ш																S26361-F2346-S214	4.338.00	



ervers Options			T	Τ		П		Т	Т	П	П	T	Τ	T	Т		T	Т			
		5	8	L	ansion	_	980						1	lades	9 9						
		(Directo	Expansion	Expansion	SX80i Exp	Expansion	NDE BX62	.00 S1	100 S1	20 82	22.82	24 \$2	60 S1	ADE RES	ADE BF	10 S1	40 S1	SX980 S1			
		FC-Switch Blade (Director)	FibreCAT SX100 Expansion	Fibre CAT SX60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY Connection Blan	PRIMERGY PBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SXS	ct Code	œ.	nents
Description	Details	დ	E E	H	Hbre	Hbre	PR N	PR N	PRIM	PRIM	PRIM	PR.	Z 2	¥ 8	PR M	PR	PRIM	¥ 8	Product	E E	Comir
rioftware (Continued) Red Hat ELS 4SOC uG 7x24 3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets)												x	T	×				S26361-F2346-S215	2.694,0	D
	(unlimited guests) level3 Premium Support 1 year	Ш				Ш															
Red Hat ELS 4SOC uG 7x24 l3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years												×		x				S26361-F2346-S216	7.231,0	0
Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year	Н			Н	Н				Н	Н		×		x	Н		$^{+}$	S26361-F2346-S221	441,0	0
Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years	Н	†	†	Н	H	†	†	$^{+}$	Н	Н	†	x	†	х	Н	$^{+}$	$^{+}$	S26361-F2346-S222	1.214,0	D
Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year	Н	†	†	Н	H	†	†	$^{+}$	Н	Н	†	x	†	х	Н	$^{+}$	$^{+}$	S26361-F2346-S231	883,0	D
Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years	Н			Н	Н			+	Н	Н		x		×	Н	+	$^{+}$	S26361-F2346-S232	2.430,0	0
Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System	Н	+		Н	Н			+		Н		×		х	Н	+	+	S26361-F2346-S241	220,0	0
Red Hat EL SFS 4SOC I3 Support 3Y	(4 sockets) I3 Support 1 year Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years	Н	+	+	Н	Н	+	+	+	Н	Н	+	x	+	х	Н	+	+	S26361-F2346-S242	605,0	0
Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4	Н	+	+	Н	Н	+	+	+	Н	Н	+	x	+	х	Н	+	+	S26361-F2346-S251	220,0	0
Red Hat EL LB 4SOC I3 Support 3Y	sockets) 13 Support 1 year Red Hat Enterprise Linux Load Balancer (4	Н	+	+	Н	Н	+	+	+	Н	Н	+	x	+	х	Н	_	+	S26361-F2346-S252	605,0	0
Red Hat EL HPN 4SOC I3 Support 1Y	sockets) I3 Support 3 years Red Hat Enterprise Linux High Performance	H	+	+	Н	H	+	+		Н	H	+	x	+	x	Н	+	+	S26361-F2346-S261	220,0	D
	Network (4 sockets) I3 Support 1 year	Ш	\perp	L	Ш	Ц	\perp	L		Ш	Ц					Ш		L			
Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years												×		x				S26361-F2346-S262	605,0	J.
Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update	H	+	+	Н	\vdash	+	+	+	\vdash	\dashv	+	x	+	x	H	+	+	S26361-F2346-S271	275,0	0
	Support (4 sockets) I3 Support 1 year	Ш	\perp	L	Ш	Ц	\perp	L		Ш	Ц					Ш		L			
Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years												×		×				S26361-F2346-S272	757,0	0
Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced	i	+	+	Н	Н	+	+	+	х	x	х	×	+	+	Н	+	+	S26361-F2341-S980	1.050,0	0
	Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download																				
Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download			t				t		х	×	х	x						S26361-F2341-S981	2.630,0	0
Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum	Н	+	+	H	Н	+	+	╀	x	x	х	x	+	+	Н	+	+	S26361-F2341-S982	5.290,0	0
	Edition; License, 3 years Subscription Advantage, SW and Lizence key per Download																				
Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+	Н	+	+	H	Н	+	+	+	x	x	x	×	+	+	Н	+	+	S26361-F2341-S983	2.000,0	D
10/10	Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizence																				
Citrix XS AE-PE upgr, 3yr SA	key per Download Citrix XS AE-PE upgr, 3yr SA; XS V5.6+	Н		+	Н	Н	4	+	H		×			+	+	Н	_	+	S26361-F2341-S984	4.880,0	1
on a control of the specific o	Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key									Î	Î	^							020001120410004	4.000,0	
Citrix XS EE-PE upgr, 3yr SA	per Download Citrix XS EE-PE upgr, 3yr SA; XS V5.6+	Н		+	Н	Н	4	+	H		×			+	+	Н	_	+	S26361-F2341-S985	3.540,0	1
onition EE 1 E apgr, by 1011	Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizence key									Î	Î	^							020001120410000	0.040,0	
Citrix XS AE, 1yr SA	per Download Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced	Ш		1	Ш	Ц	4	1	L			_		4	1	Ш		1	S26361-F2341-S986	830.0	
DILIK AS AE, TYI SA	Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download									, x	×	x	*						320301-F2341-3900	630,0	
		Ш				Ш	1		L		Ш			1	L	Ш		L			
Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizence key per Download									x	×	х	×						S26361-F2341-S987	2.080,0	
		Ш				Ш					Ш					Ш					
Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage,									х	x	х	×						S26361-F2341-S988	4.170,0	0
	SW and Lizence key per Download	Ш				Ш										Ш					
Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizence key									×	×	x	×						S26361-F2341-S989	1.460,0	0
	per Download	Ш	\perp	L	Ш	Ш	\perp	L		Ш	Ш		\perp			Ш					
Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key									×	×	х	×						S26361-F2341-S990	3.750,0	0
	Subscription Advantage; SW and Lizence key per Download	Ш		L		Ш		L		Ш	Ш					Ш					
Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year	П	T				Τ			x	×	x	×	Γ			T		S26361-F2341-S991	2.420,0	0
	Subscription Advantage; SW and Lizence key per Download					Ш															
VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi	П	T				x			x	×	x	×	Γ			T		S26361-F2341-E431	60,0	0
VMware vSphere 4 Media Kit OEM	Singel SRV Lic. (w/o SP) VMware vSphere 4 Media Kit OEM w/ ESX	Н	+	+	Н	\vdash	x	+	+	x	×	x	x	+	+	Н	+	+	S26361-F2341-E300	80,0	D
	4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License					Ш					Ш					Ш					
VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year		T				x			x	×	x	×	Γ	x		T		S26361-F2341-E601	1.525,0	0
VMware View ENT Start 10 CLI w/7x24-3yr	VMware 7x24 Service+Sub. VMware View ENT Start 10 Desktop VMs Bundle	9	+	+	Н	\vdash	x	+	+	x	x	х	x	+	x	Н	+	+	S26361-F2341-E602	2.185,0	D
	w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.																				
/Mware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 1 year		T	Т			x	Т	Г	x	×	x	×	T	x			Т	S26361-F2341-E603	15.235,0	0
VMware View ENT 100 CLI w/7x24-3yr	VMware 7x24 Service+Sub. VMware View ENT 100 Desktop VM's Bundle w/	H	+	+	H	H	x	+	+	×	×	x	x	+	×	H	+	+	S26361-F2341-E604	21.795,0	D
	VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.																				
VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware		T				x			x	x	х	×		x	П		T	S26361-F2341-E605	1.525,0	0
VMware View ENT Add 10 CLI w7x24-3yr	7x24 Service+Sub. VMware View ENT Add. 10 Desktop VMs Bundle	H	+	+	Н	Н	x	+	+	x	x	х	x	+	x	Н	+	+	S26361-F2341-E606	2.185,0	D
	w/ VDM+ESX ENT-PL , - Inc. 3 year VMware	1 1	- 1	-1	1		- 1	-1	1		- I		- 1		1				1		



ervers Options				Т			Т	Τ					Т					Τ	Τ				
		<u>(</u>	ē	5	pansion	5	20.86	8					Blades	20	140								
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	400 S1	900 S1	920 \$2	922 \$2	924 S2	PRIMERGY BASED ST PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	910 S1	940 S1	980 S1					
		/itch Blac	Fibre CAT SX10	AT SX60	AT SX80	SAT SX88	RGY BL	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	RGY Co	RGY pB	RGY pB	PRIMERGY SX910 S1	PRIMERGY SX940	PRIMERGY SX980 S1		ct Code	· ·		om ments
Description ix	Details	Ş.	Hbre	E P	Hbre	Fibre	A G	PR M	PRIM	PRIM	PRIM	PR I	Z Z	PRIM	PRIM	PRIM	PRIM	Y W		Product	EUP.		Comn
x Software (Continued) VMware View ENT Add-On 10 CLI w7x24-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM, - Inc. 3 year VMware 7x24 Service+Sub.					Ī	x			х	x	x :	×		x		Ī	T	S21	6361-F2341-E608	73	0,00	
VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year	H	+		Н	+	x			x	x	x	×	H	x		+	+	S21	6361-F2341-E611	1.47	5,00	
VMware View ENT Start 10 CLI w/5x9-3yr	VMware 5x9 Service+Sub. VMware View ENT Start 10 Desktop VMs Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub				Н		x			x	x	x	x		х				S20	6361-F2341-E612	2.03	5,00	
VMware View ENT 100 CLI w/5x9-1yr	VMware 5x9 Service+3th. VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	П	1		П		x			x	x	x	×	t	x			t	S21	6361-F2341-E613	14.74	5,00	
VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.		T		П		х			x	x	x	×	T	х			Ť	S21	6361-F2341-E614	20.39	5,00	
VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.				П		х			x	x	х	×	T	х			T		6361-F2341-E615	1.47	5,00	
VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.						x			x	x	x	×		x					6361-F2341-E616	2.03		
VMware View ENT Add-On 10 CLI w5x9-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM, - Inc. 1 year VMware 5x9 Service+Sub.						х			x	х	x	x		х				S20	6361-F2341-E617	49	5,00	
VMware View ENT Add-On 10 CLI w5x9-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 5x9 Service+Sub.						x			х	x	х	×		х				S20	6361-F2341-E618	68	0,00	
VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 1 year VMware 7x24 Service+Sub.	H	†				x			x	x	x	x		x			t	S20	6361-F2341-E621	2.53	5,00	
VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 3 year VMware 7x24						x			х	x	х :	×		x				S2I	6361-F2341-E622	3.63	5,00	
VMware View PRE 100 CLI w/7x24-1yr	Service+Sub. VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 7x24 Service+Sub.		+		Н		x			х	x	x	×		x				S21	6361-F2341-E623	25.36	0,00	
VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.				Н		x			х	x	x :	×		x				S21	6361-F2341-E624	36.35	0,00	
VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VMs Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 1 year		+	+	Н	+	x	+		x	x	x	x	H	x		+	+	S21	6361-F2341-E625	2.53	5,00	
VMware View PRE Add 10 CLI w7x24-3yr	VMware 7x24 Service+Sub. VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year		+		Н	+	x			x	x	x	x	H	x		+	+	S21	6361-F2341-E626	3.63	5,00	
VMware View PRE Add-On 10 CLI w7x24-1yr	VMware 7x24 Service+Sub. VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.						x			x	x	x :	x		x				S21	6361-F2341-E627	1.52	4,00	
VMware View PRE Add-On 10 CLI w7x24-3yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA, - Inc. 3 year VMware 7x24 Service+Sub.				Н		x			x	x	х :	x		x				S2I	6361-F2341-E628	2.18	5,00	
VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-FND+ESX ENT-		+	+	Н	+	х	+		x	х	х	x	H	х		+	+	S20	6361-F2341-E631	2.45	5,00	
VMware View PRE Start 10 CLI w/5x9-3yr	PL,COMP,TA, - Inc. 1 year VMware 5x9 Service+Sub. VMware View PRE Start 10 Desktop VM's		-			_	x			x	×	x	×	L	×		_	+	S21	6361-F2341-E632	3.39	5,00	
NA	Bundle w/ VDM,VC-FND+ESX ENT- PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.																		-	0004 50044 5000	04.55		
VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 5x9 Service+Sub.						x			x	x	×	×		x				52	6361-F2341-E633	24.55	0,00	
VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.						x			х	×	x :	×		x				S21	6361-F2341-E634	33.95	0,00	
VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VMs Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 1 year VMware 5x9 Service+Sub.	H	\dagger		П		x		П	x	x	x	×		х			T	S2	6361-F2341-E635	2.45	5,00	
VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VMs Bundle w/ VDM+ESX ENT-PL,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.						x					x			x					6361-F2341-E636	3.39		
VMware View PRE Add-On 10 CLI w5x9-1yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.						x			x	x	x :	x		x				S2	6361-F2341-E637	1.47	5,00	
VMware View PRE Add-On 10 CLI w5x9-3yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA, - Inc. 3 year VMware 5x9 Service+Sub.	П	1		П		x		П	х	x	x	×		х				S20	6361-F2341-E638	2.03	5,00	
VMware SRM 25 VM Pack w/7x24-1yr	VMware SRM 25 VM Pack Protects 25 VMs , - Inc. year VMware 7x24 Service+Sub.	H	+	+	H		x		Н	x	×	x :	×		x			+	S2	6361-F2341-E647	11.48	9,00	
VMware SRM 25 VM Pack w/7x24-3yr	VMware SRM 25 VM Pack Protects 25 VMs , - Inc. year VMware 7x24 Service+Sub.				П		x			х	×	x	×		x					6361-F2341-E648	16.50		
VMware SRM 25 VM Pack w/5x9-1yr	VMware SRM 25 VM Pack Protects 25 VMs , - Inc. 1 year VMware 5x9 Service+Sub.						x				×				х					6361-F2341-E657	11.12		
VMware SRM 25 VM Pack w/5x9-3yr	VMware SRM 25 VM Pack Protects 25 VMs , - Inc. 3 year VMware 5x9 Service+Sub.						x			x	x	x	×		x				S20	6361-F2341-E658	15.39	0,00	
SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription						Ī	Ī			T			×	х			T	U1	5045-C162-B	2.58	6,00 Phased	out



		octor)	nsion	lois	Expansion	noisi	X620 S6	X650					n Bladae	on Blades	BF140							
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX40	Fibre CAT SX80/SX80i Expan	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1 PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY Connection Blan	PBLADE BH40	7 SX910 S1	PRIMERGY SX940 S1	SX960 S1	5	Code		
v Description	Details	-C-Switch	IbreCAT (FibreCAT SX40	ThreCAT	ibreCAT (RIMERG	RIMERG	RIMERG	RIMERG	RIMERG	RIMERG	RIMERG	RIMERG	PRIMERGY	PRIMERGY	RIMERG	PRIMERGY		Product Co	EUP (4)	Comments
natrix wer supply (Continued)	Dittalio															_						, , , , , , , , , , , , , , , , , , ,
PY BX900 Power Supply Unit 100-240V AC	BX900 Power supply 100-240V AC, incl. power cable with IEC320 16A plug	Г	П	Т	Т	П	Т	Т	×		П	Т	Т	Т	Т	П	Т	Т	S2	26113-F606-E200	765,0	00 Phased out
PY BX400 PSU (1600W)	PY BX400 Power Supply (1600 W/1100 W) incl. power cable IEC320 C19 -> IEC320 C20		П						x										S2	26113-F607-E200	525,0	00
PY BX900 Rear Fan Unit PY BX400 Fan Unit	BX900 Rear Fan Unit with 4 Fans BX400 Fan Unit with 2 Fans		Н	+	+	Н	\exists	\mp	x	C		\exists	\blacksquare	+	-		\exists	+		26361-F3962-E100 26361-F4474-E100	285,0 155,0	
BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord		П						×	c		П								26113-F606-E250	750,0	
BX900 PSU 2.880W platinum hp w/o power c No powercord as order option	BX900 Power Supply 2.880W platinum hp For Countries without specific cable orderable		H	+		П			×				#							26113-F606-E300 26139-Y3850-E10	1.175,0	00 Orderable from: 15/10/2011
	like e.g. China		Ш			Ш										Ш						
Power Cord 16A EC320 C19->C20	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)					Ш			×	(26361-F3151-E301	30,0	
Power cord IEC320 C19 -> IEC320 C14	Power coerd with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)								x											26361-F3151-E350	10,0	
Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)								х										S2	26361-F3151-E300	30,0	00
Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m								x	(S2	26361-F3151-E200	30,0	00
Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order			x			x	×	x x	х									S2	26361-F1647-E410	25,0	00
TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!		П	T	Τ	П	х	\top	T	х	x	х	\top	T	Τ	П	\exists	T	S2	26361-F3552-E1	50,0	00
TPM Module for BX960	Trusted Platform Module on motherboard, be aware of import restrictions!		H	+	+	Н	+	+	+	+	H	+	×	+	+	Н	+	+	S2	26361-F3552-E2	50,0	00
frastructure	aware of import restrictions!																					
SFP Multi Mode Fibre, 4 GB/s 150 m SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m,	x	H	Ŧ	+	H	Ŧ	Ŧ	Ŧ	F	H	Ŧ	Ŧ	Ŧ	F	H	Ŧ	Ŧ		FCSFP-B-MM4G FCSFP-B-MM8G	100,0 81,0	
	(depending on used fibre cable type OM2 / OM3)	'																				
SFP Single Mode Fibre, 4 GB/s 4 km SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 4km SFP Single Mode Fibre, 4 GB/s, 10 km	x	П									7		+				+	D:I	FCSFP-B-SM4-04 FCSFP-B-SM4-10	460,0 826.0	
SFP Single Mode Fibre, 4 GB/s 30 km SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 30 km SFP Single Mode Fibre, 8 GB/s, 10km	x		-		П	4	7	-		П	7		-		П	4	-	D:I	FCSFP-B-SM4-30 FCSFP-B-SM8-10	1.530,0 725,0	
SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25km	х																	D:I	FCSFP-B-SM8-25	3.105,0	00
1 GBE Copper SFP (for IP) SFP+, SR, MULTI MODE Fibre 10GBE, 300m	1 GBE Copper SFP SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 n	X 1 X	\Box				\dashv	+				†	+	+		Н	\dashv	+	D:	FCSFP-COP-1GBE FCSFPP-BM10-03	481,0 740,0	
1xSFP+ MMF Fibre, 8 GB/s 50m/100m	(OM3 cable needed) 1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)							+					+	+				+	D:	FCSFPP-B-MM8G-1	119,0	00 Orderable from: 01/10/2011
8xSFP+ MMF Fibre, 8 GB/s 50m/100m	Pack 8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 15/ m, (depending on used fibre cable type OM2 / OM3)) ×							t				+			Н			D:I	FCSFPP-B-MM8G-8	690,0	00 Orderable from: 01/10/2011
SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)	x																	D:I	FCSFPP-BS10-10	1.990,0	00
SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!	х	H	$^{+}$	\top	П			$^{+}$	+	П	\forall	†		+				D:I	FCSFP-SM4G-30	1.678,0	00 Phased out
PY BX900 Management Blade S1	Redundant Management Blade								x x	c			1						S2	26361-F3962-E500	790,0	00
Cascading Cable	FibreCAT SX Cascading Cable 0.5m		х	>	c x	х													D:I	FCSX-IO-CAB	70,0	
10G Direct Attached cabl.SFP+ Copper, 1m 10G Direct Attached cabl.SFP+ Copper, 3m	Direct Attached cable SFP+, Copper, 1m Direct Attached cable SFP+, Copper, 3m	X						\pm											EB	BR800-TWX-1M BR800-TWX-3M	120,0	
10G Direct Attached cab. SFP+ Copper, 5m a Center Products	Direct Attached cable SFP+, Copper, 5m	х						I					2	х					EE	3R800-TWX-5M	150,0	00
Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download						x			x	x	×	×	T				T	S2	26361-F2341-E913	1.040,0	00
Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per						x			х	x	х	x						S2	26361-F2341-E914	5.210,0	00
Citrix XD VDI, 100 U/D, 3yr SA	download Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS					Н	x	+		x	x	x	x	+		Н	+	+	S2	26361-F2341-E915	10.420,0	00
	3 years Subscription; SW and License key per download																					
Citrix XD EE, 10 UID, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download						x			x	x	х	x						S2	26361-F2341-E923	2.460,0	00
Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download						x			x	x	x	x						S2	26361-F2341-E924	12.290,0	00
Citrix XD EE, 100 U/D, 3yr SA	Ctrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download						x			x	x	х	х						S2	26361-F2341-E925	24.580,0	00
Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download						x			х	x	х	x						S2	26361-F2341-E933	3.750,0	00
Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download						x			x	x	х	x						S2	26361-F2341-E934	18.750,0	00
Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download						x			x	x	x	x						S2	26361-F2341-E935	37.500,0	00
Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	P	П			П	x	T	Ť	х	х	x	х	T		П		T	S2	26361-F2341-E960	2.170,0	00



					5															
		ector)	ansion	noist	Fibre CAT SX80/SX80i Expansion	1X620S6	059X				~	on Blades	BFi20	BF140						
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX60 Expansion	Fibre CAT SX80/SX80i Expa	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924S2	PRIMERGY BASED ST PRIMERGY Connection Blades	PRIMERGY PBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX960 S1	SX 980 S1	9		
		Switch E	Fibre CAT SX100	eCAT S.	reCAT S	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	MERGY	PRIMERGY	oduct Code	9	nments
Description	Details	6	ē	Ē	Ē	2 8	<u>E</u>	£ 8	: 2	<u>E</u>	Œ Ē	¥ ₹	E.	麗	æ ē	E E	8	P.	E E	5
er Products (Continued) Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download					x			x	×	x	x						S26361-F2341-E961	10.830,	000
Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download					×		1	х	×	x	x						S26361-F2341-E962	21.670,	00
Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					×			x	×	x	×						S26361-F2341-E963	3.460,	000
Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					×			x	×	x	x						S26361-F2341-E964	17.290,	000
Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					x		1	x	×	x	x						S26361-F2341-E965	34.580,	00
Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					x			х	×	x	x						S26361-F2341-E966	2.210,	
Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					x			х	×	x	x						S26361-F2341-E967	11.040,	
Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download					x			х	×	x	x						S26361-F2341-E968	22.080,	00
SVRORDVD V23 (WIN/LINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows	\forall	+	+	+	x	\forall	x >	x x	×	x	x	Н	H	+	+	\vdash	U11420-C939	50,	00
SVRORADRO V2 (WINLINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Advanced DR Option License (1 Server) V2					х		,	x x	x	x	×	П	H				U11420-C952	3.777,	
Citrix XD VDI, 10 U/D, 1yr SA	Ctrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download					х			x	×	x	×						S26361-F2341-S913	790,	000
Citrix XD VDI, 50 U/D, 1yr SA	Ctrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download					×		1	x	×	x	×						S26361-F2341-S914	3.960,	000
Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download					x			x	x	x	x						S26361-F2341-S915	7.920,	000
Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download					x		1	x	x	x	x						S26361-F2341-S923	1.880,	00
Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download					x		+	x	x	x	x						S26361-F2341-S924	9.380,	00
Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download					x		+	x	x	x	x						S26361-F2341-S925	18.750,	00
Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download					x		+	x	x	x	x						S26361-F2341-S933	2.920,	00
Citrix XD PE, 50 U/D, 1yr SA	Câtrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download					x		+	x	x	x	x						S26361-F2341-S934	14.580,	00
Citrix XD PE, 100 U/D, 1yr SA	Câtrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download					x		+	x	x	x	x						S26361-F2341-S935	29.170,	000
Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download					x		+	x	x	x	x		H				S26361-F2341-S960	1.580,	00
Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 LI/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download					х		\dagger	x	×	x	x						S26361-F2341-S961	7.920,	00
Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download					x	П	1	x	×	x	x						S26361-F2341-S962	15.830,	000
Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download					x			x	×	x	x						S26361-F2341-S963	2.630,	
Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Ctrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download					х			x	x	x	×						S26361-F2341-S964	13.130,	
Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download					x		1	x	x	x	x						S26361-F2341-S965	26.250,	000
Citrix XD VDI-PE upgr, \$0 UID, 1yr SA	Ctrix XD VDLPE upgr, 10 LID, 1yr SA; XD VDI to Platinum upgrade 10,UD; XD w/ XenApp FE and XE Essentials, 1 year Subscription; License key per download Ctrix XD VDLPE upgr, 50 LID, 1yr SA; XD VDI to Platinum upgrade 50,UD; XD w/ XenApp FE and XE Essentials, 1 year Subscription; License key per download Ctrix XD VDLPE upgr, 100 LID, 1yr SA; XD VDI to Platinum upgrade 100,UD; XD w/ XenApp FE and XS Essentials, 1 year Subscription; License and XS Essentials, 1 year Subscription; License					x			x	×	x :	x						S26361-F2341-S964	13.130,	000



ervers Options			Т	Т		Т	Т	П		Т	Т	Т	Т		Т	Т	Т				
		FC-Switch Blade (Director)	ThreCAT SX100 Expansion	Fibre CAT SX60 Expansion	Fibre CAT SX80/SX80i Expansion	Fibre CAT SX88 Expansion	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	RIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX960 S1	. SX980 S1			
		itch Bla	Fibre CAT SX10	AT SX6	AT SX8	AT SX8	RGY B	RGY B	RGY B	RGY B	RGY B	RGY B	RGY C	RGY pf	RGY pE	RGY SU	RGY S)	RGY S)	e Code	œ.	ents
Description	Details	₽. %	Hbre C	Hbre C	Fibre	FibreC	PR R	PRIME	PRIME	PRIME	PRIME	PR R	PRIME	PRIME	PRIME	PRIME	PRIME	PRIMERGY	Product	EUP (6	Сотт
ix nter Products (Continued) Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD					١,					. I								S26361-F2341-S967	6.880,00	
Olitic AD EE-FE dipgr, 30 O/D, Tyl SA	Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download						^					^							320301-12341-3907	0.000,00	
Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download					,	x			x	x :	x x	ī.						S26361-F2341-S968	13.750,00	
CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW									\dagger	T			х					U11436-C231	36,00	
SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2	Н	†	†	Н	,	x	х	х	х	x :	x x		Н	†	†	$^{+}$	Н	U11420-C910	50,00	
SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2	Н	†	†	Н	,	x	х	х	х	x :	x x		Н	†	†	$^{+}$	Н	U11420-C911	50,00	
SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class	Н	†	†	Н	,	x	х	x	х	x :	x x		Н	†	†	$^{+}$	Н	U11420-C902	2.363,00	
SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	V2	Ш	4		Ш					_				Ш	4	1	L		U11420-C922	2.363,00	
SVRCVESMSR V22 (WIN) USRTU I SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2					,	*	x	*	x	*	* *							011420-0922	2.363,00	
SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2					,	x	х	х	х	х :	x x	:						U11420-C903	517,00	
SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPL	П	\dagger	\dagger	H	,	x	х	х	х	x :	x x	:	H	\dagger	\dagger			U11420-C904	4.033,00	
SVRCVESAGT V22 (WINVLINUX) RTU 18SVR 4C	Class V2 Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPL		+	\dagger	H	,	x	х	х	х	х :	x x	:	H	+	\dagger			U11420-C905	7.869,00	
SVRCVEFCO V2 (WIN) MED CD	Class V2 ServerView Resource Coordinator VE I/O	Н	+	+	H)	x	x	×	x	x :	x x	-	H	+	+	+	Н	U11420-C906	100,00	
SVRCVEMCO V22 (WIN) MED CD	Virtualization (FC) Option (Windows) V2 ServerView Resource Coordinator VE I/O	Н			Н)	x	х	x	х	x :	x x		Н	+	+	+	Н	U11420-C936	100,00	
	Virtualization (MAC) Option (Windows) V2							Ш						Ш							
SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2					,		х				x x		Ш					U11420-C907	0,01	
SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2					,		х		х	_			Ш					U11420-C935	0,01	
XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version					,	×			x	x :	x x		Ш					U11420-C775	50,00	
SVRORSVR V23 (WINLINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2					,	×	x	x	х	× :	x x	:						U11420-C940	1.331,00	
XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included))	х			x	x :	x x							U11420-C877	1.400,00	
XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal				П	,	х			х	x :	x x	:						U11420-C773-U	1,00	
XTN-N V32 (PS) RtU -1 Node	only) x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included					,	x			х	x :	x x	:						U11420-C878	1.100,00	
SVRORSVR V23 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2		+	t		,	x	x	×	х	x :	x x	:	Н	+	+	t		U11420-C942	12.376,00	
XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from					,	x	Н		х	x :	x x	:						U11420-C774-U	1,00	
SVRORSVR V23 (WINLINUX) RTU 18SVR 4C	x10sure 2.x or 3.0; for maintenance renewal only) ServerView Resource Orchestrator Server	Ш				,	x	х	x	x	x :	x x							U11420-C943	22.277,00	
SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 4C	License (18 Server) 4CPU Class V2 ServerView Resource Orchestrator Server					,				x									U11420-C946	814,00	
	License (1 Server) 4CPU Class RCVE Agent Upgrade V2																				
SVRORSVR V23 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2					,	x	x	x	x	x :	x x							U11420-C948	8.343,00	
SVRORSVR V23 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2					,	x	x	x	x	x :	x x							U11420-C949	14.408,00	
Xprint-NET(W2000/2003) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)													×					U11436-C568	4.374,00	
Xprint-NET-CL (W2000/2003) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)													x					U11436-C569	1.188,00	
Xprint-UGM (W2000/2003) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)													x					U11436-C570	1.458,00	
Xprint-UG2 (W2000/2003) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)	П						П		T	T			×					U11436-C571	1.458,00	
Xprint-UG3 (W2000/2003) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)	П			П			П		T				×					U11436-C572	2.484,00	
Xprint-UG4 (W2000/2003) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)	П	\dagger	T	П		T	П		\dagger	1			×					U11436-C573	2.268,00	
Xprint-UG5 (W2000/2003) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)	П		T	П	T	T	П		\dagger			T	х					U11436-C574	1.890,00	
Xprint-UG6 (W2000/2003) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)	Н	\dagger		H	\dagger		\parallel		+	\dagger	T		x	\dagger				U11436-C575	1.890,00	
Xprint-UG7 (W2000/2003) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)	H	\dagger	\dagger	H	\dagger	\dagger	Н		\dagger			t	x		\dagger			U11436-C576	1.890,00	
Xprint-UG8 (W2000/2003) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW	H	+	\dagger	H	\dagger	$^{+}$	\forall	+	+	$^{+}$		t	×	+	\dagger			U11436-C577	1.890,00	
Xprint-ERP-Kit (W2000/2003) V8.0	(Licence no data media) Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW	Н	+	+	Н	+	+	\vdash	\vdash	+	+	+	+	x	+	+	+	H	U11436-C578	4.439,00	



					_																									
		tor)	sion	5	Fibre CAT SX80/SX80i Expansion	. 6	620 S6	920	8							Blades	F120	140												
		FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX 40	/SX80i E	Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	100	400 S1	900 S1	920 \$2	922 \$2	924 S2	960 S1	PRIMERGY Connection Blades	PRIMERGY PBLADE BF120	PRIMERGY pBLADE BF140	910 S1	940 S1	960 S1	980 S1								
		itch Bla	AT SX10	Fibre CAT SX 40	AT SX80	AT SX8	RGY BL	RGY BL	DEIMERCY BY40064	RGY BX	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	RGY Co	RGY pB	RGY pB	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1		900		•			ents	
Description	Details	FC-Sw	Fibre	Hbre C	Fibre	Fibre	PRIME	PRIME	9	BE BE	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME	PRIME		Product		EUP (Comments	
ix nter Products (Continued) Xprint-NET-UP(W2000/2003) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print																						11114	6-C580		1.761	00			
XXXIII-101 (W22000/2003) V0.0	Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																ľ						0114	0-0300		1.701				
Xprint-NET-CL-UP(W2000/2003) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0							İ	Ť						İ		x						U114	6-C581		486	00			
Xprint-UGM-UP (W2000/2003) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW			+	t		t	t	t	+	+			ŀ	H	H	x				-		U114	6-C582	+	589	00			
	Update from Xprint 7.0 to Xprint 8.0	Ш				L	L	L	L	1			L	L	L	L	L	L	L	L	L									
Xprint-UG2-UP (W2000/2003) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																×						U114	6-C583		589	00			
Xprint-UG3-UP (W2000/2003) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based				†	t	t	t	t	+	+		r	t			×	t	r				U114	6-C584	†	1.005	00			
	HW Update from Xprint 7.0 to Xprint 8.0																													
Xprint-UG4-UP (W2000/2003) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																×						U114	6-C585		908	00			
Xprint-UG5-UP (W2000/2003) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f.	Н		+	+	+	+	+	+	+	+	_	H	H	H	H	×	H	H	H	H	H	U114	6-C586	+	756	00			 _
	connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																													
Xprint-UG6-UP (W2000/2003) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0	П			T				T		1						×						U114	6-C587		756	00			
Xprint-UG7-UP (W2000/2003) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f.	Н		+	+	+	H	H	ł	+	4		H	H	H	H	×	H	H	L	L	L	U114	6-C588	+	756	00			_
	connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																													
Xprint-UG8-UP (W2000/2003) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																x						U114	6-C589		756	00			
Xprint-ERP-Kit-UP (W2000/2003) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update				t	t	t	t	t	+	+			ŀ	H	H	x	t	H		-		U114	6-C590		1.804	00			
Xprint-NET (LINUX) V8.0	from Xprint 7.0 to Xprint 8.0 Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)	Н			t	t	t	t	t	+			r	l	t	r	×	t	r		-		U114	6-C616		4.374	00			
Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no				t	t	t	t	t	+	1		t		t	t	×	t	r	r			U114	6-C617		1.188	00			
Xprint-UGM (LINUX) V8.0	data media) Xprint-UGM (LINUX) V8.0 LC f. connection of 33- 128 printers for Intel based HW (Licence no data		\forall			t	t	t	t	+	+		r	r		t	×	t	r		-		U114	6-C618		1.458	00			
Xprint-UG2 (LINUX) V8.0	media) Xprint-UG2 (LINUX) V8.0 LC f. connection of 129- 256 printers for Intel based HW (Licence no data		\forall			t	t	t	t	+	+		r	r		t	×	t	r		-		U114	6-C619		1.458	00			
Xprint-UG3 (LINUX) V8.0	media) Xprint-UG3 (LINUX) V8.0 LC f. connection of 257- 512 printers for Intel based HW (Licence no data			+	t	t	t	t	t	+			H	l	t	H	×	t	H	H	-	H	U114	6-C620	+	2.484	00			_
Xprint-UG4 (LINUX) V8.0	media) Xprint-UG4 (LINUX) V8.0 LC f. connection of 513- 1024 printers for Intel based HW (Licence no					t	t	t	t	+	+		H	ŀ		H	×	t	r				U114	6-C621		2.268	00			
Xprint-UG5 (LINUX) V8.0	data media) Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence	Н				+	t	t	t	+	+		H	ŀ		H	×	t	H				U114	6-C622		1.890	00			
Xprint-UG6 (LINUX) V8.0	no data media) Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence	Н	H	+	+	+	+	t	ł	+	+		H	ŀ	H	H	×	H	H	H	-	H	U114	6-C623	+	1.890	00			 _
Xprint-UG7 (LINUX) V8.0	no data media) Xprint-UG7 (LINUX) V8.0 LC f. connection of	Н		+	+	+	+	ł	+	+	+		H	H		H	×	H	H				U114	6-C624	+	1.890	00			
Xprint-UG8 (LINUX) V8.0	4097-8192 printers for Intel based HW (Licence no data media) Xprint-UG8 (LINUX) V8.0 LC f. connection of			-	-	H	+	ļ	ļ	4	4		L	H	H		×	L	L		L	L	U114	6-C625	-	1.890	00			
	8193-unlimited printers f. Intel based HW (Licence no data media)	Ц						L	1	1			L	L	L				L		L	L								
Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																×							6-C626		4.439	uu			
Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0								T								×						U114	6-C628		1.761	00			
Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Clien in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0				T	T	T	T	Ť				Γ	Ī			×	T	T				U114	6-C629	7	486	00			
Xprint-UGM-UP (LINUX) V8.0	Trom Xprint / U to Xprint 8.0 Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0	П			t			t	+	†					İ		×						U114	6-C630	1	589	00			_
Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0	H		+	+	ŀ	+	t	+	+	+		H	-	F	H	×				-		U114	86-C631	+	589	00			
Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of	Н		+	+	-	1	1	1	1	4		L	L	L	-	×	L	L		L	L	U114	6-C632	4	1.005	00			
	257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																^													
Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0	П					İ	İ	Ť					Ī	İ		x						U114	6-C633		908	00			
Xprint-UG5-UP (LINUX) V8.0	Xprint-UGS-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xingit 7.0 to Xingit 8.0	H	+	+	\dagger		+	+	\dagger	+	+				H	H	x				-		U114	6-C634	+	756	00			
Xprint-UG6-UP (LINUX) V8.0	from Xprint 7.0 to Xprint 8.0 Xprint-UG6-UP (LINUX) V8.0 LC f. connection of	H	4	+	+	+	+	+	+	+	+		L	ŀ	H	L	×	-		L	L	L	U114	6-C635	+	756	00			
	2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0				1		1																							



Blade S	Servers Options																						
Catogory	Description	Details	FC-Switch Blade (Director)	Fibre CAT SX100 Expansion	Fibre CAT SX40		Fibre CAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	BX960 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BHZ0	PRIMERGY PBLADE BRIAD	PRIMERGY SX940 S1	096XS	PRIMERGY SX980 S1	roduct Code	eup (4)	Conments
Options mat		Details										-											
	enter Products (Continued)																						
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0														×					U11436-C637	756,00	
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)														×					U11436-C638	1.804,00	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances														×					U11436-C664	432,00	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances				Τ				Τ	Г	П				×		Τ			U11436-C665	432,00	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI - UG3 V1.0 Licence for 17 to 32 instances								Т	Т	П				×	х	Т		Г	U11436-C666	648,00	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances									Т	П				×	×				U11436-C667	972,00	
Services																							
	POH Maint BLADE CRYPTO 1Y Extended POH Maint BLADE CRYPTO 1Y Renewal	POH Maint BLADE CRYPTO; 1Y Extended POH Maint BLADE CRYPTO; 1year Renewal	x		+	t	Н		\dagger	t	t	Н		+	+	†	†	t	t	H	D:POH-BLCRYP-1-EXT D:POH-BLCRYP-1-UPG	17.282,00 20.460,00	
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended	x								Т	П									D:POH-BLFCIP-1-EXT	3.070,00	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal	х				П			T		П				T	T	T			D:POH-BLFCIP-1-UPG	3.643,00	
	FCOE24 Blade POH Support 1Y Extended	FCOE24 Blade POH Support 1 Year Extended	х								Т	П						T			D:POH-BLFCOE-1-EXT	3.607,00	
	FCOE24 Blade POH Support 1Y Renewal	FCOE24 Blade POH Support 1 year Renewal	x				П				Τ	П						T			D:POH-BLFCOE-1-UPG	4.256,00	
	FX8-24 Blade POH Sup. 1J Extended	FX8-24 Blade POH Support 1 year Extended	х								Τ	П									D:POH-BLFEXT-1-EXT	4.285,00	
	FX8-24 Blade POH Sup. 1J Renewal	FX8-24 Blade POH Support 1 year Renewal	x				П				Τ	П						T			D:POH-BLFEXT-1-UPG	4.868,00	
	SUP10G lic FX8-24 Bl. 1J Extended	SUP 10G lic for FX8-24 Blade Support 1 year Extended	x													T	I				D:SUP-10GE-1-EXT	1.068,00	
	SUP ADV f. FX8-24 Bl. 1J Extended	SUP ADV EXT for FX8-24 Blade Support 1 year Extended	х																		D:SUP-DCXAEX-1-EXT	823,00	
	SUP ADV f. FX8-24 Bl. 1J Renewal	SUP ADV EXT for FX8-24 Blade 1 year Renewal	х		T		П		T	T	Г				T	T	T	Г			D:SUP-DCXAEX-1-UPG	936,00	
	SUP FICONACC FX8-24BI. 1J Extended	SUP FICON ACC for FX8-24 Blade Support 1 year Extended	х			Т	П			Т	Т	П						Т		П	D:SUP-DCXAFI-1-EXT	3.958,00	
	SUP FICONACC FX8-24 Bl. 1J Renewal	SUP FICON ACC for FX8-24 Blade 1 year Renewal	х			Т	П			Т	Т	П						Т		П	D:SUP-DCXAFI-1-UPG	4.496,00	
Solution ide	entifier HPC Compute Node Inst. ex works incl ICR	Please note confiugration hints			Ť						x	x	x		Ť		Ť	Ì	Ì		S26361-F3638-E2	205,00	
				_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_				